

O-RINGS - NBR 70

Listino Prezzi 2002
Price List 2002

Euro

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	3000	30000	75000
						27000	72000	75000
11A001K6	1,15	1,00	R000			0,9920	0,8762	0,8091
11B015K6	1,50	1,00		DIN		0,9920	0,8762	0,8091
11B018K6	1,80	1,00		DIN		0,9920	0,8762	0,8091
11B021K6	2,00	1,00		DIN		1,0204	0,9013	0,7575
11B027K6	2,50	1,00		DIN	607	1,0204	0,9013	0,7575
11B030K6	3,00	1,00		DIN		1,0204	0,9013	0,7575
11B031K6	3,50	1,00		DIN		1,0489	0,9265	0,7747
11B033K6	4,00	1,00		DIN		1,0774	0,9516	0,7747
11B034K6	4,50	1,00		DIN		1,0916	0,9642	0,7919
11B036K6	5,00	1,00		DIN		1,1058	0,9768	0,7919
11B037K6	5,50	1,00		DIN		1,1343	1,0019	0,7919
11B039K6	6,00	1,00		DIN		1,1617	1,0261	0,8263
11B038K6	6,50	1,00		DIN		1,1759	1,0387	0,8952
11B041K6	7,00	1,00		DIN		1,1901	1,0512	0,8952
11B043K6	7,50	1,00		DIN		1,2471	1,1015	0,8952
11B042K6	8,00	1,00		DIN		1,2755	1,1267	0,8952
11B045K6	8,50	1,00		DIN		1,3040	1,1518	0,9641
11B048K6	9,00	1,00		DIN		1,3040	1,1518	0,9641
11B047K6	9,50	1,00		DIN		1,3182	1,1644	1,1190
11B050K6	10,00	1,00		DIN		1,3325	1,1769	1,1190
						2000	20000	50000
						18000	48000	50000
11B052K6	10,50	1,00		DIN		1,3467	1,1895	1,2051
11B053K6	11,00	1,00		DIN		1,3609	1,2021	1,2051
11B046K6	11,50	1,00		DIN		1,3752	1,2147	1,2051
11B054K6	12,00	1,00		DIN		1,3883	1,2263	1,2051
11B044K6	12,50	1,00		DIN		1,4026	1,2388	1,2051
11B057K6	13,00	1,00		DIN		1,4168	1,2514	1,2051
11B035K6	13,50	1,00		DIN		1,4737	1,3017	1,2051
11B055K6	14,00	1,00		DIN		1,5022	1,3268	1,2223
11B074K6	14,50	1,00		DIN		1,5591	1,3771	1,2739
11B061K6	15,00	1,00		DIN		1,5876	1,4023	1,2911
11B076K6	15,50	1,00		DIN		1,6434	1,4516	1,3428
11B060K6	16,00	1,00		DIN		1,6719	1,4767	1,3772
						1000	10000	25000
						9000	24000	25000
11B077K6	16,50	1,00		DIN		1,6861	1,4893	1,3772
11B056K6	17,00	1,00		DIN		1,7004	1,5019	1,3772
11B091K6	17,50	1,00		DIN		1,7858	1,5773	1,4461
11B062K6	18,00	1,00		DIN		1,8701	1,6518	1,5149
11B092K6	18,50	1,00		DIN		1,8985	1,6769	1,5494
11B063K6	19,00	1,00		DIN		1,9270	1,7021	1,5494
11B106K6	19,50	1,00		DIN		2,0978	1,8529	1,7043
11B067K6	20,00	1,00		DIN		2,2675	2,0028	1,8592
11B107K6	20,50	1,00		DIN		2,3244	2,0531	1,8937

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	25000
11B065K6	21,00	1,00		DIN		2,3803	2,1024	1,9453
11B109K6	21,50	1,00		DIN		2,4657	2,1779	2,0142
11B064K6	22,00	1,00		DIN		2,5226	2,2282	2,0486
11B112K6	22,50	1,00		DIN		2,6069	2,3026	2,1261
11B071K6	23,00	1,00		DIN		2,6639	2,3529	2,1691
11B113K6	23,50	1,00		DIN		2,7493	2,4284	2,2380
11B068K6	24,00	1,00		DIN		2,8336	2,5028	2,3068
11B118K6	24,50	1,00		DIN		2,8905	2,5531	2,3585
11B070K6	25,00	1,00		DIN		2,9190	2,5783	2,3757
						3000	30000	75000
						27000	72000	75000
11A002K6	0,74	1,02			001	0,9920	0,8762	0,7919
11A003K6	1,78	1,02			3.5	0,9920	0,8762	0,7919
11A004K6	1,07	1,27			002	0,9920	0,8762	0,7919
11A005K6	4,70	1,42			901	1,1058	0,9768	0,7919
11B153K6	1,85	1,50		DIN		0,9920	0,8762	0,7919
11B156K6	2,00	1,50		DIN		0,9920	0,8762	0,7919
11B158K6	2,50	1,50		DIN		0,9920	0,8762	0,7919
11B160K6	2,80	1,50		DIN		0,9920	0,8762	0,7919
11B162K6	3,00	1,50		DIN		0,9920	0,8762	0,7919
11B165K6	3,50	1,50		DIN		1,0489	0,9265	0,7919
11B171K6	4,00	1,50		DIN		1,0774	0,9516	0,7919
11B174K6	4,50	1,50		DIN		1,1058	0,9768	0,7919
11B177K6	5,00	1,50		DIN		1,1343	1,0019	0,7919
11B180K6	5,50	1,50		DIN		1,1474	1,0135	0,8263
11B183K6	6,00	1,50		DIN		1,1617	1,0261	0,8263
11B186K6	6,50	1,50		DIN		1,2186	1,0764	0,8435
11B188K6	7,00	1,50		DIN		1,2471	1,1015	0,8435
11B189K6	7,50	1,50		DIN		1,3040	1,1518	0,8435
11B192K6	8,00	1,50		DIN		1,3040	1,1518	0,8780
11B195K6	8,50	1,50		DIN		1,3040	1,1518	0,9124
11B198K6	9,00	1,50		DIN		1,3040	1,1518	0,9296
11B200K6	9,50	1,50		DIN		1,3040	1,1518	0,9985
11B201K6	10,00	1,50		DIN		1,3040	1,1518	1,0329
						2000	20000	50000
						18000	48000	50000
11B202K6	10,50	1,50		DIN		1,3325	1,1769	1,0673
11B204K6	11,00	1,50		DIN		1,3609	1,2021	1,0846
11B207K6	11,50	1,50		DIN		1,3752	1,2147	1,0846
11B210K6	12,00	1,50		DIN		1,3883	1,2263	1,0846
11B213K6	12,50	1,50		DIN		1,4168	1,2514	1,0846
11B216K6	13,00	1,50		DIN		1,4453	1,2766	1,1190
11B217K6	13,50	1,50		DIN		1,5022	1,3268	1,2051
11B219K6	14,00	1,50		DIN		1,5591	1,3771	1,2567
11B220K6	14,50	1,50		DIN		1,6161	1,4274	1,2739

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	2000	20000	50000
						18000	48000	50000
11B222K6	15,00	1,50		DIN		1,6434	1,4516	1,2739
11B223K6	15,50	1,50		DIN		1,7004	1,5019	1,3944
11B225K6	16,00	1,50		DIN		1,7573	1,5522	1,4116
						1000	10000	25000
						9000	24000	25000
11B228K6	16,50	1,50		DIN		1,8142	1,6025	1,4116
11B231K6	17,00	1,50		DIN		1,8427	1,6276	1,4116
11B232K6	17,50	1,50		DIN		1,8701	1,6518	1,5322
11B234K6	18,00	1,50		DIN		1,8701	1,6518	1,5322
11B235K6	18,50	1,50		DIN		1,9555	1,7272	1,6010
11B237K6	19,00	1,50		DIN		2,0124	1,7775	1,6527
11B240K6	19,50	1,50		DIN		2,2106	1,9525	1,7904
11B243K6	20,00	1,50		DIN		2,3518	2,0773	1,9109
11B244K6	20,50	1,50		DIN		2,4088	2,1276	1,9625
11B246K6	21,00	1,50		DIN		2,4657	2,1779	2,0142
11B249K6	21,50	1,50		DIN		2,5226	2,2282	2,0658
11B252K6	22,00	1,50		DIN		2,5796	2,2785	2,1175
11B253K6	22,50	1,50		DIN		2,6354	2,3278	2,1474
11B255K6	23,00	1,50		DIN		2,6923	2,3781	2,1937
11B256K6	23,50	1,50		DIN		2,7777	2,4535	2,2633
11B258K6	24,00	1,50		DIN		2,8620	2,5280	2,3320
11B259K6	24,50	1,50		DIN		2,8905	2,5531	2,3552
11B261K6	25,00	1,50		DIN		2,9190	2,5783	2,3784
11B262K6	25,50	1,50		DIN		3,1741	2,8036	2,5863
11B264K6	26,00	1,50		DIN		3,3153	2,9283	2,7014
11B265K6	26,50	1,50		DIN		3,3438	2,9535	2,7246
11B266K6	27,00	1,50		DIN		3,3723	2,9786	2,7478
11B267K6	27,50	1,50		DIN		3,4292	3,0289	2,7941
11B268K6	28,00	1,50		DIN		3,4566	3,0531	2,8164
11B263K6	28,50	1,50		DIN		3,5146	3,1043	2,8637
11B269K6	29,00	1,50		DIN		3,5431	3,1295	2,8869
11B271K6	29,50	1,50		DIN		3,5989	3,1788	2,9324
11B270K6	30,00	1,50		DIN		3,6558	3,2291	2,9788
						500	5000	12500
						4500	12000	12500
11B272K6	30,50	1,50		DIN		3,7128	3,2794	3,0252
11B273K6	31,00	1,50		DIN		3,7412	3,3045	3,0484
11B275K6	31,50	1,50		DIN		3,7971	3,3539	3,0939
11B274K6	32,00	1,50		DIN		3,8540	3,4041	3,1403
11B260K6	32,50	1,50		DIN		3,9109	3,4544	3,1867
11B276K6	33,00	1,50		DIN		3,9679	3,5047	3,2331
11B257K6	33,50	1,50		DIN		4,0248	3,5550	3,2795
11B277K6	34,00	1,50		DIN		4,0522	3,5792	3,3018
11B254K6	34,50	1,50		DIN		4,1091	3,6295	3,3482
11B279K6	35,00	1,50		DIN		4,1661	3,6798	3,3945

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	500	5000	12500
						4500	12000	12500
11B251K6	35,50	1,50		DIN		4,1945	3,7049	3,4177
11B278K6	36,00	1,50		DIN		4,2230	3,7301	3,4409
11B250K6	36,50	1,50		DIN		4,2515	3,7552	3,4641
11B280K6	37,00	1,50		DIN		4,2788	3,7794	3,4864
11B248K6	37,50	1,50		DIN		4,3073	3,8045	3,5096
11B281K6	38,00	1,50		DIN		4,3073	3,8045	3,5096
11B247K6	38,50	1,50		DIN		4,3642	3,8548	3,5560
11B282K6	39,00	1,50		DIN		4,3927	3,8799	3,5792
11B245K6	39,50	1,50		DIN		4,4212	3,9051	3,6024
11B285K6	40,00	1,50		DIN		4,4496	3,9302	3,6256
11B242K6	41,00	1,50		DIN		4,6193	4,0801	3,7639
11B286K6	42,00	1,50		DIN		4,8175	4,2552	3,9254
11B241K6	43,00	1,50		DIN		5,0442	4,4554	4,1100
11B307K6	44,00	1,50		DIN		5,2423	4,6304	4,2715
11B287K6	45,00	1,50		DIN		5,4416	4,8064	4,4339
11B239K6	46,00	1,50		DIN		5,6398	4,9815	4,5953
11B289K6	47,00	1,50		DIN		5,8379	5,1565	4,7568
11B238K6	48,00	1,50		DIN		6,0646	5,3567	4,9415
11B236K6	49,00	1,50		DIN		6,2628	5,5317	5,1030
11B291K6	50,00	1,50		DIN		6,4598	5,7058	5,2636
						250	2500	6250
						2250	6000	6250
11B310K6	51,00	1,50		DIN		6,4872	5,7300	5,2859
11B295K6	52,00	1,50		DIN		6,5748	5,8074	5,3572
11B316K6	53,00	1,50		DIN		6,6022	5,8315	5,3795
11B296K6	54,00	1,50		DIN		6,6569	5,8799	5,4241
11B298K6	55,00	1,50		DIN		6,6898	5,9089	5,4509
11B311K6	56,00	1,50		DIN		6,7719	5,9814	5,5178
11B300K6	57,00	1,50		DIN		6,7993	6,0056	5,5401
11B299K6	58,00	1,50		DIN		6,8321	6,0346	5,5669
11B313K6	59,00	1,50		DIN		6,8868	6,0830	5,6115
11B301K6	60,00	1,50		DIN		6,9690	6,1555	5,6784
11B317K6	61,00	1,50		DIN		7,1387	6,3054	5,8167
11B302K6	62,00	1,50		DIN		7,3139	6,4601	5,9594
11B314K6	63,00	1,50		DIN		7,5109	6,6342	6,1200
11B326K6	64,00	1,50		DIN		7,7080	6,8083	6,2806
11B320K6	65,00	1,50		DIN		7,8777	6,9582	6,4189
11B290K6	66,00	1,50		DIN		8,0748	7,1323	6,5794
11B322K6	67,00	1,50		DIN		8,2774	7,3112	6,7445
11B233K6	68,00	1,50		DIN		8,4744	7,4852	6,9051
11B230K6	69,00	1,50		DIN		8,6441	7,6351	7,0433
11B305K6	70,00	1,50		DIN		8,8412	7,8092	7,2039
11B229K6	71,00	1,50		DIN		8,9562	7,9108	7,2976
11B227K6	72,00	1,50		DIN		9,0383	7,9833	7,3645
11B283K6	73,00	1,50		DIN		9,1259	8,0607	7,4359

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				250	2500	6250
				2250	6000	6250		
11B226K6	74,00	1,50		DIN		9,2080	8,1332	7,5028
11B224K6	75,00	1,50		DIN		9,3230	8,2347	7,5965
11B337K6	76,00	1,50		DIN		9,4106	8,3121	7,6678
11B338K6	77,00	1,50		DIN		9,5201	8,4088	7,7570
11B340K6	78,00	1,50		DIN		9,6076	8,4862	7,8284
11B343K6	79,00	1,50		DIN		9,7226	8,5877	7,9221
11B284K6	80,00	1,50		DIN		9,8047	8,6603	7,9890
11B344K6	81,00	1,50		DIN		10,429	9,2115	8,4975
11B349K6	82,00	1,50		DIN		10,768	9,5113	8,7741
11B350K6	83,00	1,50		DIN		11,277	9,9610	9,1889
11B352K6	84,00	1,50		DIN		11,617	10,261	9,4655
11B359K6	85,00	1,50		DIN		12,186	10,764	9,9294
11B361K6	86,00	1,50		DIN		12,750	11,262	10,389
11B362K6	87,00	1,50		DIN		13,489	11,915	10,991
11B364K6	88,00	1,50		DIN		13,713	12,113	11,174
11B368K6	89,00	1,50		DIN		13,943	12,316	11,361
11B335K6	90,00	1,50		DIN		14,168	12,514	11,544
11B370K6	91,00	1,50		DIN		14,398	12,717	11,731
11B371K6	92,00	1,50		DIN		14,622	12,915	11,914
11B373K6	93,00	1,50		DIN		14,847	13,114	12,097
11B385K6	94,00	1,50		DIN		15,077	13,317	12,285
11B386K6	95,00	1,50		DIN		15,301	13,515	12,467
11B388K6	96,00	1,50		DIN		15,531	13,718	12,655
11B436K6	97,00	1,50		DIN		15,755	13,916	12,838
11B437K6	98,00	1,50		DIN		15,985	14,119	13,025
11B439K6	99,00	1,50		DIN		16,210	14,318	13,208
11B440K6	100,00	1,50		DIN		16,434	14,516	13,391
						3000	30000	75000
						27000	72000	75000
11A006K6	1,42	1,52			003	0,9920	0,8762	0,6886
11A007K6	2,20	1,60	R00			0,9920	0,8762	0,7230
11A008K6	2,75	1,60	R1B			0,9920	0,8762	0,7403
11A009K6	3,10	1,60		DIN		1,0204	0,9013	0,7403
11A010K6	4,10	1,60				1,0774	0,9516	0,7403
11A011K6	4,70	1,60		DIN		1,1343	1,0019	0,7403
11A012K6	5,00	1,60		DIN		1,1343	1,0019	0,7403
11A013K6	5,10	1,60				1,1617	1,0261	0,7403
11A014K6	6,10	1,60				1,1901	1,0512	0,7919
11A015K6	7,10	1,60				1,2471	1,1015	0,8263
11A016K6	8,10	1,60				1,3040	1,1518	0,8608
11A017K6	9,10	1,60				1,3325	1,1769	0,9124
11A018K6	10,10	1,60				1,3609	1,2021	1,0329

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				2000	20000	50000
				18000	48000	50000		
11A019K6	11,10	1,60				1,3883	1,2263	1,0846
11A020K6	12,10	1,60				1,4168	1,2514	1,0846
11A021K6	13,10	1,60				1,5022	1,3268	1,1190
11A022K6	14,10	1,60				1,5591	1,3771	1,2051
11A023K6	15,10	1,60				1,7004	1,5019	1,3772
11A024K6	16,10	1,60				1,7858	1,5773	1,4116
						1000	10000	25000
						9000	24000	25000
11A025K6	17,10	1,60				1,8701	1,6518	1,4461
11A026K6	18,10	1,60				1,9555	1,7272	1,6010
11A027K6	19,10	1,60				2,2106	1,9525	1,6354
11A028K6	22,10	1,60				2,5796	2,2785	1,9453
11A029K6	25,10	1,60				2,9474	2,6034	2,4101
11A030K6	27,10	1,60				3,4566	3,0531	2,8233
11A031K6	29,10	1,60				3,5431	3,1295	2,8922
11A032K6	32,10	1,60				3,8540	3,4041	3,1504
						500	5000	12500
						4500	12000	12500
11A033K6	35,10	1,60				4,2515	3,7552	3,4775
11A034K6	37,10	1,60				4,5339	4,0047	3,7013
						3000	30000	75000
						27000	72000	75000
11A035K6	6,07	1,63			902	1,1901	1,0512	0,8952
11A036K6	7,65	1,63			903	1,3040	1,1518	0,9296
11A037K6	1,78	1,78			2007 004	0,8617	0,7611	0,6197
11A038K6	2,57	1,78			2010 005	0,8617	0,7611	0,6197
11A039K6	2,90	1,78			2012 006	0,8617	0,7611	0,6197
11B347K6	3,17	1,78				0,9219	0,8143	0,6197
11A040K6	3,68	1,78			2015 007	0,9033	0,7978	0,6197
11A041K6	4,47	1,78			2018 008	0,9219	0,8143	0,6197
11B353K6	4,76	1,78				0,9821	0,8675	0,7403
11A042K6	5,28	1,78			2021 009	0,9821	0,8675	0,7403
11A043K6	6,07	1,78			2025 010	1,0850	0,9584	0,7403
11A044K6	6,35	1,78			5BIS 803	1,0850	0,9584	0,7403
11A045K6	6,75	1,78				1,0850	0,9584	0,7403
11A046K6	7,65	1,78			2031 011	1,0850	0,9584	0,7403
11B356K6	7,94	1,78				1,2493	1,1034	0,7403
11A047K6	8,73	1,78				1,2493	1,1034	0,7403
11A048K6	9,25	1,78			108 611	1,2898	1,1392	0,8435
11A049K6	9,52	1,78			2037 012	1,3609	1,2021	1,0157
11A050K6	10,82	1,78			8BIS 2043 013	1,4168	1,2514	1,0157
						2000	20000	50000
						18000	48000	50000
11A051K6	11,11	1,78			114 806	1,4168	1,2514	1,0157

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				2000 18000	20000 48000	50000
	F	I-JIS	AS-BS					
11A052K6	12,42	1,78	2050	014	1,4453	1,2766	1,0157	
11A053K6	14,00	1,78	2056	015	1,5591	1,3771	1,1190	
11A054K6	15,60	1,78	2062	016	1,7573	1,5522	1,3084	
					1000 9000	10000 24000	25000	
11A055K6	17,17	1,78	2068	017	1,8142	1,6025	1,3944	
11A056K6	18,77	1,78	2075	018	2,0409	1,8026	1,5494	
11A057K6	20,35	1,78	2081	019	2,2675	2,0028	1,6871	
11A058K6	21,95	1,78	2087	020	2,4372	2,1527	1,8248	
11A059K6	23,52	1,78	2093	021	2,6639	2,3529	1,8592	
11A060K6	25,12	1,78	2100	022	2,7777	2,4535	2,0658	
11A061K6	26,70	1,78	2106	023	3,1171	2,7533	2,2380	
11A062K6	28,30	1,78	2112	024	3,2595	2,8790	2,4962	
11A063K6	29,87	1,78	2118	025	3,5431	3,1295	2,7544	
11A064K6	31,47	1,78	2125	026	3,7971	3,3539	3,1848	
					500 4500	5000 12000	12500	
11A065K6	33,05	1,78	2131	027	4,2515	3,7552	3,7185	
11A066K6	34,65	1,78	2137	028	4,5339	4,0047	3,7185	
11B374K6	36,27	1,78	517		4,6763	4,1304	3,9595	
11A067K6	37,82	1,78	2150	029	4,6763	4,1304	3,9595	
11B379K6	39,45	1,78	519		4,8175	4,2552	4,1317	
11A068K6	41,00	1,78	2162	030	4,8175	4,2552	4,2177	
11A069K6	44,17	1,78	2175	031	5,6682	5,0066	4,7342	
11A070K6	47,35	1,78	2187	032	6,4609	5,7068	5,2679	
11A071K6	50,52	1,78	2200	033	6,7993	6,0056	5,6810	
					250 2250	2500 6000	6250	
11A072K6	53,70	1,78	2212	034	6,7993	6,0056	5,8532	
11A073K6	56,87	1,78	2225	035	7,0839	6,2570	6,0253	
11A074K6	60,04	1,78	2237	036	7,9325	7,0065	6,1975	
11A075K6	63,22	1,78	2250	037	8,5018	7,5094	7,0582	
11A076K6	66,40	1,78	2262	038	9,0657	8,0075	7,4025	
11A077K6	69,57	1,78	2275	039	9,9197	8,7618	8,0912	
11A078K6	72,75	1,78	2287	040	10,768	9,5113	8,6076	
11A079K6	75,92	1,78	2300	041	11,338	10,014	9,2446	
11B395K6	79,00	1,78	2312	532	12,186	10,764	10,157	
11A080K6	82,27	1,78	2325	042	12,750	11,262	10,381	
11B397K6	85,34	1,78	2337	534	13,319	11,765	10,846	
11A081K6	88,62	1,78	2350	043	13,604	12,016	10,846	
11B398K6	91,70	1,78	2362	536	14,168	12,514	11,879	
11A082K6	94,97	1,78	2375	044	14,737	13,017	12,223	
11B400K6	98,05	1,78	2387	538	15,870	14,018	13,256	
11A083K6	101,32	1,78	2400	045	15,870	14,018	13,428	

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				150 1350	1500 3600	3750
	F	I-JIS	AS-BS					
11B401K6	104,40	1,78	2412	540	17,288	15,270	14,289	
11A084K6	107,67	1,78	2425	046	17,288	15,270	14,461	
11B403K6	110,74	1,78	2437	542	17,288	15,270	14,461	
11A085K6	114,02	1,78	2450	047	17,288	15,270	14,633	
11B404K6	117,10	1,78	2462	544	20,119	17,770	17,215	
11A086K6	120,37	1,78	2475	048	20,119	17,770	17,215	
11B406K6	123,44	1,78	2487	546	20,119	17,770	17,215	
11A087K6	126,72	1,78	2500	049	20,403	18,022	17,215	
11B407K6	129,40	1,78	2512	548	20,403	18,022	17,215	
11A088K6	133,07	1,78	2525	050	20,403	18,022	17,215	
11B410K6	135,76	1,78	2537	550	21,788	19,245	17,753	
11B412K6	138,94	1,78	2550	551	23,912	21,121	19,484	
11B413K6	142,11	1,78	2562	552	24,980	22,064	20,354	
11B415K6	145,29	1,78	2575	553	26,031	22,992	21,210	
11B416K6	148,46	1,78	2587	554	27,098	23,935	22,080	
11B418K6	151,64	1,78	2600	555	27,098	23,935	22,080	
11B419K6	154,81	1,78	2612	556	30,547	26,982	24,890	
11B421K6	158,00	1,78	2625	557	33,213	29,337	27,063	
11B422K6	161,16	1,78	2637	558	35,874	31,687	29,231	
11B424K6	164,34	1,78	2652	559	37,182	32,842	30,297	
11B425K6	167,51	1,78	2662	560	37,182	32,842	30,297	
11B427K6	170,69	1,78	2675	561	37,182	32,842	30,297	
11B428K6	173,87	1,78	2687	562	38,540	34,041	31,403	
					3000 27000	30000 72000	75000	
11B430K6	1,80	1,80	ISO		0,9920	0,8762	0,8083	
11B431K6	2,00	1,80	ISO		0,9920	0,8762	0,8083	
11B443K6	2,24	1,80	ISO		0,9920	0,8762	0,8083	
11B393K6	2,50	1,80	ISO		0,9920	0,8762	0,8083	
11B396K6	2,80	1,80	ISO		0,9920	0,8762	0,8083	
11B402K6	3,15	1,80	ISO		1,0204	0,9013	0,8315	
11B445K6	3,55	1,80	ISO		1,0204	0,9013	0,8315	
11B446K6	3,75	1,80	ISO		1,0774	0,9516	0,8779	
11B448K6	4,00	1,80	ISO		1,0774	0,9516	0,8779	
11B411K6	4,50	1,80	ISO		1,1058	0,9768	0,9010	
11B449K6	4,87	1,80	ISO		1,1343	1,0019	0,9242	
11B414K6	5,00	1,80	ISO		1,1343	1,0019	0,9242	
11B454K6	5,15	1,80	ISO		1,1617	1,0261	0,9465	
11B417K6	5,30	1,80	ISO		1,1617	1,0261	0,9465	
11B455K6	5,60	1,80	ISO		1,1901	1,0512	0,9697	
11B420K6	6,00	1,80	ISO		1,1901	1,0512	0,9697	
11B469K6	6,30	1,80	ISO		1,2186	1,0764	0,9929	
11B423K6	6,70	1,80	ISO		1,2186	1,0764	0,9929	
11B470K6	6,90	1,80	ISO		1,2471	1,1015	1,0161	
11B473K6	7,10	1,80	ISO		1,2471	1,1015	1,0161	

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				3000 27000	30000 72000	75000
	F	I - JIS	AS-BS					
11B429K6	7,50	1,80	ISO			1,2755	1,1267	1,0393
11B475K6	8,00	1,80	ISO			1,3040	1,1518	1,0625
11B476K6	8,50	1,80	ISO			1,3040	1,1518	1,0625
11B478K6	8,76	1,80	ISO			1,3325	1,1769	1,0857
11B479K6	9,00	1,80	ISO			1,3325	1,1769	1,0857
11B435K6	9,50	1,80	ISO			1,3609	1,2021	1,1089
11B481K6	10,00	1,80	ISO			1,3609	1,2021	1,1089
11B438K6	10,60	1,80	ISO			1,3883	1,2263	1,1312
						2000 18000	20000 48000	50000
11B482K6	11,20	1,80	ISO			1,3883	1,2263	1,1312
11B484K6	11,80	1,80	ISO			1,4168	1,2514	1,1544
11B441K6	12,50	1,80	ISO			1,4737	1,3017	1,2008
11B485K6	13,20	1,80	ISO			1,5022	1,3268	1,2240
11B444K6	14,00	1,80	ISO			1,5591	1,3771	1,2704
11B488K6	15,00	1,80	ISO			1,7004	1,5019	1,3855
11B491K6	16,00	1,80	ISO			1,7858	1,5773	1,4551
11B494K6	17,00	1,80	ISO			1,8701	1,6518	1,5238
						3000 27000	30000 72000	75000
11A089K6	8,92	1,83			904	1,4737	1,3017	0,9641
11A090K6	10,52	1,83			905	1,5591	1,3771	1,1018
11A091K6	2,40	1,90	R0			0,9920	0,8762	0,6886
11A092K6	2,60	1,90	R1			0,9635	0,8510	0,6886
11BA00K6	2,80	1,90		P3		0,9635	0,8510	0,7851
11A093K6	3,40	1,90	R2			0,9635	0,8510	0,6886
11BA03K6	3,80	1,90		P4		0,9635	0,8510	0,7851
11A094K6	4,20	1,90	R3			0,9066	0,8007	0,6886
11BA04K6	4,80	1,90		P5		0,9635	0,8510	0,7851
11A095K6	4,90	1,90	R4			0,9066	0,8007	0,6886
11A096K6	5,70	1,90	R5			0,9066	0,8007	0,6886
11B958K6	5,80	1,90		P6		0,9920	0,8762	0,8083
11A097K6	6,40	1,90	R5A			0,9920	0,8762	0,7403
11B959K6	6,80	1,90		P7		1,1338	1,0014	0,9238
11A098K6	7,20	1,90	R6			1,1343	1,0019	0,7575
11B961K6	7,80	1,90		P8		1,1338	1,0014	0,9238
11A099K6	8,00	1,90	R6A			1,1343	1,0019	0,8091
11B962K6	8,80	1,90		P9		1,1338	1,0014	0,9238
11A100K6	8,90	1,90	R7			1,1343	1,0019	0,8263
11B964K6	9,80	1,90		P10		1,5586	1,3766	1,2699
11A101K6	11,89	1,98			906	1,7004	1,5019	1,3944
11B461K6	2,50	2,00		DIN		0,9920	0,8762	0,6886
11B462K6	3,00	2,00		DIN		0,9920	0,8762	0,6886
11B466K6	3,50	2,00		DIN		0,9920	0,8762	0,6886
11B465K6	4,00	2,00		DIN		0,9920	0,8762	0,6886

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				3000 27000	30000 72000	75000
	F	I - JIS	AS-BS					
11B467K6	4,50	2,00		DIN		1,0204	0,9013	0,7403
11B471K6	5,00	2,00		DIN		1,0204	0,9013	0,7403
11B472K6	5,50	2,00		DIN		1,0774	0,9516	0,7575
11B474K6	6,00	2,00		DIN		1,0774	0,9516	0,7575
11B477K6	6,50	2,00		DIN		1,1901	1,0512	0,8952
11B480K6	7,00	2,00		DIN		1,2471	1,1015	0,8952
11B483K6	7,50	2,00		DIN		1,2755	1,1267	0,8952
11B486K6	8,00	2,00		DIN		1,2755	1,1267	0,9296
11B487K6	8,50	2,00		DIN		1,3609	1,2021	0,9813
11B489K6	9,00	2,00		DIN		1,4168	1,2514	0,9813
11B490K6	9,50	2,00		DIN		1,5022	1,3268	1,0157
11B492K6	10,00	2,00		DIN		1,5591	1,3771	1,0673
11B493K6	10,50	2,00		DIN		1,6161	1,4274	1,0673
11B495K6	11,00	2,00		DIN		1,6434	1,4516	1,1018
						2000 18000	20000 48000	50000
11B496K6	11,50	2,00		DIN		1,6434	1,4516	1,1879
11B498K6	12,00	2,00		DIN		1,6719	1,4767	1,1879
11B501K6	12,50	2,00		DIN		1,7288	1,5270	1,2395
11B504K6	13,00	2,00		DIN		1,7858	1,5773	1,2395
11B505K6	13,50	2,00		DIN		1,8427	1,6276	1,2911
11B510K6	14,00	2,00		DIN		1,8701	1,6518	1,2911
11B514K6	14,50	2,00		DIN		1,9555	1,7272	1,3428
11B516K6	15,00	2,00		DIN		2,0124	1,7775	1,3428
11B517K6	15,50	2,00		DIN		2,0978	1,8529	1,4805
11B519K6	16,00	2,00		DIN		2,1536	1,9023	1,4805
11B520K6	16,50	2,00		DIN		2,2675	2,0028	1,5149
11B522K6	17,00	2,00		DIN		2,3803	2,1024	1,5149
						1000 9000	10000 24000	25000
11B523K6	17,50	2,00		DIN		2,3803	2,1024	1,6354
11B525K6	18,00	2,00		DIN		2,3803	2,1024	1,6871
11B527K6	18,50	2,00		DIN		2,4942	2,2030	1,7215
11B528K6	19,00	2,00		DIN		2,5511	2,2533	1,7215
11B529K6	19,50	2,00		DIN		2,6639	2,3529	1,9281
11B531K6	20,00	2,00		DIN		2,7208	2,4032	1,9281
11B532K6	20,50	2,00		DIN		2,7777	2,4535	2,2035
11B534K6	21,00	2,00		DIN		2,8336	2,5028	2,2035
11B535K6	21,50	2,00		DIN		2,8905	2,5531	2,2035
11B537K6	22,00	2,00		DIN		2,9474	2,6034	2,2035
11B538K6	22,50	2,00		DIN		3,1171	2,7533	2,2380
11B540K6	23,00	2,00		DIN		3,2025	2,8287	2,2380
11B541K6	23,50	2,00		DIN		3,2869	2,9032	2,2380
11B543K6	24,00	2,00		DIN		3,3438	2,9535	2,2380
11B544K6	24,50	2,00		DIN		3,4566	3,0531	2,4446

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	25000
11B546K6	25,00	2,00		DIN		3,5146	3,1043	2,4446
11B547K6	25,50	2,00		DIN		3,5989	3,1788	2,5134
11B549K6	26,00	2,00		DIN		3,6843	3,2542	2,5306
11B550K6	26,50	2,00		DIN		3,7971	3,3539	2,6167
11B552K6	27,00	2,00		DIN		3,8540	3,4041	2,6167
11B553K6	27,50	2,00		DIN		3,9109	3,4544	2,7544
11B555K6	28,00	2,00		DIN		3,9679	3,5047	2,7544
11B556K6	28,50	2,00		DIN		4,0806	3,6043	2,8405
11B557K6	29,00	2,00		DIN		4,1376	3,6546	2,8405
						500	5000	12500
						4500	12000	12500
11B559K6	29,50	2,00		DIN		4,1945	3,7049	3,7874
11B561K6	30,00	2,00		DIN		4,2515	3,7552	3,7874
11B562K6	30,50	2,00		DIN		4,3358	3,8297	3,7874
11B564K6	31,00	2,00		DIN		4,3927	3,8799	3,7874
11B565K6	31,50	2,00		DIN		4,4781	3,9554	3,7874
11B567K6	32,00	2,00		DIN		4,5339	4,0047	3,7874
11B568K6	32,50	2,00		DIN		4,5909	4,0550	3,9595
11B570K6	33,00	2,00		DIN		4,6478	4,1053	3,9595
11B573K6	33,50	2,00		DIN		4,7332	4,1807	3,9595
11B576K6	34,00	2,00		DIN		4,7890	4,2300	4,1317
11B577K6	34,50	2,00		DIN		4,8744	4,3055	4,1317
11B579K6	35,00	2,00		DIN		4,9314	4,3558	4,1317
11B580K6	35,50	2,00		DIN		4,9598	4,3809	4,3038
11B582K6	36,00	2,00		DIN		4,9883	4,4060	4,3038
11B583K6	36,50	2,00		DIN		5,0442	4,4554	4,3038
11B585K6	37,00	2,00		DIN		5,1011	4,5057	4,3038
11B586K6	37,50	2,00		DIN		5,1580	4,5559	4,4760
11B588K6	38,00	2,00		DIN		5,2150	4,6062	4,4760
11B589K6	38,50	2,00		DIN		5,2708	4,6556	4,4760
11B591K6	39,00	2,00		DIN		5,3277	4,7058	4,4760
11B592K6	39,50	2,00		DIN		5,3847	4,7561	4,6481
11B594K6	40,00	2,00		DIN		5,4416	4,8064	4,6481
11B597K6	41,00	2,00		DIN		5,5259	4,8809	4,6481
11B600K6	42,00	2,00		DIN		5,7810	5,1062	4,9063
11B603K6	43,00	2,00		DIN		6,0931	5,3818	4,9924
11B605K6	44,00	2,00		DIN		6,3777	5,6333	5,3367
11B609K6	45,00	2,00		DIN		6,6898	5,9089	5,5089
11B612K6	46,00	2,00		DIN		6,9416	6,1313	5,8532
11B615K6	47,00	2,00		DIN		7,1989	6,3586	6,0253
11B616K6	48,00	2,00		DIN		7,4233	6,5568	6,2836
11B617K6	49,00	2,00		DIN		7,6806	6,7841	6,2836
11B618K6	50,00	2,00		DIN		7,9325	7,0065	6,4557

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11B619K6	51,00	2,00		DIN		7,9927	7,0597	6,5246
11B620K6	52,00	2,00		DIN		8,0201	7,0839	6,5418
11B621K6	53,00	2,00		DIN		8,0748	7,1323	6,5794
11B624K6	54,00	2,00		DIN		8,1624	7,2096	6,6508
11B627K6	55,00	2,00		DIN		8,2171	7,2580	6,6954
11B630K6	56,00	2,00		DIN		8,2774	7,3112	6,7445
11B633K6	57,00	2,00		DIN		8,3321	7,3595	6,7891
11B636K6	58,00	2,00		DIN		8,3868	7,4079	6,8337
11B637K6	59,00	2,00		DIN		8,4471	7,4611	6,8828
11B639K6	60,00	2,00		DIN		8,5018	7,5094	6,9274
11B641K6	61,00	2,00		DIN		8,5839	7,5820	6,9943
11B642K6	62,00	2,00		DIN		8,6715	7,6593	7,0657
11B645K6	63,00	2,00		DIN		8,9288	7,8866	7,2753
11B646K6	64,00	2,00		DIN		9,1533	8,0848	7,4582
11B648K6	65,00	2,00		DIN		9,3777	8,2831	7,6411
11B649K6	66,00	2,00		DIN		9,6076	8,4862	7,8284
11B650K6	67,00	2,00		DIN		9,8047	8,6603	7,9890
11B651K6	68,00	2,00		DIN		10,062	8,8875	8,1987
11B652K6	69,00	2,00		DIN		10,286	9,0858	8,3815
11B654K6	70,00	2,00		DIN		10,511	9,2840	8,5644
11B653K6	71,00	2,00		DIN		10,544	9,3130	8,5912
11B655K6	72,00	2,00		DIN		10,768	9,5113	8,7741
11B656K6	73,00	2,00		DIN		10,911	9,6370	8,8901
11B657K6	74,00	2,00		DIN		11,026	9,7386	8,9837
11B659K6	75,00	2,00		DIN		11,135	9,8353	9,0729
11B660K6	76,00	2,00		DIN		11,223	9,9126	9,1443
11B661K6	77,00	2,00		DIN		11,392	10,063	9,2826
11B663K6	78,00	2,00		DIN		11,535	10,188	9,3986
11B664K6	79,00	2,00		DIN		11,677	10,314	9,5145
11B666K6	80,00	2,00		DIN		11,786	10,411	9,6038
11B667K6	81,00	2,00		DIN		12,071	10,662	9,8357
11B668K6	82,00	2,00		DIN		12,328	10,889	10,045
11B670K6	83,00	2,00		DIN		12,553	11,088	10,228
11B669K6	84,00	2,00		DIN		12,838	11,339	10,460
11B672K6	85,00	2,00		DIN		13,095	11,566	10,670
11B675K6	86,00	2,00		DIN		13,374	11,813	10,897
11B676K6	87,00	2,00		DIN		13,631	12,040	11,107
11B678K6	88,00	2,00		DIN		13,883	12,263	11,312
11B679K6	89,00	2,00		DIN		14,168	12,514	11,544
11B681K6	90,00	2,00		DIN		14,398	12,717	11,731
11B682K6	91,00	2,00		DIN		14,540	12,843	11,847
11B683K6	92,00	2,00		DIN		14,677	12,964	11,959
11B684K6	93,00	2,00		DIN		14,819	13,090	12,075
11B687K6	94,00	2,00		DIN		14,962	13,215	12,191
11B688K6	95,00	2,00		DIN		15,104	13,341	12,307

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11B690K6	96,00	2,00		DIN		15,301	13,515	12,467
11B689K6	97,00	2,00		DIN		15,443	13,641	12,583
11B691K6	98,00	2,00		DIN		15,586	13,766	12,699
11B692K6	99,00	2,00		DIN		15,728	13,892	12,815
11B693K6	100,00	2,00		DIN		15,870	14,018	12,931
						2000	20000	50000
						18000	48000	50000
11A102K6	13,46	2,08			907	1,9839	1,7524	1,5494
						3000	30000	75000
						27000	72000	75000
11A103K6	6,00	2,20	R6B			1,4737	1,3017	1,2051
						1000	10000	25000
						9000	24000	25000
11A104K6	16,36	2,21			908	2,4372	2,1527	1,9281
						3000	30000	75000
						27000	72000	75000
11A105K6	3,30	2,40				1,0774	0,9516	0,8779
11A106K6	3,60	2,40				1,0774	0,9516	0,8779
11A107K6	4,30	2,40				1,0774	0,9516	0,8779
11A108K6	4,60	2,40				1,0774	0,9516	0,8779
11A109K6	5,30	2,40				1,1343	1,0019	0,9242
11A110K6	5,50	2,40		DIN		1,1343	1,0019	0,9242
11A111K6	5,60	2,40				1,1343	1,0019	0,9242
11A112K6	6,30	2,40				1,3040	1,1518	1,0625
11A113K6	6,60	2,40				1,3040	1,1518	1,0625
11A114K6	7,30	2,40				1,3325	1,1769	1,0501
11A115K6	7,50	2,40		DIN		1,3325	1,1769	1,0501
11A116K6	7,60	2,40				1,3325	1,1769	1,0501
11A117K6	8,30	2,40				1,4453	1,2766	1,0846
11A118K6	8,60	2,40				1,4453	1,2766	1,0846
11A119K6	9,30	2,40				1,5296	1,3510	1,1706
11A120K6	9,60	2,40				1,5296	1,3510	1,2567
11BA06K6	9,80	2,40		P10A		1,5586	1,3766	1,2699
11A121K6	10,30	2,40				1,5591	1,3771	1,2704
11A122K6	10,50	2,40		DIN		1,5591	1,3771	1,2704
11A123K6	10,60	2,40				1,5591	1,3771	1,2704
						2000	20000	50000
						18000	48000	50000
11BA09K6	10,80	2,40		P11		1,6155	1,4269	1,3163
11BA10K6	11,00	2,40		P11.2		1,6155	1,4269	1,3163
11A124K6	11,30	2,40				1,6161	1,4274	1,3168
11A125K6	11,50	2,40		DIN		1,6161	1,4274	1,3168
11A126K6	11,60	2,40				1,6161	1,4274	1,3168
11BB23K6	11,80	2,40		P12		1,6155	1,4269	1,3163

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	2000	20000	50000
						18000	48000	50000
11A127K6	12,30	2,40			P12.5	1,6161	1,4274	1,3168
11A128K6	12,60	2,40				1,7573	1,5522	1,4319
11A129K6	13,30	2,40				1,7573	1,5522	1,4319
11A130K6	13,50	2,40			DIN	1,8701	1,6518	1,5238
11A131K6	13,60	2,40				1,8701	1,6518	1,5238
11B965K6	13,80	2,40			P14	1,9839	1,7524	1,6165
11A132K6	14,30	2,40				1,9839	1,7524	1,6165
11A133K6	14,50	2,40			DIN	1,9839	1,7524	1,6165
11A134K6	14,60	2,40				1,9839	1,7524	1,6165
11B967K6	14,80	2,40			P15	1,9839	1,7524	1,6165
11A135K6	15,30	2,40				1,9839	1,7524	1,6165
11A136K6	15,50	2,40			DIN	2,0693	1,8278	1,6861
						1000	10000	25000
						9000	24000	25000
11A137K6	15,60	2,40				2,1536	1,9023	1,7548
11B968K6	15,80	2,40			P16	2,2106	1,9525	1,8012
11A138K6	16,30	2,40				2,2106	1,9525	1,8012
11A139K6	16,60	2,40				2,3518	2,0773	1,9163
11A140K6	17,30	2,40				2,4088	2,1276	1,9627
11A141K6	17,50	2,40			DIN	2,4372	2,1527	1,9625
11A142K6	17,60	2,40				2,4657	2,1779	1,9625
11B970K6	17,80	2,40			P18	2,5505	2,2528	2,0782
11A143K6	18,60	2,40				2,5511	2,2533	1,9798
11A144K6	19,60	2,40				2,6354	2,3278	2,0314
11B974K6	19,80	2,40			P20	2,6354	2,3278	2,1474
11A145K6	20,50	2,40			DIN	2,7493	2,4284	2,2401
11B979K6	20,80	2,40			P21	3,1171	2,7533	2,5399
11A146K6	21,50	2,40			DIN	3,1171	2,7533	2,4962
11A147K6	21,60	2,40				3,1171	2,7533	2,4962
11B982K6	21,80	2,40			P22	3,5704	3,1537	2,9092
11A148K6	23,50	2,40			DIN	3,5704	3,1537	2,6856
11A149K6	24,50	2,40			DIN	3,6274	3,2040	2,9556
11A150K6	24,60	2,40				3,6274	3,2040	2,9556
11A151K6	25,00	2,40			R19B	3,6843	3,2542	3,0020
11A152K6	27,50	2,40			DIN	4,0522	3,5792	3,3018
11A153K6	27,60	2,40				4,0522	3,5792	3,3018
11A154K6	29,60	2,40				4,1945	3,7049	3,4177
						500	5000	12500
						4500	12000	12500
11A155K6	31,60	2,40				4,4212	3,9051	3,6668
11A156K6	34,60	2,40				4,8744	4,3055	3,9718
11A157K6	37,60	2,40				5,1580	4,5559	4,2028
11A158K6	39,60	2,40				5,3277	4,7058	4,3411
11A159K6	41,60	2,40				5,6113	4,9563	4,5722

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				500 4500	5000 12000	12500
	F	I - JIS	AS-BS					
11A160K6	44,60	2,40				6,5201	5,7590	5,3126
11A161K6	47,60	2,40				7,3686	6,5085	6,0040
11A162K6	49,60	2,40				8,0748	7,1323	6,5794
11A163K6	51,60	2,40				8,1624	7,2096	6,6508
						250 2250	2500 6000	6250
11A164K6	54,60	2,40				8,4471	7,4611	6,8828
11A165K6	57,60	2,40				8,7865	7,7609	7,1593
11A166K6	59,60	2,40				9,0657	8,0075	7,3868
11A167K6	61,60	2,40				9,6350	8,5104	7,8507
11A168K6	64,60	2,40				9,9197	8,7618	8,0827
11A169K6	67,60	2,40				10,484	9,2599	8,5421
11A170K6	69,60	2,40				10,768	9,5113	8,7741
						1000 9000	10000 24000	25000
11A171K6	17,93	2,46		909		2,4088	2,1276	1,9970
11A172K6	19,18	2,46		910		2,8336	2,5028	2,3068
						3000 27000	30000 72000	75000
11B812K6	4,00	2,50	DIN			1,0774	0,9516	0,8779
11B803K6	4,60	2,50	DIN			1,0774	0,9516	0,8779
11B804K6	5,00	2,50	DIN			1,0774	0,9516	0,8779
11B815K6	5,50	2,50	DIN			1,1901	1,0512	0,9697
11B806K6	6,00	2,50	DIN			1,2755	1,1267	1,0393
11B817K6	6,50	2,50	DIN			1,3325	1,1769	1,0857
11B807K6	7,00	2,50	DIN			1,3883	1,2263	1,1312
11B809K6	7,50	2,50	DIN			1,4168	1,2514	1,1544
11A173K6	8,00	2,50	DIN			1,4453	1,2766	1,1776
11B818K6	8,50	2,50	DIN			1,5876	1,4023	1,2936
11B813K6	9,00	2,50	DIN			1,6161	1,4274	1,3168
11B814K6	9,50	2,50	DIN			1,6434	1,4516	1,3391
						2000 18000	20000 48000	50000
11B816K6	10,00	2,50	DIN			1,6434	1,4516	1,3391
11B820K6	10,50	2,50	DIN			1,7004	1,5019	1,3855
11B819K6	11,00	2,50	DIN			1,7288	1,5270	1,4087
11B822K6	11,50	2,50	DIN			1,7573	1,5522	1,4319
11B828K6	12,00	2,50	DIN			1,7573	1,5522	1,4319
11B831K6	12,50	2,50	DIN			1,8142	1,6025	1,4783
11B834K6	13,00	2,50	DIN			1,8701	1,6518	1,5238
11B836K6	13,50	2,50	DIN			1,9270	1,7021	1,5701
11A174K6	14,00	2,50	DIN			1,9555	1,7272	1,5933
11B841K6	14,50	2,50	DIN			2,0124	1,7775	1,6397
11A175K6	15,00	2,50	DIN			2,0693	1,8278	1,6861

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				2000 18000	20000 48000	50000
	F	I - JIS	AS-BS					
11B844K6	15,50	2,50		DIN		2,2106	1,9525	1,8012
						1000 9000	10000 24000	25000
11A176K6	16,00	2,50		DIN		2,2960	2,0280	1,8420
11B847K6	16,50	2,50		DIN		2,4372	2,1527	1,8937
11B849K6	17,00	2,50		DIN		2,4942	2,2030	1,8937
11B851K6	17,50	2,50		DIN		2,5511	2,2533	2,0314
11B855K6	18,00	2,50		DIN		2,6069	2,3026	2,0314
11B858K6	18,50	2,50		DIN		2,6639	2,3529	2,1175
11B861K6	19,00	2,50		DIN		2,6923	2,3781	2,1175
11B862K6	19,50	2,50		DIN		2,7493	2,4284	2,2035
11A177K6	20,00	2,50		DIN		2,7777	2,4535	2,2035
11B865K6	20,50	2,50		DIN		2,8905	2,5531	2,3552
11B867K6	21,00	2,50		DIN		2,9759	2,6285	2,4248
11B868K6	21,50	2,50		DIN		3,1171	2,7533	2,5399
11B870K6	22,00	2,50		DIN		3,2595	2,8790	2,6559
11B871K6	22,50	2,50		DIN		3,3438	2,9535	2,7246
11B873K6	23,00	2,50		DIN		3,4007	3,0038	2,7709
11B874K6	23,50	2,50		DIN		3,4566	3,0531	2,8164
11B876K6	24,00	2,50		DIN		3,4861	3,0792	2,8405
11B877K6	24,50	2,50		DIN		3,6843	3,2542	2,8405
11B879K6	25,00	2,50		DIN		3,7971	3,3539	2,8405
11B885K6	25,50	2,50		DIN		3,9394	3,4796	3,2099
11B891K6	26,00	2,50		DIN		4,0248	3,5550	3,2795
11B892K6	26,50	2,50		DIN		4,1091	3,6295	3,3482
11B894K6	27,00	2,50		DIN		4,1661	3,6798	3,3945
11B895K6	27,50	2,50		DIN		4,2515	3,7552	3,4641
11B897K6	28,00	2,50		DIN		4,3073	3,8045	3,5096
11B898K6	28,50	2,50		DIN		4,4781	3,9554	3,6488
11B900K6	29,00	2,50		DIN		4,5339	4,0047	3,6943
11B901K6	29,50	2,50		DIN		4,6763	4,1304	3,8103
11B903K6	30,00	2,50		DIN		4,8175	4,2552	3,9254
11B904K6	30,50	2,50		DIN		4,8744	4,3055	3,9718
						500 4500	5000 12000	12500
11B906K6	31,00	2,50		DIN		4,9314	4,3558	4,0181
11B907K6	31,50	2,50		DIN		4,9883	4,4060	4,0645
11B909K6	32,00	2,50		DIN		5,0442	4,4554	4,1100
11B910K6	32,50	2,50		DIN		5,0726	4,4805	4,1332
11B912K6	33,00	2,50		DIN		5,1011	4,5057	4,1564
11B913K6	33,50	2,50		DIN		5,1580	4,5559	4,2028
11B915K6	34,00	2,50		DIN		5,2150	4,6062	4,2492
11B916K6	34,50	2,50		DIN		5,2708	4,6556	4,2947
11B918K6	35,00	2,50		DIN		5,3277	4,7058	4,3411
11B919K6	35,50	2,50		DIN		5,3847	4,7561	4,3875

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	500	5000	12500
						4500	12000	
11B921K6	36,00	2,50		DIN		5,4416	4,8064	4,4339
11B920K6	36,50	2,50		DIN		5,4963	4,8549	4,4784
11B922K6	37,00	2,50		DIN		5,4973	4,8557	4,4792
11B923K6	37,50	2,50		DIN		5,4974	4,8557	4,4794
11B924K6	38,00	2,50		DIN		5,6660	5,0047	4,6168
11B925K6	38,50	2,50		DIN		5,7263	5,0579	4,6658
11B927K6	39,00	2,50		DIN		5,7810	5,1062	4,7104
11B928K6	39,50	2,50		DIN		5,8960	5,2078	4,8041
11B930K6	40,00	2,50		DIN		5,9507	5,2561	4,8487
11B933K6	41,00	2,50		DIN		6,0055	5,3045	4,8933
11B936K6	42,00	2,50		DIN		6,1204	5,4060	4,9870
11B939K6	43,00	2,50		DIN		6,2628	5,5317	5,1030
11B942K6	44,00	2,50		DIN		6,5474	5,7832	5,3349
11B945K6	45,00	2,50		DIN		6,9142	6,1071	5,6338
11B948K6	46,00	2,50		DIN		7,1715	6,3344	5,8434
11B951K6	47,00	2,50		DIN		7,3686	6,5085	6,0040
11B954K6	48,00	2,50		DIN		7,6533	6,7599	6,2360
11B957K6	49,00	2,50		DIN		7,8777	6,9582	6,4189
11B960K6	50,00	2,50		DIN		8,1022	7,1564	6,6017
						250	2500	6250
						2250	6000	6250
11B963K6	51,00	2,50		DIN		8,2171	7,2580	6,6954
11B966K6	52,00	2,50		DIN		8,3595	7,3837	6,8114
11B969K6	53,00	2,50		DIN		8,5018	7,5094	6,9274
11B972K6	54,00	2,50		DIN		8,6441	7,6351	7,0433
11B975K6	55,00	2,50		DIN		8,7865	7,7609	7,1593
11B978K6	56,00	2,50		DIN		8,9288	7,8866	7,2753
11B981K6	57,00	2,50		DIN		9,0657	8,0075	7,3868
11B983K6	58,00	2,50		DIN		9,1806	8,1090	7,4805
11B984K6	59,00	2,50		DIN		9,2956	8,2106	7,5742
11B987K6	60,00	2,50		DIN		9,4106	8,3121	7,6678
11B989K6	61,00	2,50		DIN		9,5201	8,4088	7,7570
11B990K6	62,00	2,50		DIN		9,6350	8,5104	7,8507
11B993K6	63,00	2,50		DIN		9,7500	8,6119	7,9444
11B995K6	64,00	2,50		DIN		9,8595	8,7086	8,0336
11B996K6	65,00	2,50		DIN		9,9744	8,8102	8,1273
11B997K6	66,00	2,50		DIN		10,089	8,9117	8,2210
11B999K6	67,00	2,50		DIN		10,204	9,0132	8,3146
11BA01K6	68,00	2,50		DIN		10,341	9,1341	8,4261
11BA02K6	69,00	2,50		DIN		10,599	9,3614	8,6358
11BA05K6	70,00	2,50		DIN		10,823	9,5596	8,8187
11BA07K6	71,00	2,50		DIN		11,053	9,7627	9,0060
11BA08K6	72,00	2,50		DIN		11,277	9,9610	9,1889
11BA11K6	73,00	2,50		DIN		11,474	10,135	9,3495
11BA12K6	74,00	2,50		DIN		11,732	10,362	9,5591

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11BA14K6	75,00	2,50		DIN		11,989	10,590	9,7688
11BA17K6	76,00	2,50		DIN		12,241	10,812	9,9740
11BA20K6	77,00	2,50		DIN		12,498	11,039	10,184
11BA23K6	78,00	2,50		DIN		12,750	11,262	10,389
11BA25K6	79,00	2,50		DIN		12,980	11,465	10,576
11BA26K6	80,00	2,50		DIN		13,150	11,615	10,714
11BA27K6	81,00	2,50		DIN		13,374	11,813	10,897
11BA28K6	82,00	2,50		DIN		13,604	12,016	11,085
11BA30K6	83,00	2,50		DIN		13,828	12,214	11,268
11BA29K6	84,00	2,50		DIN		14,058	12,417	11,455
11BA31K6	85,00	2,50		DIN		14,283	12,616	11,638
11BA33K6	86,00	2,50		DIN		14,507	12,814	11,821
11BA34K6	87,00	2,50		DIN		14,737	13,017	12,008
11BA36K6	88,00	2,50		DIN		14,962	13,215	12,191
11BA37K6	89,00	2,50		DIN		15,192	13,418	12,378
11BA38K6	90,00	2,50		DIN		15,416	13,617	12,561
11BA40K6	91,00	2,50		DIN		15,640	13,815	12,744
11BA42K6	92,00	2,50		DIN		15,870	14,018	12,931
11BA43K6	93,00	2,50		DIN		16,095	14,216	13,114
11BA44K6	94,00	2,50		DIN		16,325	14,419	13,302
11BA47K6	95,00	2,50		DIN		16,549	14,618	13,485
11BA48K6	96,00	2,50		DIN		16,774	14,816	13,667
11BA49K6	97,00	2,50		DIN		17,004	15,019	13,855
11BA51K6	98,00	2,50		DIN		17,228	15,217	14,038
11BA50K6	99,00	2,50		DIN		17,458	15,420	14,225
11BA53K6	100,00	2,50		DIN		17,682	15,618	14,408
						150	1500	3750
						1350	3600	3750
11BA54K6	101,00	2,50		DIN		17,912	15,822	14,595
11BA55K6	102,00	2,50		DIN		18,137	16,020	14,778
11BA57K6	103,00	2,50		DIN		18,422	16,271	15,010
11BA52K6	104,00	2,50		DIN		18,701	16,518	15,238
11BA46K6	105,00	2,50		DIN		18,985	16,769	15,469
11BA58K6	106,00	2,50		DIN		19,270	17,021	15,701
11BA59K6	107,00	2,50		DIN		19,555	17,272	15,933
11BA45K6	108,00	2,50		DIN		19,839	17,524	16,165
11BA39K6	109,00	2,50		DIN		20,119	17,770	16,393
11BA60K6	110,00	2,50		DIN		20,403	18,022	16,625
11BA24K6	111,00	2,50		DIN		20,688	18,273	16,857
11BA22K6	112,00	2,50		DIN		20,973	18,525	17,089
11BA21K6	113,00	2,50		DIN		21,252	18,771	17,316
11BA61K6	114,00	2,50		DIN		21,536	19,023	17,548
11BA62K6	115,00	2,50		DIN		21,821	19,274	17,780
11BA63K6	116,00	2,50		DIN		22,106	19,525	18,012

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	150	1500	3750
						1350	3600	3750
11BA64K6	117,00	2,50		DIN		22,385	19,772	18,240
11BA19K6	118,00	2,50		DIN		22,670	20,024	18,472
11BA18K6	119,00	2,50		DIN		22,954	20,275	18,703
11BA65K6	120,00	2,50		DIN		23,239	20,526	18,935
11BA16K6	121,00	2,50		DIN		23,803	21,024	19,395
11BA66K6	122,00	2,50		DIN		24,088	21,276	19,627
11BA67K6	123,00	2,50		DIN		24,372	21,527	19,859
11BA69K6	124,00	2,50		DIN		24,657	21,779	20,091
11BA68K6	125,00	2,50		DIN		24,936	22,025	20,318
11BA71K6	126,00	2,50		DIN		25,221	22,277	20,550
11BA70K6	127,00	2,50		DIN		25,505	22,528	20,782
11BA72K6	128,00	2,50		DIN		25,790	22,780	21,014
11BA73K6	129,00	2,50		DIN		26,069	23,026	21,242
11BA74K6	130,00	2,50		DIN		26,354	23,278	21,474
						100	1000	2500
						900	2400	2500
11BA75K6	131,00	2,50		DIN		26,639	23,529	21,705
11BA77K6	132,00	2,50		DIN		26,923	23,781	21,937
11BA78K6	133,00	2,50		DIN		27,203	24,027	22,165
11BA79K6	134,00	2,50		DIN		27,345	24,153	22,281
11BA80K6	135,00	2,50		DIN		27,487	24,279	22,397
11BA81K6	136,00	2,50		DIN		27,630	24,404	22,513
11BA90K6	137,00	2,50		DIN		27,772	24,530	22,629
11BA91K6	138,00	2,50		DIN		27,914	24,656	22,745
11BA93K6	139,00	2,50		DIN		28,057	24,782	22,861
11BA82K6	140,00	2,50		DIN		28,199	24,907	22,977
11BA84K6	141,00	2,50		DIN		28,336	25,028	23,088
11BA83K6	142,00	2,50		DIN		28,478	25,154	23,204
11BA94K6	143,00	2,50		DIN		28,620	25,280	23,320
11BA85K6	144,00	2,50		DIN		28,763	25,405	23,436
11BA86K6	145,00	2,50		DIN		28,905	25,531	23,552
11BA96K6	146,00	2,50		DIN		29,190	25,783	23,784
11BA97K6	147,00	2,50		DIN		29,474	26,034	24,016
11BA99K6	148,00	2,50		DIN		29,611	26,155	24,128
11BA87K6	149,00	2,50		DIN		29,754	26,281	24,244
11BA88K6	150,00	2,50		DIN		30,038	26,532	24,476
						1000	10000	25000
						9000	24000	25000
11A178K6	29,10	2,55	R20B			4,1091	3,6295	3,3570
						3000	30000	75000
						27000	72000	75000
11A179K6	1,24	2,62		102		1,2755	1,1267	0,0000
11A180K6	2,06	2,62		103		1,2471	1,1015	0,9813
11A181K6	2,84	2,62		104		1,1901	1,0512	0,9124
11A182K6	3,63	2,62		105		1,1343	1,0019	0,8780

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	3000	30000	75000
						27000	72000	75000
11A183K6	4,42	2,62				1,0489	0,9265	0,8780
11A184K6	5,23	2,62	3021	107		1,1343	1,0019	0,8952
11A185K6	6,02	2,62	3024	108		1,1343	1,0019	0,9468
11A186K6	7,59	2,62	3030	109		1,2755	1,1267	1,0329
11A187K6	9,13	2,62	109			1,4168	1,2514	1,1534
11A188K6	9,19	2,62	3037	110		1,5022	1,3268	1,1534
11A189K6	9,90	2,62	112	613		1,5022	1,3268	1,1706
						2000	20000	50000
						18000	48000	50000
11A190K6	10,77	2,62	3043	111		1,7004	1,5019	1,2567
11A191K6	11,91	2,62	115	614		1,7004	1,5019	1,3428
11A192K6	12,37	2,62	3050	112		1,7004	1,5019	1,3772
11BB36K6	12,70	2,62		807		1,9839	1,7524	1,4805
11A193K6	13,10	2,62	117	615		1,9839	1,7524	1,4805
11A194K6	13,94	2,62	3056	113		1,9839	1,7524	1,4805
11A195K6	15,08	2,62	119	616		2,1252	1,8771	1,6182
						1000	10000	25000
						9000	24000	25000
11A196K6	15,54	2,62	3062	114		2,1252	1,8771	1,6699
11A197K6	15,88	2,62	121	809		2,1252	1,8771	1,6699
11A198K6	17,12	2,62	3068	115		2,2675	2,0028	1,7387
11BB44K6	17,46	2,62		810		2,2675	2,0028	1,8420
11A199K6	17,86	2,62	123	617		2,2675	2,0028	1,8420
11A200K6	18,72	2,62	3075	116		2,4088	2,1276	1,8937
11A201K6	20,30	2,62	3081	117		2,7208	2,4032	1,9970
11A202K6	20,64	2,62	128	812		3,0044	2,6537	2,1347
11A203K6	21,89	2,62	3087	118		3,1171	2,7533	2,2035
11A204K6	22,23	2,62	130	813		3,1741	2,8036	2,3413
11A205K6	23,47	2,62	3093	119		3,2595	2,8790	2,3585
11A206K6	23,81	2,62	132	814		3,4007	3,0038	2,5134
11A207K6	25,07	2,62	3100	120		3,5431	3,1295	2,6167
11A208K6	26,64	2,62	3106	121		3,6843	3,2542	2,7028
11A209K6	28,24	2,62	3112	122		3,9679	3,5047	2,8233
11A210K6	29,82	2,62	3118	123		4,2515	3,7552	3,0299
						500	5000	12500
						4500	12000	12500
11A211K6	31,42	2,62	3125	124		4,2788	3,7794	3,5636
11A212K6	32,99	2,62	3131	125		4,6763	4,1304	3,8103
11A213K6	34,59	2,62	3137	126		4,9598	4,3809	4,0413
11A214K6	36,17	2,62	3143	127		5,1011	4,5057	4,1564
11A215K6	37,77	2,62	3150	128		5,3847	4,7561	4,3875
11A216K6	39,34	2,62	3156	129		5,6682	5,0066	4,6185
11A217K6	40,94	2,62	3162	130		5,9518	5,2571	4,8496
11A218K6	42,52	2,62	3168	131		6,2343	5,5066	5,0798

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	500	5000	12500
						4500	12000	12500
11A219K6	44,12	2,62		3175	132	6,5201	5,7590	5,3126
11A220K6	45,69	2,62		3181	133	6,9416	6,1313	5,6561
11A221K6	47,29	2,62		3187	134	7,2263	6,3828	5,8880
11A222K6	48,90	2,62		3193	135	7,3686	6,5085	6,0040
11A223K6	50,47	2,62		3200	136	7,6533	6,7599	6,2360
11A224K6	52,07	2,62		3206	137	8,2171	7,2580	6,6954
						250	2500	6250
						2250	6000	6250
11A225K6	53,64	2,62		3212	138	8,5018	7,5094	6,9274
11A226K6	55,25	2,62		3218	139	8,7865	7,7609	7,1593
11A227K6	56,82	2,62		3225	140	9,0657	8,0075	7,3868
11A228K6	58,42	2,62		3231	141	9,3503	8,2589	7,6188
11A229K6	59,99	2,62		3237	142	9,6350	8,5104	7,4886
11A230K6	61,60	2,62		3243	143	9,9197	8,7618	7,6608
11A231K6	63,17	2,62		3250	144	10,204	9,0132	7,7469
11A232K6	64,77	2,62		3256	145	10,484	9,2599	8,0567
11A233K6	66,34	2,62		3262	146	10,626	9,3856	8,2633
11A234K6	67,95	2,62		3268	147	10,768	9,5113	8,4355
11A235K6	69,52	2,62		3275	148	11,053	9,7627	8,4355
11A236K6	71,12	2,62		3281	149	11,338	10,014	8,6937
11A237K6	72,69	2,62		3287	150	11,617	10,261	8,6937
11BB89K6	74,30	2,62			640	11,901	10,512	9,9848
11A238K6	75,87	2,62		3300	151	12,186	10,764	9,9848
11BB90K6	77,50	2,62			641	12,750	11,262	10,389
11BB92K6	80,60	2,62			642	13,319	11,765	10,853
11A239K6	82,22	2,62		3325	152	13,883	12,263	11,312
11BB95K6	83,80	2,62			643	14,453	12,766	11,776
11A240K6	88,57	2,62		3350	153	15,022	13,268	12,240
11A241K6	94,92	2,62		3375	154	15,586	13,766	12,699
						150	1500	3750
						1350	3600	3750
11A242K6	101,27	2,62		3400	155	17,004	15,019	13,855
11A243K6	107,62	2,62		3425	156	18,422	16,271	15,010
11A244K6	113,97	2,62		3450	157	18,985	16,769	15,469
11A245K6	120,32	2,62		3475	158	22,106	19,525	17,387
11A246K6	126,67	2,62		3500	159	22,954	20,275	17,732
11A247K6	133,02	2,62		3525	160	23,518	20,773	19,163
						100	1000	2500
						900	2400	2500
11A248K6	139,37	2,62		3550	161	25,505	22,528	20,486
11A249K6	145,72	2,62		3575	162	26,923	23,781	20,830
11A250K6	152,07	2,62		3600	163	31,171	27,533	21,519
11A251K6	158,42	2,62		3625	164	34,007	30,038	23,068
11A252K6	164,77	2,62		3650	165	38,255	33,790	24,446

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	1250
11A253K6	171,12	2,62		3675	166	39,673	35,042	29,266
11A254K6	177,47	2,62		3700	167	46,757	41,299	30,987
11A255K6	183,82	2,62		3725	168	53,841	47,556	43,899
11A256K6	190,17	2,62		3750	169	56,677	50,061	44,760
11A257K6	196,52	2,62		3775	170	59,507	52,561	46,137
11A258K6	202,87	2,62		3800	171	62,354	55,076	47,858
11A259K6	209,22	2,62		3825	172	66,569	58,799	49,924
11A260K6	215,57	2,62		3850	173	69,416	61,313	51,646
11A261K6	221,92	2,62		3875	174	72,263	63,828	51,646
11A262K6	228,27	2,62		3900	175	73,686	65,085	61,975
11A263K6	234,62	2,62		3925	176	76,533	67,599	65,418
11A264K6	240,97	2,62		3950	177	79,325	70,065	67,139
11A265K6	247,32	2,62		3975	178	80,748	71,323	68,861
						2000	20000	50000
						18000	48000	50000
11BC15K6	14,00	2,65	ISO			1,9839	1,7524	1,6165
11BC16K6	15,00	2,65	ISO			2,1252	1,8771	1,7316
						1000	10000	25000
						9000	24000	25000
11BC17K6	16,00	2,65	ISO			2,1252	1,8771	1,7316
11BC18K6	17,00	2,65	ISO			2,2675	2,0028	1,8476
11BC24K6	18,00	2,65	ISO			2,4088	2,1276	1,9627
11BC28K6	19,00	2,65	ISO			2,5511	2,2533	2,0787
11BC29K6	20,00	2,65	ISO			2,9759	2,6285	2,4248
11BC31K6	21,20	2,65	ISO			3,1171	2,7533	2,5399
11BC32K6	22,40	2,65	ISO			3,2025	2,8287	2,6095
11BC33K6	23,60	2,65	ISO			3,2595	2,8790	2,6559
11BC36K6	25,00	2,65	ISO			3,5431	3,1295	2,8869
11BC40K6	25,80	2,65	ISO			3,6274	3,2040	2,9556
11BC42K6	26,50	2,65	ISO			3,6843	3,2542	3,0020
11BC45K6	28,00	2,65	ISO			3,9679	3,5047	3,2331
11BC51K6	30,00	2,65	ISO			4,3073	3,8045	3,5096
						500	5000	12500
						4500	12000	12500
11BC57K6	31,50	2,65	ISO			4,3927	3,8799	3,5792
11BC59K6	32,50	2,65	ISO			4,6763	4,1304	3,8103
11BC64K6	33,50	2,65	ISO			4,8175	4,2552	3,9254
11BC66K6	34,50	2,65	ISO			4,9598	4,3809	4,0413
11BC67K6	35,50	2,65	ISO			5,1011	4,5057	4,1564
11BC72K6	36,50	2,65	ISO			5,2423	4,6304	4,2715
11BC75K6	37,50	2,65	ISO			5,3847	4,7561	4,3875
11BC76K6	38,70	2,65	ISO			5,6682	5,0066	4,6185

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	3000	30000	75000
						27000	72000	75000
11A266K6	8,90	2,70	R8			1,4168	1,2514	1,0846
						2000	20000	50000
						18000	48000	50000
11A267K6	10,50	2,70	R9			1,5591	1,3771	1,1706
11A268K6	12,10	2,70	R10			1,7004	1,5019	1,3600
11A269K6	13,60	2,70	R11			1,9839	1,7524	1,4977
						1000	10000	25000
						9000	24000	25000
11A270K6	15,10	2,70	R12			2,1821	1,9274	1,6699
11A271K6	16,90	2,70	R13			2,5511	2,2533	1,8248
11A272K6	18,40	2,70	R14			2,6923	2,3781	1,9109
11A273K6	27,30	2,70	R20T			4,1091	3,6295	3,3570
11A274K6	21,92	2,95			911	3,7412	3,3045	2,9266
11A275K6	23,47	2,95			912	4,0522	3,5792	3,0987
11A276K6	25,04	2,95			913	4,1945	3,7049	3,3225
11A277K6	26,59	2,95			914	4,7606	4,2049	3,8218
						500	5000	12500
						4500	12000	12500
11A278K6	29,74	2,95			916	4,9883	4,4060	4,0645
11A279K6	34,42	2,95			918	5,8379	5,1565	4,7568
						3000	30000	75000
						27000	72000	75000
11BD54K6	3,00	3,00	DIN			1,4168	1,2514	1,1544
11BD55K6	3,50	3,00	DIN			1,4168	1,2514	1,1544
11BD56K6	4,00	3,00	DIN			1,4168	1,2514	1,1544
11BD57K6	4,50	3,00	DIN			1,4168	1,2514	1,1544
11BD58K6	5,00	3,00	DIN			1,4168	1,2514	1,1544
11BD59K6	5,50	3,00	DIN			1,4737	1,3017	1,2008
11BD62K6	6,00	3,00	DIN			1,4737	1,3017	1,2008
11BD63K6	6,50	3,00	DIN			1,5296	1,3510	1,2463
11BD65K6	7,00	3,00	DIN			1,5296	1,3510	1,2463
11BD66K6	7,50	3,00	DIN			1,5876	1,4023	1,2936
11BD68K6	8,00	3,00	DIN			1,5876	1,4023	1,2936
11BD70K6	8,50	3,00	DIN			1,7573	1,5522	1,4319
11BD71K6	9,00	3,00	DIN			1,8701	1,6518	1,4461
11BD74K6	9,50	3,00	DIN			1,8985	1,6769	1,5469
						1000	10000	25000
						9000	24000	25000
11BD77K6	10,00	3,00	DIN			1,9270	1,7021	1,5701
11BD78K6	10,50	3,00	DIN			1,9839	1,7524	1,6165
11BD80K6	11,00	3,00	DIN			1,9839	1,7524	1,6165
11BD83K6	11,50	3,00	DIN			2,0693	1,8278	1,6861
11BD86K6	12,00	3,00	DIN			2,1252	1,8771	1,7316
11BD87K6	12,50	3,00	DIN			2,2106	1,9525	1,8012

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	25000
11BD89K6	13,00	3,00		DIN		2,2675	2,0028	1,8476
11BD90K6	13,50	3,00		DIN		2,3518	2,0773	1,9163
11BD92K6	14,00	3,00		DIN		2,4088	2,1276	1,9627
11BD93K6	14,50	3,00		DIN		2,4942	2,2030	2,0323
11BD95K6	15,00	3,00		DIN		2,5511	2,2533	2,0787
11BD96K6	15,50	3,00		DIN		2,7208	2,4032	2,2169
11BD98K6	16,00	3,00		DIN		2,8336	2,5028	2,3088
11BD99K6	16,50	3,00		DIN		2,9759	2,6285	2,3757
11BE01K6	17,00	3,00		DIN		3,0613	2,7040	2,3757
11BE02K6	17,50	3,00		DIN		3,1171	2,7533	2,4618
11BE04K6	18,00	3,00		DIN		3,1741	2,8036	2,4618
11BE06K6	18,50	3,00		DIN		3,2595	2,8790	2,5823
11BE07K6	19,00	3,00		DIN		3,2595	2,8790	2,5823
11A280K6	19,20	3,00				3,2595	2,8790	2,6559
11A281K6	19,50	3,00		DIN		3,2595	2,8790	2,6559
11BE13K6	20,00	3,00		DIN		3,5989	3,1788	2,7544
11BE14K6	20,50	3,00		DIN		3,6558	3,2291	2,8749
11BE16K6	21,00	3,00		DIN		3,7128	3,2794	2,8749
11A282K6	21,50	3,00		DIN		3,7412	3,3045	2,8749
11BE19K6	22,00	3,00		DIN		3,7412	3,3045	2,8749
11A283K6	22,20	3,00				3,7971	3,3539	2,8749
11A284K6	22,50	3,00		DIN		3,8540	3,4041	2,8922
11BE25K6	23,00	3,00		DIN		3,8825	3,4293	3,1635
11BE26K6	23,50	3,00		DIN		3,9679	3,5047	3,2331
11A285K6	24,00	3,00		DIN		4,0522	3,5792	3,3018
11A286K6	24,20	3,00				4,1091	3,6295	3,3482
11A287K6	24,50	3,00		DIN		4,1376	3,6546	3,3714
11A288K6	24,60	3,00				4,1376	3,6546	3,3714
11A289K6	25,00	3,00		DIN		4,1945	3,7049	3,4177
11A290K6	25,50	3,00		DIN		4,4781	3,9554	3,6488
11BE34K6	26,00	3,00		DIN		4,6763	4,1304	3,8103
11A291K6	26,20	3,00				4,6763	4,1304	3,8103
11A292K6	26,50	3,00		DIN		4,7332	4,1807	3,8567
11BE43K6	27,00	3,00		DIN		4,7606	4,2049	3,8790
11A293K6	27,50	3,00		DIN		4,8175	4,2552	3,9254
						500	5000	12500
						4500	12000	12500
11BE46K6	28,00	3,00		DIN		4,8460	4,2803	3,9486
11BE49K6	28,50	3,00		DIN		4,9029	4,3306	3,9949
11BE52K6	29,00	3,00		DIN		4,9029	4,3306	3,9949
11A294K6	29,20	3,00				4,9029	4,3306	3,9949
11A295K6	29,50	3,00		DIN		4,9598	4,3809	4,0413
11A296K6	30,00	3,00		DIN		4,9883	4,4060	4,0645
11A297K6	30,50	3,00		DIN		5,1011	4,5057	4,1564
11BE61K6	31,00	3,00		DIN		5,1580	4,5559	4,2028

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	500	5000	12500
						4500	12000	12500
11A298K6	31,50	3,00		DIN		5,2423	4,6304	4,2715
11BE67K6	32,00	3,00		DIN		5,2993	4,6807	4,3179
11A299K6	32,20	3,00				5,2993	4,6807	4,3179
11A300K6	32,50	3,00		DIN		5,5259	4,8809	4,5026
11BE70K6	33,00	3,00		DIN		5,6934	5,0288	4,6391
11BE71K6	33,50	3,00		DIN		5,7810	5,1062	4,7104
11BE73K6	34,00	3,00		DIN		5,8358	5,1546	4,7550
11A301K6	34,20	3,00				5,8960	5,2078	4,8041
11A302K6	34,50	3,00		DIN		5,9507	5,2561	4,8487
11A303K6	35,00	3,00		DIN		6,0055	5,3045	4,8933
11BE79K6	35,50	3,00		DIN		6,0657	5,3577	4,9424
11A304K6	36,00	3,00		DIN		6,0931	5,3818	4,9647
11A305K6	36,20	3,00				6,0931	5,3818	4,9647
11A306K6	36,50	3,00		DIN		6,1478	5,4302	5,0093
11BE88K6	37,00	3,00		DIN		6,1478	5,4302	5,0093
11A307K6	37,47	3,00			920	6,2354	5,5076	5,0807
11A308K6	37,50	3,00		DIN		6,2354	5,5076	5,0807
11BE91K6	38,00	3,00		DIN		6,2354	5,5076	5,0807
11BE92K6	38,50	3,00		DIN		6,2901	5,5559	5,1253
11BE94K6	39,00	3,00		DIN		6,2901	5,5559	5,1253
11A309K6	39,20	3,00				6,2901	5,5559	5,1253
11A310K6	39,50	3,00		DIN		6,3504	5,6091	5,1743
11A311K6	40,00	3,00		DIN		6,3504	5,6091	5,1743
11BF00K6	41,00	3,00		DIN		6,7719	5,9814	5,5178
11A312K6	41,50	3,00		DIN		7,2263	6,3828	5,8880
11BF03K6	42,00	3,00		DIN		7,2263	6,3828	5,8880
11A313K6	42,20	3,00				7,2263	6,3828	5,8880
11A314K6	42,50	3,00		DIN		7,3686	6,5085	6,0040
11BF06K6	43,00	3,00		DIN		7,6806	6,7841	6,2583
11A315K6	43,69	3,00			924	7,6806	6,7841	6,2583
11BF09K6	44,00	3,00		DIN		7,7628	6,8566	6,3252
11A316K6	44,20	3,00				7,7628	6,8566	6,3252
11A317K6	44,50	3,00		DIN		7,9325	7,0065	6,4635
11BF12K6	45,00	3,00		DIN		8,2171	7,2580	6,6954
11BF15K6	46,00	3,00		DIN		8,3868	7,4079	6,8337
11BF18K6	47,00	3,00		DIN		8,6168	7,6110	7,0210
11BF21K6	48,00	3,00		DIN		8,8139	7,7850	7,1816
11BF24K6	49,00	3,00		DIN		9,0383	7,9833	7,3645
11A318K6	49,50	3,00		DIN		9,1533	8,0848	7,4582
11BF27K6	50,00	3,00		DIN		9,2409	8,1622	7,5296
						250	2500	6250
						2250	6000	6250
11A319K6	50,50	3,00		DIN		9,3503	8,2589	7,6188
11BF30K6	51,00	3,00		DIN		9,4379	8,3363	7,6901
11BF33K6	52,00	3,00		DIN		9,6350	8,5104	7,8507

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11BF36K6	53,00	3,00		DIN		9,6350	8,5104	7,8507
11A320K6	53,09	3,00			928	9,6898	8,5587	7,8953
11BF39K6	54,00	3,00		DIN		9,6898	8,5587	7,8953
11A321K6	54,50	3,00		DIN		9,6898	8,5587	7,8953
11BF42K6	55,00	3,00		DIN		9,6898	8,5587	7,8953
11BF44K6	56,00	3,00		DIN		9,8595	8,7086	8,0336
11BF48K6	57,00	3,00		DIN		9,8595	8,7086	8,0336
11BF51K6	58,00	3,00		DIN		9,8595	8,7086	8,0336
11BF54K6	59,00	3,00		DIN		9,9744	8,8102	8,1273
11A322K6	59,36	3,00			932	9,9744	8,8102	8,1273
11A323K6	59,50	3,00		DIN		10,062	8,8875	8,1987
11BF57K6	60,00	3,00		DIN		10,062	8,8875	8,1987
11BF58K6	61,00	3,00		DIN		10,062	8,8875	8,1987
11BF60K6	62,00	3,00		DIN		10,204	9,0132	8,3146
11BF63K6	63,00	3,00		DIN		10,204	9,0132	8,3146
11BF66K6	64,00	3,00		DIN		10,204	9,0132	8,3146
11A324K6	64,50	3,00		DIN		10,204	9,0132	8,3146
11BF69K6	65,00	3,00		DIN		10,484	9,2599	8,5421
11BF72K6	66,00	3,00		DIN		10,484	9,2599	8,5421
11BF75K6	67,00	3,00		DIN		10,484	9,2599	8,5421
11BF78K6	68,00	3,00		DIN		10,768	9,5113	8,7741
11BF81K6	69,00	3,00		DIN		10,768	9,5113	8,7741
11A325K6	69,50	3,00		DIN		10,768	9,5113	8,7741
11BF84K6	70,00	3,00		DIN		11,338	10,014	9,2380
11BF85K6	71,00	3,00		DIN		11,338	10,014	9,2380
11BF87K6	72,00	3,00		DIN		11,901	10,512	9,6974
11BF90K6	73,00	3,00		DIN		11,901	10,512	9,6974
11BF93K6	74,00	3,00		DIN		12,186	10,764	9,9294
11A326K6	74,50	3,00		DIN		12,186	10,764	9,9294
11BF96K6	75,00	3,00		DIN		12,750	11,262	10,389
11BF99K6	76,00	3,00		DIN		12,750	11,262	10,389
11BG00K6	77,00	3,00		DIN		13,319	11,765	10,853
11BG02K6	78,00	3,00		DIN		13,319	11,765	10,853
11BG05K6	79,00	3,00		DIN		13,604	12,016	11,085
11A327K6	79,50	3,00		DIN		13,604	12,016	11,085
11BG08K6	80,00	3,00		DIN		13,883	12,263	11,312
11BG11K6	81,00	3,00		DIN		13,883	12,263	11,312
11BG14K6	82,00	3,00		DIN		14,168	12,514	11,544
11BG17K6	83,00	3,00		DIN		14,168	12,514	11,544
11BG20K6	84,00	3,00		DIN		14,453	12,766	11,776
11A328K6	84,50	3,00		DIN		14,453	12,766	11,776
11BG23K6	85,00	3,00		DIN		14,737	13,017	12,008
11BG26K6	86,00	3,00		DIN		14,737	13,017	12,008
11BG29K6	87,00	3,00		DIN		15,022	13,268	12,240
11BG32K6	88,00	3,00		DIN		15,022	13,268	12,240

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11BG35K6	89,00	3,00		DIN		15,301	13,515	12,467
11A329K6	89,50	3,00		DIN		15,301	13,515	12,467
11BG38K6	90,00	3,00		DIN		15,586	13,766	12,699
11BG39K6	91,00	3,00		DIN		15,870	14,018	12,931
11BG41K6	92,00	3,00		DIN		15,870	14,018	12,931
11BG44K6	93,00	3,00		DIN		16,155	14,269	13,163
11BG47K6	94,00	3,00		DIN		16,155	14,269	13,163
11A330K6	94,50	3,00		DIN		16,434	14,516	13,391
11BG50K6	95,00	3,00		DIN		16,434	14,516	13,391
						150	1500	3750
						1350	3600	3750
11BG53K6	96,00	3,00		DIN		16,719	14,767	13,623
11BG54K6	97,00	3,00		DIN		17,004	15,019	13,855
11BG56K6	98,00	3,00		DIN		17,288	15,270	14,087
11BG59K6	99,00	3,00		DIN		17,567	15,517	14,314
11A331K6	99,50	3,00		DIN		17,567	15,517	14,314
11BG62K6	100,00	3,00		DIN		18,137	16,020	14,778
11BG65K6	101,00	3,00		DIN		18,137	16,020	14,778
11BG68K6	102,00	3,00		DIN		18,701	16,518	15,238
11BG71K6	103,00	3,00		DIN		18,701	16,518	15,238
11BG72K6	104,00	3,00		DIN		19,270	17,021	15,701
11A332K6	104,50	3,00		DIN		19,270	17,021	15,701
11BG77K6	105,00	3,00		DIN		19,839	17,524	16,165
11BG80K6	106,00	3,00		DIN		19,839	17,524	16,165
11BG83K6	107,00	3,00		DIN		20,403	18,022	16,625
11BG86K6	108,00	3,00		DIN		20,403	18,022	16,625
11BG89K6	109,00	3,00		DIN		20,688	18,273	16,857
11A333K6	109,50	3,00		DIN		20,688	18,273	16,857
11BG95K6	110,00	3,00		DIN		21,252	18,771	17,316
11BG97K6	111,00	3,00		DIN		21,252	18,771	17,316
11BG98K6	112,00	3,00		DIN		21,536	19,023	17,548
11BG99K6	113,00	3,00		DIN		21,536	19,023	17,548
11BH01K6	114,00	3,00		DIN		21,821	19,274	17,780
11A334K6	114,50	3,00		DIN		21,821	19,274	17,780
11BH04K6	115,00	3,00		DIN		22,385	19,772	18,240
11BH05K6	116,00	3,00		DIN		22,385	19,772	18,240
11BH06K6	117,00	3,00		DIN		22,954	20,275	18,703
11BH07K6	118,00	3,00		DIN		22,954	20,275	18,703
11BH10K6	119,00	3,00		DIN		23,239	20,526	18,935
11A335K6	119,50	3,00		DIN		23,239	20,526	18,935
11BH11K6	120,00	3,00		DIN		23,803	21,024	19,395
11BH12K6	121,00	3,00		DIN		23,803	21,024	19,395
11BH13K6	122,00	3,00		DIN		24,372	21,527	19,859
11BH14K6	123,00	3,00		DIN		24,372	21,527	19,859
11BH16K6	124,00	3,00		DIN		24,936	22,025	20,318

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	150	1500	3750
						1350	3600	3750
11A336K6	124,50	3,00		DIN		24,936	22,025	20,318
11BH17K6	125,00	3,00		DIN		25,505	22,528	20,782
						100	1000	2500
						900	2400	2500
11BH19K6	126,00	3,00		DIN		25,790	22,780	21,014
11BH20K6	127,00	3,00		DIN		25,790	22,780	21,014
11BH22K6	128,00	3,00		DIN		26,069	23,026	21,242
11BH23K6	129,00	3,00		DIN		26,069	23,026	21,242
11A337K6	129,50	3,00		DIN		26,069	23,026	21,242
11BH25K6	130,00	3,00		DIN		27,203	24,027	22,165
11BH26K6	131,00	3,00		DIN		27,772	24,530	22,629
11BH28K6	132,00	3,00		DIN		28,336	25,028	23,088
11BH30K6	133,00	3,00		DIN		28,905	25,531	23,552
11BH31K6	134,00	3,00		DIN		29,474	26,034	24,016
11A338K6	134,50	3,00		DIN		29,754	26,281	24,244
11BH32K6	135,00	3,00		DIN		30,038	26,532	24,476
11BH33K6	136,00	3,00		DIN		30,038	26,532	24,476
11BH34K6	137,00	3,00		DIN		30,323	26,783	24,707
11BH37K6	138,00	3,00		DIN		30,323	26,783	24,707
11BH38K6	139,00	3,00		DIN		30,608	27,035	24,939
11A339K6	139,50	3,00		DIN		30,608	27,035	24,939
11BH40K6	140,00	3,00		DIN		31,456	27,784	25,631
11BH39K6	141,00	3,00		DIN		31,456	27,784	25,631
11BH41K6	142,00	3,00		DIN		32,020	28,282	26,090
11BH42K6	143,00	3,00		DIN		32,020	28,282	26,090
11BH43K6	144,00	3,00		DIN		32,589	28,785	26,554
11A340K6	144,50	3,00		DIN		32,589	28,785	26,554
11BH44K6	145,00	3,00		DIN		33,153	29,283	27,014
11BH46K6	146,00	3,00		DIN		33,153	29,283	27,014
11BH45K6	147,00	3,00		DIN		33,723	29,786	27,478
11BH47K6	148,00	3,00		DIN		33,723	29,786	27,478
11BH49K6	149,00	3,00		DIN		34,007	30,038	27,709
11A341K6	149,50	3,00		DIN		34,007	30,038	27,709
11BH52K6	150,00	3,00		DIN		34,571	30,536	28,169
11BH53K6	151,00	3,00		DIN		34,571	30,536	28,169
11BH54K6	152,00	3,00		DIN		35,140	31,039	28,633
11BH55K6	153,00	3,00		DIN		35,140	31,039	28,633
11BH51K6	154,00	3,00		DIN		35,425	31,290	28,865
11A342K6	154,50	3,00		DIN		35,425	31,290	28,865
11BH58K6	155,00	3,00		DIN		35,989	31,788	29,324
11BH59K6	156,00	3,00		DIN		35,989	31,788	29,324
11BH57K6	157,00	3,00		DIN		36,558	32,291	29,788
11BH56K6	158,00	3,00		DIN		36,558	32,291	29,788
11BH60K6	159,00	3,00		DIN		36,838	32,538	30,016

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	2500
11A343K6	159,50	3,00		DIN		36,838	32,538	30,016
11BH61K6	160,00	3,00		DIN		37,407	33,041	30,480
						50	500	1250
						450	1200	1250
11BH62K6	161,00	3,00		DIN		38,255	33,790	31,171
11BH64K6	162,00	3,00		DIN		39,109	34,544	31,867
11BH63K6	163,00	3,00		DIN		41,091	36,295	33,482
11BH36K6	164,00	3,00		DIN		41,940	37,044	34,173
11A344K6	164,50	3,00		DIN		42,509	37,547	34,637
11BH35K6	165,00	3,00		DIN		42,509	37,547	34,637
11BH71K6	166,00	3,00		DIN		42,788	37,794	34,864
11BH66K6	167,00	3,00		DIN		42,788	37,794	34,864
11BH65K6	168,00	3,00		DIN		42,788	37,794	34,864
11BH75K6	169,00	3,00		DIN		43,358	38,297	35,328
11A345K6	169,50	3,00		DIN		43,358	38,297	35,328
11BH77K6	170,00	3,00		DIN		43,358	38,297	35,328
11BH68K6	171,00	3,00		DIN		43,358	38,297	35,328
11BH67K6	172,00	3,00		DIN		44,206	39,046	36,020
11BH69K6	173,00	3,00		DIN		44,206	39,046	36,020
11BH70K6	174,00	3,00		DIN		44,775	39,549	36,484
11A346K6	174,50	3,00		DIN		44,775	39,549	36,484
11BH78K6	175,00	3,00		DIN		44,775	39,549	36,484
11BH72K6	176,00	3,00		DIN		45,339	40,047	36,943
11BH73K6	177,00	3,00		DIN		45,339	40,047	36,943
11BH74K6	178,00	3,00		DIN		46,757	41,299	38,098
11BH76K6	179,00	3,00		DIN		46,757	41,299	38,098
11A347K6	179,50	3,00		DIN		48,175	42,552	39,254
11BH79K6	180,00	3,00		DIN		48,175	42,552	39,254
11BH86K6	181,00	3,00		DIN		49,593	43,804	40,409
11BH80K6	182,00	3,00		DIN		49,593	43,804	40,409
11BH81K6	183,00	3,00		DIN		51,011	45,057	41,564
11BH87K6	184,00	3,00		DIN		51,011	45,057	41,564
11A348K6	184,50	3,00		DIN		52,423	46,304	42,715
11BH82K6	185,00	3,00		DIN		52,423	46,304	42,715
11BH83K6	186,00	3,00		DIN		53,841	47,556	43,870
11BH84K6	187,00	3,00		DIN		53,841	47,556	43,870
11BH85K6	188,00	3,00		DIN		56,660	50,047	46,168
11BH89K6	189,00	3,00		DIN		56,660	50,047	46,168
11A349K6	189,50	3,00		DIN		59,507	52,561	48,487
11BH88K6	190,00	3,00		DIN		59,507	52,561	48,487
11BH91K6	191,00	3,00		DIN		60,055	53,045	48,933
11BH92K6	192,00	3,00		DIN		60,055	53,045	48,933
11BH93K6	193,00	3,00		DIN		60,657	53,577	49,424
11BH94K6	194,00	3,00		DIN		60,657	53,577	49,424

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	1250
11A350K6	194,50	3,00		DIN		60,931	53,818	49,647
11BH95K6	195,00	3,00		DIN		60,931	53,818	49,647
11BH96K6	196,00	3,00		DIN		61,478	54,302	50,093
11BH97K6	197,00	3,00		DIN		61,478	54,302	50,093
11BH98K6	198,00	3,00		DIN		62,080	54,834	50,584
11BH90K6	199,00	3,00		DIN		62,080	54,834	50,584
11A351K6	199,50	3,00		DIN		62,628	55,317	51,030
11BI01K6	200,00	3,00		DIN		62,628	55,317	51,030
11BI02K6	201,00	3,00		DIN		63,777	56,333	51,966
11BI05K6	202,00	3,00		DIN		63,777	56,333	51,966
11BH99K6	203,00	3,00		DIN		64,598	57,058	52,636
11BI07K6	204,00	3,00		DIN		64,598	57,058	52,636
11A352K6	204,50	3,00		DIN		65,201	57,590	53,126
11BI10K6	205,00	3,00		DIN		65,201	57,590	53,126
11BI11K6	206,00	3,00		DIN		65,748	58,074	53,572
11BI13K6	207,00	3,00		DIN		65,748	58,074	53,572
11BI14K6	208,00	3,00		DIN		66,022	58,315	53,795
11BI17K6	209,00	3,00		DIN		66,569	58,799	54,241
11A353K6	209,50	3,00		DIN		66,569	58,799	54,241
11BI03K6	210,00	3,00		DIN		67,171	59,331	54,732
11BI04K6	211,00	3,00		DIN		67,171	59,331	54,732
11BI25K6	212,00	3,00		DIN		67,719	59,814	55,178
11BI06K6	213,00	3,00		DIN		67,719	59,814	55,178
11BI26K6	214,00	3,00		DIN		68,321	60,346	55,669
11BI08K6	215,00	3,00		DIN		68,321	60,346	55,669
11BI09K6	216,00	3,00		DIN		68,868	60,830	56,115
11BO42K6	217,00	3,00		DIN		68,868	60,830	56,115
11BI31K6	218,00	3,00		DIN		69,416	61,313	56,561
11BI32K6	219,00	3,00		DIN		69,416	61,313	56,561
11A354K6	219,50	3,00		DIN		70,018	61,845	57,052
11BI12K6	220,00	3,00		DIN		70,018	61,845	57,052
11BI34K6	221,00	3,00		DIN		70,566	62,329	57,498
11BI35K6	222,00	3,00		DIN		70,566	62,329	57,498
11BI37K6	223,00	3,00		DIN		71,113	62,812	57,944
11BI50K6	224,00	3,00		DIN		71,113	62,812	57,944
11BI15K6	225,00	3,00		DIN		71,989	63,586	58,657
11BI16K6	226,00	3,00		DIN		71,989	63,586	58,657
11BI52K6	227,00	3,00		DIN		72,536	64,069	59,103
11BI18K6	228,00	3,00		DIN		72,536	64,069	59,103
11BI53K6	229,00	3,00		DIN		73,686	65,085	60,040
11A355K6	229,50	3,00		DIN		73,686	65,085	60,040
11BI19K6	230,00	3,00		DIN		74,233	65,568	60,486
11BI55K6	231,00	3,00		DIN		74,233	65,568	60,486
11BI56K6	232,00	3,00		DIN		74,836	66,100	60,977
11BI20K6	233,00	3,00		DIN		74,836	66,100	60,977

O - RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				50	500	1250
			F	I - JIS	AS-BS	450	1200	1250
11BI23K6	234,00	3,00		DIN		75,383	66,584	61,423
11BI22K6	235,00	3,00		DIN		75,383	66,584	61,423
11BI58K6	236,00	3,00		DIN		75,931	67,067	61,869
11BI59K6	237,00	3,00		DIN		75,931	67,067	61,869
11BI61K6	238,00	3,00		DIN		76,533	67,599	62,360
11BI62K6	239,00	3,00		DIN		76,533	67,599	62,360
11A356K6	239,50	3,00		DIN		76,533	67,599	62,360
11BI21K6	240,00	3,00		DIN		77,080	68,083	62,806
11BI64K6	241,00	3,00		DIN		77,956	68,857	63,519
11BI65K6	242,00	3,00		DIN		77,956	68,857	63,519
11BI67K6	243,00	3,00		DIN		79,325	70,065	64,635
11BI68K6	244,00	3,00		DIN		79,325	70,065	64,635
11BI24K6	245,00	3,00		DIN		79,927	70,597	65,125
11BI27K6	246,00	3,00		DIN		79,927	70,597	65,125
11BI70K6	247,00	3,00		DIN		80,748	71,323	65,794
11BI28K6	248,00	3,00		DIN		80,748	71,323	65,794
11BI71K6	249,00	3,00		DIN		82,171	72,580	66,954
11A357K6	249,50	3,00		DIN		82,171	72,580	66,954
11BI30K6	250,00	3,00		DIN		85,018	75,094	69,274
						500	5000	12500
						4500	12000	12500
11BL75K6	24,40	3,10		G25		4,6757	4,1299	3,8098
11BL76K6	29,40	3,10		G30		5,3841	4,7556	4,3870
11BL78K6	34,40	3,10		G35		6,2354	5,5076	5,0807
11BL79K6	39,40	3,10		G40		7,5109	6,6342	6,1200
11BL69K6	44,40	3,10		G45		8,3595	7,3837	6,8114
11BL81K6	49,40	3,10		G50		9,9197	8,7618	8,0827
						250	2500	6250
						2250	6000	6250
11BL66K6	54,40	3,10		G55		10,626	9,3856	8,6581
11BL70K6	59,40	3,10		G60		11,901	10,512	9,6974
11BL67K6	64,40	3,10		G65		12,750	11,262	10,389
11BG42K6	69,40	3,10		G70		13,746	12,142	11,201
11BL82K6	74,40	3,10		G75		15,022	13,268	12,240
11BG43K6	79,40	3,10		G80		16,155	14,269	13,163
11BL84K6	84,40	3,10		G85		17,004	15,019	13,855
11BL85K6	89,40	3,10		G90		18,843	16,644	15,354
						150	1500	3750
						1350	3600	3750
11BG45K6	94,40	3,10		G95		19,555	17,272	15,933
11BL87K6	99,40	3,10		G100		19,839	17,524	16,165
11BG46K6	104,40	3,10		G105		21,536	19,023	17,548
11BL88K6	109,40	3,10		G110		22,954	20,275	18,703
11BG48K6	114,40	3,10		G115		23,803	21,024	19,395

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				150	1500	3750
			F	I - JIS	AS-BS	1350	3600	3750
11BL89K6	119,40	3,10		G120		24,657	21,779	20,091
11BL90K6	124,40	3,10		G125		25,505	22,528	20,782
11BL92K6	129,40	3,10		G130		28,905	25,531	23,552
11BL93K6	134,40	3,10		G135		30,887	27,282	25,167
11BL95K6	139,40	3,10		G140		32,305	28,534	26,322
11BL96K6	144,40	3,10		G145		34,007	30,038	27,709
						3000	30000	75000
						27000	72000	75000
11BL17K6	8,00	3,50		DIN		1,9839	1,7524	1,6165
11BL20K6	9,00	3,50		DIN		1,9839	1,7524	1,6165
11BL25K6	10,00	3,50		DIN		2,4088	2,1276	1,9627
						1000	10000	25000
						9000	24000	25000
11BL26K6	11,00	3,50		DIN		2,5511	2,2533	2,0787
11BL29K6	12,00	3,50		DIN		2,5511	2,2533	2,0787
11BL32K6	13,00	3,50		DIN		2,8336	2,5028	2,3088
11BL33K6	14,00	3,50		DIN		2,9759	2,6285	2,4248
11BL35K6	15,00	3,50		DIN		3,1171	2,7533	2,5399
11BL38K6	16,00	3,50		DIN		3,2595	2,8790	2,6559
11BL44K6	17,00	3,50		DIN		3,4007	3,0038	2,7709
11BL47K6	18,00	3,50		DIN		3,4007	3,0038	2,7709
11BL53K6	19,00	3,50		DIN		3,5431	3,1295	2,8869
11BL56K6	20,00	3,50		DIN		3,6843	3,2542	3,0020
11BL59K6	21,00	3,50		DIN		3,9679	3,5047	3,2331
11BL99K6	21,70	3,50		P22A		4,1091	3,6295	3,3482
11BL68K6	22,00	3,50		DIN		4,1091	3,6295	3,3482
11BM01K6	22,10	3,50		P22.4		4,2509	3,7547	3,4637
11BL71K6	23,00	3,50		DIN		4,2515	3,7552	3,4641
11BG84K6	23,70	3,50		P24		4,3927	3,8799	3,5792
11BL74K6	24,00	3,50		DIN		4,3927	3,8799	3,5792
11BG85K6	24,70	3,50		P25		4,6757	4,1299	3,8098
11BL77K6	25,00	3,50		DIN		4,6763	4,1304	3,8103
11BG87K6	25,20	3,50		P25.5		4,8175	4,2552	3,9254
11BG88K6	25,70	3,50		P26		4,8175	4,2552	3,9254
11BL80K6	26,00	3,50		DIN		4,8175	4,2552	3,9254
11BL83K6	27,00	3,50		DIN		4,9598	4,3809	4,0413
11BG90K6	27,70	3,50		P28		5,1011	4,5057	4,1564
						500	5000	12500
						4500	12000	12500
11BL86K6	28,00	3,50		DIN		5,1011	4,5057	4,1564
11BG91K6	28,70	3,50		P29		5,2423	4,6304	4,2715
11BL94K6	29,00	3,50		DIN		5,2423	4,6304	4,2715
11BG93K6	29,20	3,50		P29.5		5,2423	4,6304	4,2715
11BG94K6	29,70	3,50		P30		5,3841	4,7556	4,3870

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	500	5000	12500
						4500	12000	12500
11BL97K6	30,00	3,50		DIN		5,3847	4,7561	4,3875
11BG96K6	30,70	3,50		P31		5,3841	4,7556	4,3870
11BL98K6	31,00	3,50		DIN		5,3847	4,7561	4,3875
11BH00K6	31,20	3,50		P31.5		5,6660	5,0047	4,6168
11BH02K6	31,70	3,50		P32		5,6660	5,0047	4,6168
11BM00K6	32,00	3,50		DIN		5,6660	5,0047	4,6168
11BM03K6	33,00	3,50		DIN		5,8084	5,1304	4,7327
11BH03K6	33,70	3,50		P34		5,6660	5,0047	4,6168
11BM04K6	34,00	3,50		DIN		5,9507	5,2561	4,8487
11BM07K6	34,70	3,50		P35		6,2354	5,5076	5,0807
11BM06K6	35,00	3,50		DIN		6,2354	5,5076	5,0807
11BM08K6	35,20	3,50		P35.5		6,2354	5,5076	5,0807
11BM10K6	35,70	3,50		P36		6,3777	5,6333	5,1966
11BM09K6	36,00	3,50		DIN		6,3777	5,6333	5,1966
11BM15K6	37,00	3,50		DIN		6,7993	6,0056	5,5401
11BM11K6	37,70	3,50		P38		6,9416	6,1313	5,6561
11BM21K6	38,00	3,50		DIN		6,9416	6,1313	5,6561
11BM13K6	38,70	3,50		P39		7,0839	6,2570	5,7721
11BM22K6	39,00	3,50		DIN		7,0839	6,2570	5,7721
11BM14K6	39,70	3,50		P40		7,5109	6,6342	6,1200
11BM23K6	40,00	3,50		DIN		7,5109	6,6342	6,1200
11BM16K6	40,70	3,50		P41		7,6533	6,7599	6,2360
11BM25K6	41,00	3,50		DIN		7,6533	6,7599	6,2360
11BM17K6	41,70	3,50		P42		7,9325	7,0065	6,4635
11BM24K6	42,00	3,50		DIN		7,9325	7,0065	6,4635
11BM27K6	43,00	3,50		DIN		8,0748	7,1323	6,5794
11BM19K6	43,70	3,50		P44		8,2171	7,2580	6,6954
11BM30K6	44,00	3,50		DIN		8,2171	7,2580	6,6954
11BM20K6	44,70	3,50		P45		8,3595	7,3837	6,8114
11BM33K6	45,00	3,50		DIN		8,3595	7,3837	6,8114
11BM26K6	45,70	3,50		P46		8,5018	7,5094	6,9274
11BM36K6	46,00	3,50		DIN		8,5018	7,5094	6,9274
11BM39K6	47,00	3,50		DIN		8,7865	7,7609	7,1593
11BM28K6	47,70	3,50		P48		9,2080	8,1332	7,5028
11BM42K6	48,00	3,50		DIN		9,2080	8,1332	7,5028
11BM29K6	48,70	3,50		P49		9,3503	8,2589	7,6188
11BM45K6	49,00	3,50		DIN		9,3503	8,2589	7,6188
11BM02K6	49,70	3,50		P50		9,9197	8,7618	8,0827
11BM48K6	50,00	3,50		DIN		9,9197	8,7618	8,0827
						250	2500	6250
						2250	6000	6250
11BM52K6	51,00	3,50		DIN		10,062	8,8875	8,1987
11BM54K6	52,00	3,50		DIN		10,204	9,0132	8,3146
11BM57K6	53,00	3,50		DIN		10,341	9,1341	8,4261
11BM58K6	54,00	3,50		DIN		10,484	9,2599	8,5421

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11BM60K6	55,00	3,50		DIN		10,626	9,3856	8,6581
11BM61K6	56,00	3,50		DIN		10,768	9,5113	8,7741
11BM62K6	57,00	3,50		DIN		11,053	9,7627	9,0060
11BM63K6	58,00	3,50		DIN		11,338	10,014	9,2380
11BM66K6	59,00	3,50		DIN		11,617	10,261	9,4655
11BM69K6	60,00	3,50		DIN		11,901	10,512	9,6974
11BM70K6	61,00	3,50		DIN		12,186	10,764	9,9294
11BM71K6	62,00	3,50		DIN		12,471	11,015	10,161
11BM72K6	63,00	3,50		DIN		12,613	11,141	10,277
11BM75K6	64,00	3,50		DIN		12,750	11,262	10,389
11BM77K6	65,00	3,50		DIN		12,750	11,262	10,389
11BM80K6	66,00	3,50		DIN		13,035	11,513	10,621
11BM82K6	67,00	3,50		DIN		13,035	11,513	10,621
11BM85K6	68,00	3,50		DIN		13,319	11,765	10,853
11BM83K6	69,00	3,50		DIN		13,604	12,016	11,085
11BM87K6	70,00	3,50		DIN		13,746	12,142	11,201
11BM90K6	71,00	3,50		DIN		13,883	12,263	11,312
11BM91K6	72,00	3,50		DIN		14,168	12,514	11,544
11BM92K6	73,00	3,50		DIN		14,453	12,766	11,776
11BM94K6	74,00	3,50		DIN		14,737	13,017	12,008
11BM95K6	75,00	3,50		DIN		15,022	13,268	12,240
11BM97K6	76,00	3,50		DIN		15,301	13,515	12,467
11BM96K6	77,00	3,50		DIN		15,443	13,641	12,583
11BM99K6	78,00	3,50		DIN		15,586	13,766	12,699
11BN00K6	79,00	3,50		DIN		15,870	14,018	12,931
11BN02K6	80,00	3,50		DIN		16,155	14,269	13,163
11BN04K6	81,00	3,50		DIN		16,292	14,390	13,275
11BN08K6	82,00	3,50		DIN		16,434	14,516	13,391
11BN09K6	83,00	3,50		DIN		16,719	14,767	13,623
11BN10K6	84,00	3,50		DIN		16,861	14,893	13,739
11BN11K6	85,00	3,50		DIN		17,004	15,019	13,855
11BN12K6	86,00	3,50		DIN		17,146	15,145	13,971
11BN13K6	87,00	3,50		DIN		17,288	15,270	14,087
11BN14K6	88,00	3,50		DIN		17,288	15,270	14,087
11BN15K6	89,00	3,50		DIN		17,567	15,517	14,314
11BN17K6	90,00	3,50		DIN		17,567	15,517	14,314
11BN18K6	91,00	3,50		DIN		17,852	15,768	14,546
11BN16K6	92,00	3,50		DIN		18,137	16,020	14,778
11BN21K6	93,00	3,50		DIN		18,422	16,271	15,010
11BN19K6	94,00	3,50		DIN		18,701	16,518	15,238
11BN22K6	95,00	3,50		DIN		18,843	16,644	15,354
						150	1500	3750
						1350	3600	3750
11BN24K6	96,00	3,50		DIN		18,985	16,769	15,469

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	150	1500	3750
						1350	3600	3750
11BN23K6	97,00	3,50		DIN		18,985	16,769	15,469
11BN26K6	98,00	3,50		DIN		19,270	17,021	15,701
11BN27K6	99,00	3,50		DIN		19,555	17,272	15,933
11BN29K6	100,00	3,50		DIN		19,839	17,524	16,165
11BN31K6	101,00	3,50		DIN		20,403	18,022	16,625
11BN33K6	102,00	3,50		DIN		20,688	18,273	16,857
11BN35K6	103,00	3,50		DIN		20,973	18,525	17,089
11BN36K6	104,00	3,50		DIN		21,252	18,771	17,316
11BN38K6	105,00	3,50		DIN		21,536	19,023	17,548
11BN37K6	106,00	3,50		DIN		21,536	19,023	17,548
11BN39K6	107,00	3,50		DIN		21,821	19,274	17,780
11BN40K6	108,00	3,50		DIN		22,106	19,525	18,012
11BN42K6	109,00	3,50		DIN		22,670	20,024	18,472
11BN41K6	110,00	3,50		DIN		22,954	20,275	18,703
11BN45K6	111,00	3,50		DIN		22,954	20,275	18,703
11BN43K6	112,00	3,50		DIN		23,239	20,526	18,935
11BN44K6	113,00	3,50		DIN		23,518	20,773	19,163
11BN47K6	114,00	3,50		DIN		23,518	20,773	19,163
11BN50K6	115,00	3,50		DIN		23,803	21,024	19,395
11BN53K6	116,00	3,50		DIN		24,088	21,276	19,627
11BN34K6	117,00	3,50		DIN		24,088	21,276	19,627
11BN30K6	118,00	3,50		DIN		24,372	21,527	19,859
11BN55K6	119,00	3,50		DIN		24,372	21,527	19,859
11BN56K6	120,00	3,50		DIN		24,657	21,779	20,091
11BN28K6	121,00	3,50		DIN		24,936	22,025	20,318
11BN59K6	122,00	3,50		DIN		25,221	22,277	20,550
11BN62K6	123,00	3,50		DIN		25,221	22,277	20,550
11BN07K6	124,00	3,50		DIN		25,505	22,528	20,782
11BN65K6	125,00	3,50		DIN		25,505	22,528	20,782
11BN68K6	126,00	3,50		DIN		25,790	22,780	21,014
11BN06K6	127,00	3,50		DIN		26,639	23,529	21,705
11BN03K6	128,00	3,50		DIN		27,487	24,279	22,397
11BN01K6	129,00	3,50		DIN		28,336	25,028	23,088
						100	1000	2500
						900	2400	2500
11BM98K6	130,00	3,50		DIN		28,905	25,531	23,552
11BN64K6	131,00	3,50		DIN		29,474	26,034	24,016
11BN70K6	132,00	3,50		DIN		29,754	26,281	24,244
11BN71K6	133,00	3,50		DIN		30,323	26,783	24,707
11BM89K6	134,00	3,50		DIN		30,608	27,035	24,939
11BN72K6	135,00	3,50		DIN		30,887	27,282	25,167
11BM88K6	136,00	3,50		DIN		31,171	27,533	25,399
11BM86K6	137,00	3,50		DIN		31,171	27,533	25,399
11BM79K6	138,00	3,50		DIN		31,456	27,784	25,631
11BM76K6	139,00	3,50		DIN		31,741	28,036	25,863

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	2500
11BM74K6	140,00	3,50		DIN		32,305	28,534	26,322
11BM73K6	141,00	3,50		DIN		32,589	28,785	26,554
11BM68K6	142,00	3,50		DIN		32,874	29,037	26,786
11BM67K6	143,00	3,50		DIN		33,438	29,535	27,246
11BN66K6	144,00	3,50		DIN		33,723	29,786	27,478
11BM65K6	145,00	3,50		DIN		34,007	30,038	27,709
11BM64K6	146,00	3,50		DIN		34,007	30,038	27,709
11BM59K6	147,00	3,50		DIN		34,571	30,536	28,169
11BN48K6	148,00	3,50		DIN		34,571	30,536	28,169
11BM56K6	149,00	3,50		DIN		34,856	30,787	28,401
11BN76K6	150,00	3,50		DIN		35,425	31,290	28,865
11BM55K6	151,00	3,50		DIN		35,989	31,788	29,324
11BN77K6	152,00	3,50		DIN		36,274	32,040	29,556
11BN51K6	153,00	3,50		DIN		36,838	32,538	30,016
11BN61K6	154,00	3,50		DIN		37,407	33,041	30,480
11BN67K6	155,00	3,50		DIN		37,692	33,292	30,711
11BN63K6	156,00	3,50		DIN		38,255	33,790	31,171
11BN79K6	157,00	3,50		DIN		38,825	34,293	31,635
11BM53K6	158,00	3,50		DIN		39,109	34,544	31,867
11BN52K6	159,00	3,50		DIN		39,673	35,042	32,326
11BN82K6	160,00	3,50		DIN		40,243	35,545	32,790
						50	500	1250
						450	1200	1250
11BN78K6	161,00	3,50		DIN		40,806	36,043	33,250
11BN81K6	162,00	3,50		DIN		41,376	36,546	33,714
11BN85K6	163,00	3,50		DIN		41,940	37,044	34,173
11BN46K6	164,00	3,50		DIN		42,509	37,547	34,637
11BM50K6	165,00	3,50		DIN		42,788	37,794	34,864
11BN73K6	166,00	3,50		DIN		42,788	37,794	34,864
11BN60K6	167,00	3,50		DIN		43,073	38,045	35,096
11BN84K6	168,00	3,50		DIN		43,073	38,045	35,096
11BN87K6	169,00	3,50		DIN		43,358	38,297	35,328
11BN86K6	170,00	3,50		DIN		43,358	38,297	35,328
11BM49K6	171,00	3,50		DIN		43,358	38,297	35,328
11BN58K6	172,00	3,50		DIN		43,927	38,799	35,792
11BN91K6	173,00	3,50		DIN		44,491	39,298	36,252
11BN88K6	174,00	3,50		DIN		44,491	39,298	36,252
11BN75K6	175,00	3,50		DIN		44,775	39,549	36,484
11BN90K6	176,00	3,50		DIN		45,060	39,800	36,716
11BM47K6	177,00	3,50		DIN		45,339	40,047	36,943
11BN92K6	178,00	3,50		DIN		46,473	41,048	37,866
11BN93K6	179,00	3,50		DIN		47,606	42,049	38,790
11BN69K6	180,00	3,50		DIN		48,739	43,050	39,713
11BN54K6	181,00	3,50		DIN		49,593	43,804	40,409

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	
11BN94K6	182,00	3,50		DIN		50,442	44,554	41,100
11BM46K6	183,00	3,50		DIN		51,011	45,057	41,564
11BM44K6	184,00	3,50		DIN		51,859	45,806	42,256
11BN57K6	185,00	3,50		DIN		52,708	46,556	42,947
11BN98K6	186,00	3,50		DIN		53,841	47,556	43,870
11BN97K6	187,00	3,50		DIN		55,259	48,809	45,026
11BN96K6	188,00	3,50		DIN		56,677	50,061	46,181
11BO47K6	189,00	3,50		DIN		58,084	51,304	47,327
11BN99K6	190,00	3,50		DIN		59,507	52,561	48,487
11BO56K6	191,00	3,50		DIN		60,055	53,045	48,933
11BO57K6	192,00	3,50		DIN		60,657	53,577	49,424
11BO50K6	193,00	3,50		DIN		61,204	54,060	49,870
11BO00K6	194,00	3,50		DIN		61,478	54,302	50,093
11BO01K6	195,00	3,50		DIN		62,080	54,834	50,584
11BO59K6	196,00	3,50		DIN		62,354	55,076	50,807
11BO60K6	197,00	3,50		DIN		62,901	55,559	51,253
11BO02K6	198,00	3,50		DIN		63,504	56,091	51,743
11BO06K6	199,00	3,50		DIN		63,777	56,333	51,966
11BO03K6	200,00	3,50		DIN		64,325	56,816	52,412
11BO05K6	201,00	3,50		DIN		64,872	57,300	52,859
11BO62K6	202,00	3,50		DIN		65,201	57,590	53,126
11BO63K6	203,00	3,50		DIN		65,474	57,832	53,349
11BO41K6	204,00	3,50		DIN		66,022	58,315	53,795
11BO12K6	205,00	3,50		DIN		66,569	58,799	54,241
11BO65K6	206,00	3,50		DIN		66,898	59,089	54,509
11BO53K6	207,00	3,50		DIN		67,445	59,573	54,955
11BO66K6	208,00	3,50		DIN		67,719	59,814	55,178
11BO68K6	209,00	3,50		DIN		67,993	60,056	55,401
11BO33K6	210,00	3,50		DIN		68,321	60,346	55,669
11BO71K6	215,00	3,50		DIN		69,416	61,313	56,561
11BO36K6	220,00	3,50		DIN		71,989	63,586	58,657
11BO24K6	225,00	3,50		DIN		74,233	65,568	60,486
11BO13K6	230,00	3,50		DIN		76,806	67,841	62,583
11BO98K6	235,00	3,50		DIN		81,350	71,855	66,285
11BO35K6	240,00	3,50		DIN		82,171	72,580	66,954
11BO30K6	245,00	3,50		DIN		83,321	73,595	67,891
11BO16K6	250,00	3,50		DIN		84,142	74,321	68,560
11BO26K6	255,00	3,50		DIN		85,292	75,336	69,497
11BO39K6	260,00	3,50		DIN		85,839	75,820	69,943
11BO38K6	265,00	3,50		DIN		86,441	76,351	70,433
11BO27K6	270,00	3,50		DIN		90,657	80,075	73,868
						30	300	750
						270	720	750
11BP44K6	275,00	3,50		DIN		95,201	84,088	77,570

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	30	300	750
						270	720	750
11BP53K6	280,00	3,50		DIN		102,04	90,132	83,146
11BP61K6	285,00	3,50		DIN		109,11	96,370	88,901
11BP67K6	290,00	3,50		DIN		114,74	101,35	93,495
11BP73K6	295,00	3,50		DIN		119,89	105,90	97,688
11BP80K6	300,00	3,50		DIN		124,71	110,15	101,61
11BP88K6	305,00	3,50		DIN		128,38	113,39	104,60
11BO29K6	310,00	3,50		DIN		132,65	117,16	108,08
11BQ00K6	315,00	3,50		DIN		136,59	120,64	111,29
11BQ06K6	320,00	3,50		DIN		140,58	124,17	114,55
11BQ13K6	325,00	3,50		DIN		143,38	126,64	116,82
11BQ21K6	330,00	3,50		DIN		145,07	128,14	118,21
11BQ28K6	335,00	3,50		DIN		147,92	130,65	120,53
11BQ36K6	340,00	3,50		DIN		150,22	132,68	122,40
11BQ43K6	345,00	3,50		DIN		152,46	134,67	124,23
11BQ51K6	350,00	3,50		DIN		154,16	136,17	125,61
11BQ58K6	355,00	3,50		DIN		155,86	137,66	126,99
11BO48K6	360,00	3,50		DIN		158,70	140,18	129,31
						20	200	500
						180	480	500
11BQ70K6	365,00	3,50		DIN		160,95	142,16	131,14
11BQ78K6	370,00	3,50		DIN		162,10	143,18	132,08
11BQ93K6	380,00	3,50		DIN		163,80	144,68	133,46
11BR08K6	390,00	3,50		DIN		165,77	146,42	135,07
11BR23K6	400,00	3,50		DIN		168,89	149,17	137,61
11BR53K6	410,00	3,50		DIN		172,28	152,17	140,38
11BR71K6	420,00	3,50		DIN		175,67	155,17	143,14
11BR86K6	430,00	3,50		DIN		178,52	157,68	145,46
11BS01K6	440,00	3,50		DIN		181,37	160,20	147,78
						3000	30000	75000
						27000	72000	75000
11A358K6	4,34	3,53			201	1,7004	1,5019	1,3256
11A359K6	5,94	3,53			202	1,7004	1,5019	1,3855
11A360K6	7,52	3,53			203	1,8427	1,6276	1,5015
11A361K6	9,12	3,53			4036 204	1,9839	1,7524	1,6165
						1000	10000	25000
						9000	24000	25000
11A362K6	10,69	3,53			4042 205	2,4088	2,1276	1,9627
11A363K6	12,29	3,53			4050 206	2,5511	2,2533	2,0787
11A364K6	13,87	3,53			4055 207	2,8336	2,5028	2,3088
11A365K6	15,47	3,53			4061 208	3,1171	2,7533	2,4101
11A366K6	17,04	3,53			4067 209	3,4007	3,0038	2,5479
11A367K6	18,64	3,53			4075 210	3,4007	3,0038	2,6339
11A368K6	20,22	3,53			4081 211	3,6843	3,2542	2,8405
11A369K6	21,82	3,53			4087 212	3,9679	3,5047	2,8405
11A370K6	23,39	3,53			4093 213	4,2515	3,7552	3,2709

O - RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	
11A371K6	24,99	3,53	4100	214		4,3927	3,8799	3,3570
11A372K6	25,80	3,53	134	618		4,6763	4,1304	3,6152
11A373K6	26,57	3,53	4106	215		4,8175	4,2552	3,6152
						500	5000	12500
						4500	12000	
11A374K6	28,17	3,53	4112	216		5,1011	4,5057	3,8390
11A375K6	29,74	3,53	4118	217		5,2423	4,6304	4,0111
11A376K6	31,34	3,53	4125	218		5,3847	4,7561	4,3875
11A377K6	32,92	3,53	4131	219		5,6682	5,0066	4,6185
11A378K6	34,52	3,53	4137	220		5,9507	5,2561	4,8487
11A379K6	36,09	3,53	4143	221		6,3777	5,6333	5,1966
11A380K6	37,69	3,53	4150	222		6,7993	6,0056	5,5401
11A381K6	39,70	3,53	144	824		7,0839	6,2570	5,7721
11A382K6	40,87	3,53	4162	223		7,5109	6,6342	6,1200
11A383K6	41,28	3,53	146	825		7,6533	6,7599	6,2360
11A384K6	42,86	3,53	147	826		7,9325	7,0065	6,4635
11A385K6	44,04	3,53	4175	224		8,0748	7,1323	6,5794
11A386K6	44,45	3,53	149	827		8,2171	7,2580	6,6954
11A387K6	46,04	3,53	150	828		8,5018	7,5094	6,9274
11A388K6	47,22	3,53	4187	225		8,7865	7,7609	7,1593
11A389K6	47,62	3,53	152	829		9,2080	8,1332	7,5028
11A390K6	49,20	3,53	153	830		9,3503	8,2589	7,6188
						250	2500	6250
						2250	6000	6250
11A391K6	50,39	3,53	4200	226		9,9197	8,7618	8,0827
11A392K6	50,80	3,53	155	831		10,062	8,8875	8,0912
11A393K6	52,40	3,53	156	832		10,204	9,0132	8,3146
11A394K6	53,57	3,53	4212	227		10,341	9,1341	8,4261
11A395K6	53,97	3,53	158	833		10,484	9,2599	8,5421
11A396K6	55,56	3,53	159	834		10,626	9,3856	8,6581
11A397K6	56,74	3,53	4225	228		10,768	9,5113	8,7741
11A398K6	57,15	3,53	161	835		11,053	9,7627	9,0060
11A399K6	58,74	3,53	162	836		11,338	10,014	9,2380
11A400K6	59,92	3,53	4237	229		11,617	10,261	9,4655
11A401K6	60,32	3,53	164	837		11,901	10,512	9,6974
11A402K6	61,90	3,53	165	838		12,186	10,764	9,9294
11A403K6	63,09	3,53	4250	230		12,471	11,015	10,161
11A404K6	63,50	3,53	167	839		12,613	11,141	10,277
11A405K6	65,10	3,53	168	840		12,750	11,262	10,389
11A406K6	66,27	3,53	4262	231		13,035	11,513	10,621
11A407K6	66,67	3,53	170	841		13,035	11,513	10,621
11A408K6	68,26	3,53	171	842		13,035	11,513	10,621
11A409K6	69,44	3,53	4275	232		13,319	11,765	10,853
11A410K6	69,85	3,53	173	843		13,604	12,016	11,085

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11A411K6	71,44	3,53	174	844		13,883	12,263	11,312
11A412K6	72,62	3,53	4287	233		14,168	12,514	11,544
11A413K6	73,02	3,53	176	845		14,453	12,766	11,776
11A414K6	74,60	3,53	177	846		14,737	13,017	12,008
11A415K6	75,79	3,53	4300	234		15,022	13,268	12,240
11A416K6	78,97	3,53	4312	235		15,586	13,766	12,699
11A417K6	82,14	3,53	4325	236		16,434	14,516	13,391
11A418K6	85,32	3,53	4337	237		17,004	15,019	13,855
11A419K6	88,49	3,53	4350	238		17,288	15,270	14,087
11A420K6	91,67	3,53	4362	239		17,852	15,768	14,546
11A421K6	94,84	3,53	4375	240		18,701	16,518	15,238
						150	1500	3750
						1350	3600	3750
11A422K6	98,02	3,53	4387	241		19,270	17,021	15,701
11A423K6	101,19	3,53	4400	242		20,403	18,022	16,625
11A424K6	104,37	3,53	4412	243		21,252	18,771	17,316
11A425K6	107,54	3,53	4425	244		21,821	19,274	17,780
11A426K6	110,72	3,53	4437	245		22,954	20,275	18,703
11A427K6	113,89	3,53	4450	246		23,518	20,773	18,937
11A428K6	117,07	3,53	4462	247		24,088	21,276	19,281
11A429K6	120,24	3,53	4475	248		24,657	21,779	19,453
11A430K6	123,42	3,53	4487	249		25,221	22,277	20,142
11A431K6	126,59	3,53	4500	250		25,790	22,780	20,486
						100	1000	2500
						900	2400	2500
11A432K6	129,77	3,53	4512	251		28,336	25,028	21,863
11A433K6	132,94	3,53	4525	252		29,754	26,281	22,552
11A434K6	136,12	3,53	4537	253		31,171	27,533	23,241
11A435K6	139,29	3,53	4550	254		31,741	28,036	23,585
11A436K6	142,47	3,53	4562	255		32,874	29,037	24,446
11A437K6	145,64	3,53	4575	256		34,007	30,038	25,306
11A438K6	148,82	3,53	4587	257		34,571	30,536	25,651
11A439K6	151,99	3,53	4600	258		36,274	32,040	27,200
11A440K6	158,34	3,53	4625	259		39,109	34,544	29,266
						50	500	1250
						450	1200	1250
11A441K6	164,69	3,53	4650	260		42,509	37,547	31,504
11A442K6	171,04	3,53	4675	261		43,358	38,297	32,020
11A443K6	177,39	3,53	4700	262		45,339	40,047	33,570
11A444K6	183,74	3,53	4725	263		51,011	45,057	35,291
11A445K6	190,09	3,53	4750	264		59,507	52,561	41,317
11A446K6	196,44	3,53	4775	265		62,354	55,076	43,038
11A447K6	202,79	3,53	4800	266		65,201	57,590	43,899
11A448K6	209,14	3,53	4825	267		67,993	60,056	44,760
11A449K6	215,49	3,53	4850	268		69,416	61,313	46,481

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	1250
11A450K6	221,84	3,53		4875	269	72,263	63,828	55,949
11A451K6	228,19	3,53		4900	270	75,109	66,342	55,949
11A452K6	234,54	3,53		4925	271	80,748	71,323	58,532
11A453K6	240,89	3,53		4950	272	82,171	72,580	59,393
11A454K6	247,26	3,53		4975	273	83,595	73,837	60,253
11A455K6	253,59	3,53		41000	274	85,018	75,094	61,975
11A456K6	266,29	3,53		41050	275	86,441	76,351	63,696
						30	300	750
						270	720	750
11A457K6	278,99	3,53		41100	276	99,197	87,618	68,861
11A458K6	291,69	3,53		41150	277	116,17	102,61	95,028
11A459K6	304,39	3,53		41200	278	127,50	112,62	103,29
11A460K6	329,79	3,53		41300	279	144,53	127,66	111,90
11A461K6	355,19	3,53		41400	280	155,86	137,66	115,34
						10	100	250
						90	240	250
11A462K6	380,59	3,53		41500	281	161,55	142,69	120,51
11A463K6	405,26	3,53		41600	282	170,04	150,19	120,51
11A464K6	430,66	3,53		41700	283	178,52	157,68	137,72
11A465K6	456,06	3,53		41800	284	182,79	161,46	141,16
						1000	10000	25000
						9000	24000	25000
11BP48K6	18,00	3,55	ISO			3,6843	3,2542	3,0020
11BP51K6	19,00	3,55	ISO			3,8255	3,3790	3,1171
11BP54K6	20,00	3,55	ISO			3,9679	3,5047	3,2331
11BI77K6	21,20	3,55	ISO			4,2515	3,7552	3,4641
11BI79K6	22,40	3,55	ISO			4,3927	3,8799	3,5792
11BP60K6	23,60	3,55	ISO			4,5339	4,0047	3,6943
11BP63K6	25,00	3,55	ISO			4,8175	4,2552	3,9254
11BI86K6	25,80	3,55	ISO			5,1011	4,5057	4,1564
11BP66K6	26,50	3,55	ISO			5,2423	4,6304	4,2715
						500	5000	12500
						4500	12000	12500
11BP69K6	28,00	3,55	ISO			5,3847	4,7561	4,3875
11BP72K6	30,00	3,55	ISO			5,6682	5,0066	4,6185
11BP75K6	31,50	3,55	ISO			5,9518	5,2571	4,8496
11BI88K6	32,50	3,55	ISO			6,2343	5,5066	5,0798
11BP78K6	33,50	3,55	ISO			6,3777	5,6333	5,1966
11BP81K6	34,50	3,55	ISO			6,5201	5,7590	5,3126
11BI89K6	35,50	3,55	ISO			6,6569	5,8799	5,4241
11BP84K6	36,50	3,55	ISO			7,0839	6,2570	5,7721
11BP87K6	37,50	3,55	ISO			7,3686	6,5085	6,0040
11BI91K6	38,70	3,55	ISO			7,5109	6,6342	6,1200
11BP90K6	40,00	3,55	ISO			7,7956	6,8857	6,3519
11BP93K6	41,20	3,55	ISO			8,2171	7,2580	6,6954

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	500	5000	12500
						4500	12000	12500
11BI92K6	42,50	3,55	ISO			8,5018	7,5094	6,9274
11BP96K6	43,70	3,55	ISO			8,7865	7,7609	7,1593
11BP99K6	45,00	3,55	ISO			8,9288	7,8866	7,2753
11BQ02K6	46,20	3,55	ISO			9,3503	8,2589	7,6188
11BQ05K6	47,50	3,55	ISO			9,6350	8,5104	7,8507
11BQ08K6	48,70	3,55	ISO			9,7774	8,6361	7,9667
						250	2500	6250
						2250	6000	6250
11BQ11K6	50,00	3,55	ISO			10,484	9,2599	8,5421
11BI94K6	51,50	3,55	ISO			10,626	9,3856	8,6581
11BQ14K6	53,00	3,55	ISO			10,911	9,6370	8,8901
11BQ17K6	54,50	3,55	ISO			11,053	9,7627	9,0060
11BQ20K6	56,00	3,55	ISO			11,338	10,014	9,2380
11BQ23K6	58,00	3,55	ISO			11,901	10,512	9,6974
11BQ26K6	60,00	3,55	ISO			12,471	11,015	10,161
11BQ29K6	61,50	3,55	ISO			13,035	11,513	10,621
11BQ32K6	63,00	3,55	ISO			13,319	11,765	10,853
11BQ35K6	65,00	3,55	ISO			13,462	11,890	10,969
11BI95K6	67,00	3,55	ISO			13,746	12,142	11,201
11BQ38K6	69,00	3,55	ISO			14,168	12,514	11,544
11BQ41K6	71,00	3,55	ISO			14,737	13,017	12,008
11BQ44K6	73,00	3,55	ISO			15,301	13,515	12,467
11BQ47K6	75,00	3,55	ISO			15,870	14,018	12,931
11BI97K6	77,50	3,55	ISO			16,434	14,516	13,391
11BQ53K6	80,00	3,55	ISO			17,004	15,019	13,855
11BQ56K6	82,50	3,55	ISO			17,431	15,396	14,203
11BI98K6	85,00	3,55	ISO			17,852	15,768	14,546
11BL00K6	87,50	3,55	ISO			18,279	16,146	14,894
11BQ62K6	90,00	3,55	ISO			18,701	16,518	15,238
11BQ65K6	92,50	3,55	ISO			19,555	17,272	15,933
11BQ68K6	95,00	3,55	ISO			19,976	17,644	16,277
11BQ71K6	97,50	3,55	ISO			20,403	18,022	16,625
						150	1500	3750
						1350	3600	3750
11BQ74K6	100,00	3,55	ISO			20,973	18,525	17,089
11BQ77K6	103,00	3,55	ISO			22,106	19,525	18,012
11BL06K6	106,00	3,55	ISO			22,670	20,024	18,472
11BL07K6	109,00	3,55	ISO			24,088	21,276	19,627
11BQ80K6	112,00	3,55	ISO			24,657	21,779	20,091
11BQ83K6	115,00	3,55	ISO			25,221	22,277	20,550
11BL09K6	118,00	3,55	ISO			25,790	22,780	21,014
11BQ86K6	122,00	3,55	ISO			26,639	23,529	21,705
11BQ89K6	125,00	3,55	ISO			26,923	23,781	21,937
11BL10K6	128,00	3,55	ISO			28,905	25,531	23,552

O - RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	2500
11BL12K6	132,00	3,55	ISO			31,171	27,533	25,399
11BQ92K6	136,00	3,55	ISO			32,874	29,037	26,786
11BQ95K6	140,00	3,55	ISO			34,007	30,038	27,709
11BQ98K6	145,00	3,55	ISO			35,704	31,537	29,092
11BL13K6	150,00	3,55	ISO			37,122	32,789	30,248
11BL15K6	155,00	3,55	ISO			39,673	35,042	32,326
						50	500	1250
						450	1200	1250
11BL16K6	160,00	3,55	ISO			42,224	37,296	34,405
11BR01K6	165,00	3,55	ISO			44,775	39,549	36,484
11BR04K6	170,00	3,55	ISO			45,339	40,047	36,943
11BR07K6	175,00	3,55	ISO			46,757	41,299	38,098
11BL18K6	180,00	3,55	ISO			51,011	45,057	41,564
11BR10K6	185,00	3,55	ISO			54,974	48,557	44,794
11BR13K6	190,00	3,55	ISO			62,343	55,066	50,798
11BR16K6	195,00	3,55	ISO			65,179	57,571	53,108
11BL19K6	200,00	3,55	ISO			67,993	60,056	55,401
						1000	10000	25000
						9000	24000	25000
11A466K6	18,30	3,60	R15			4,2515	3,7552	2,9266
11A467K6	19,80	3,60	R16			4,5339	4,0047	3,3225
11A468K6	21,30	3,60	R17			4,8175	4,2552	3,3225
11A469K6	23,00	3,60	R18			5,1011	4,5057	3,6152
11A470K6	24,60	3,60	R19			5,1011	4,5057	3,6152
11A471K6	26,20	3,60	R20			5,3847	4,7561	4,2177
11A472K6	27,80	3,60	R21			5,6682	5,0066	4,2177
						500	5000	12500
						4500	12000	12500
11A473K6	29,30	3,60	R22			5,9507	5,2561	4,2177
11A474K6	30,80	3,60	R23			5,9507	5,2561	4,8547
11A475K6	32,50	3,60	R24			6,2354	5,5076	5,0268
11A476K6	34,10	3,60	R25			6,7993	6,0056	5,5261
11A477K6	35,60	3,60	R26			6,9416	6,1313	5,6638
11A478K6	37,30	3,60	R27			7,3686	6,5085	6,0253
11A479K6	43,40	3,60	R29T			8,2171	7,2580	6,6967
						2000	20000	50000
						18000	48000	50000
11BS02K6	4,00	4,00	DIN			2,1252	1,8771	1,7316
11BR48K6	5,00	4,00	DIN			2,1252	1,8771	1,7316
11BR50K6	6,00	4,00	DIN			2,3244	2,0531	1,8940
11BR51K6	7,00	4,00	DIN			2,3244	2,0531	1,8940
11BR49K6	8,00	4,00	DIN			2,4942	2,2030	2,0323
11BR52K6	9,00	4,00	DIN			2,4942	2,2030	2,0323
11BR55K6	10,00	4,00	DIN			3,0044	2,6537	2,4480

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	25000
11BR58K6	11,00	4,00		DIN		3,2310	2,8539	2,6327
11BR61K6	12,00	4,00		DIN		3,5431	3,1295	2,8869
11BS04K6	13,00	4,00		DIN		3,7971	3,3539	3,0939
11BR64K6	14,00	4,00		DIN		3,8255	3,3790	3,1171
11BR67K6	15,00	4,00		DIN		3,9679	3,5047	3,2331
11BR70K6	16,00	4,00		DIN		4,3642	3,8548	3,5560
11BR73K6	17,00	4,00		DIN		4,7047	4,1556	3,8335
11BR76K6	18,00	4,00		DIN		4,9314	4,3558	4,0181
11BR79K6	19,00	4,00		DIN		5,1011	4,5057	4,1564
11BR82K6	20,00	4,00		DIN		5,2150	4,6062	4,2492
11BR85K6	21,00	4,00		DIN		5,2993	4,6807	4,3179
11BR88K6	22,00	4,00		DIN		5,3562	4,7310	4,3643
11BR91K6	23,00	4,00		DIN		5,4416	4,8064	4,4339
11BR94K6	24,00	4,00		DIN		5,5259	4,8809	4,5026
11BR97K6	25,00	4,00		DIN		5,6113	4,9563	4,5722
						500	5000	12500
						4500	12000	12500
11BS00K6	26,00	4,00		DIN		6,2354	5,5076	5,0807
11BS03K6	27,00	4,00		DIN		6,3777	5,6333	5,1966
11BS06K6	28,00	4,00		DIN		6,4872	5,7300	5,2859
11BS09K6	29,00	4,00		DIN		6,6022	5,8315	5,3795
11BS12K6	30,00	4,00		DIN		6,6898	5,9089	5,4509
11BS15K6	31,00	4,00		DIN		7,0292	6,2087	5,7275
11BS18K6	32,00	4,00		DIN		7,3686	6,5085	6,0040
11BS19K6	33,00	4,00		DIN		7,7628	6,8566	6,3252
11BS21K6	34,00	4,00		DIN		8,1350	7,1855	6,6285
11BS24K6	35,00	4,00		DIN		8,5018	7,5094	6,9274
11BS27K6	36,00	4,00		DIN		8,7263	7,7077	7,1103
11BS30K6	37,00	4,00		DIN		8,9836	7,9349	7,3199
11BS33K6	38,00	4,00		DIN		9,2080	8,1332	7,5028
11BS36K6	39,00	4,00		DIN		9,4653	8,3605	7,7124
11BS39K6	40,00	4,00		DIN		9,8595	8,7086	8,0336
11BS42K6	41,00	4,00		DIN		9,9744	8,8102	8,1273
11BS45K6	42,00	4,00		DIN		10,089	8,9117	8,2210
						250	2500	6250
						2250	6000	6250
11BS48K6	43,00	4,00		DIN		10,259	9,0616	8,3592
11BS51K6	44,00	4,00		DIN		10,484	9,2599	8,5421
11BS54K6	45,00	4,00		DIN		10,653	9,4097	8,6804
11BS57K6	46,00	4,00		DIN		10,883	9,6128	8,8677
11BS60K6	47,00	4,00		DIN		11,108	9,8111	9,0506
11BS63K6	48,00	4,00		DIN		11,305	9,9852	9,2112
11BS65K6	49,00	4,00		DIN		11,535	10,188	9,3986
11BS66K6	50,00	4,00		DIN		11,759	10,387	9,5815
11BS69K6	51,00	4,00		DIN		11,989	10,590	9,7688

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				250 2250	2500 6000	6250
	F	I - JIS	AS-BS					
11BS72K6	52,00	4,00		DIN		12,268	10,836	9,9963
11BS75K6	53,00	4,00		DIN		12,471	11,015	10,161
11BS78K6	54,00	4,00		DIN		12,750	11,262	10,389
11A480K6	55,00	4,00		DIN		13,007	11,489	10,598
11BS84K6	56,00	4,00		DIN		13,265	11,716	10,808
11BS87K6	57,00	4,00		DIN		13,516	11,939	11,013
11BS90K6	58,00	4,00		DIN		13,998	12,364	11,406
11BS93K6	59,00	4,00		DIN		14,058	12,417	11,455
11A481K6	60,00	4,00		DIN		14,283	12,616	11,638
11BS99K6	61,00	4,00		DIN		14,425	12,741	11,754
11BT02K6	62,00	4,00		DIN		14,567	12,867	11,870
11A482K6	63,00	4,00		DIN		14,737	13,017	12,008
11BT08K6	64,00	4,00		DIN		14,934	13,191	12,169
						150 1350	1500 3600	3750
11A483K6	65,00	4,00		DIN		15,022	13,268	12,240
11BT12K6	66,00	4,00		DIN		15,192	13,418	12,378
11BT14K6	67,00	4,00		DIN		15,301	13,515	12,467
11BT17K6	68,00	4,00		DIN		15,471	13,665	12,606
11BT20K6	69,00	4,00		DIN		15,586	13,766	12,699
11A484K6	70,00	4,00		DIN		15,755	13,916	12,838
11BT25K6	71,00	4,00		DIN		16,095	14,216	13,114
11BT26K6	72,00	4,00		DIN		16,434	14,516	13,391
11BT29K6	73,00	4,00		DIN		16,834	14,869	13,716
11BT32K6	74,00	4,00		DIN		17,173	15,169	13,993
11A485K6	75,00	4,00		DIN		17,228	15,217	14,038
11BT38K6	76,00	4,00		DIN		17,880	15,793	14,568
11BT41K6	77,00	4,00		DIN		18,219	16,092	14,845
11BT44K6	78,00	4,00		DIN		18,591	16,421	15,148
11BT47K6	79,00	4,00		DIN		18,788	16,595	15,309
11BT50K6	80,00	4,00		DIN		19,270	17,021	15,701
11BT53K6	81,00	4,00		DIN		19,467	17,195	15,862
11BT56K6	82,00	4,00		DIN		19,664	17,369	16,023
11BT57K6	83,00	4,00		DIN		19,839	17,524	16,165
11BT59K6	84,00	4,00		DIN		20,009	17,674	16,304
11A486K6	85,00	4,00		DIN		20,206	17,848	16,464
11BT65K6	86,00	4,00		DIN		20,376	17,997	16,602
11BT66K6	87,00	4,00		DIN		20,573	18,172	16,763
11BT68K6	88,00	4,00		DIN		20,743	18,321	16,901
11BT71K6	89,00	4,00		DIN		20,940	18,496	17,062
11A487K6	90,00	4,00		DIN		21,109	18,645	17,200
11BT77K6	91,00	4,00		DIN		21,421	18,921	17,454
11BT80K6	92,00	4,00		DIN		21,734	19,197	17,709
11BT83K6	93,00	4,00		DIN		22,046	19,472	17,963
11BT86K6	94,00	4,00		DIN		22,358	19,748	18,217

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				150 1350	1500 3600	3750
	F	I - JIS	AS-BS					
11BT89K6	95,00	4,00		DIN		22,555	19,922	18,378
11BT92K6	96,00	4,00		DIN		22,954	20,275	18,703
11BT95K6	97,00	4,00		DIN		23,266	20,551	18,958
11BT96K6	98,00	4,00		DIN		23,578	20,826	19,212
11BT97K6	99,00	4,00		DIN		23,863	21,078	19,444
11A488K6	100,00	4,00		DIN		24,372	21,527	19,859
11BU01K6	101,00	4,00		DIN		24,569	21,701	20,019
11BU04K6	102,00	4,00		DIN		24,996	22,079	20,367
11BU06K6	103,00	4,00		DIN		25,418	22,451	20,711
11BU07K6	104,00	4,00		DIN		25,817	22,804	21,036
11BU10K6	105,00	4,00		DIN		26,272	23,205	21,407
11BU11K6	106,00	4,00		DIN		26,666	23,553	21,728
11BU12K6	107,00	4,00		DIN		27,093	23,931	22,076
11BU13K6	108,00	4,00		DIN		27,515	24,303	22,419
11BU16K6	109,00	4,00		DIN		27,942	24,680	22,767
11BU19K6	110,00	4,00		DIN		28,336	25,028	23,088
11BU21K6	111,00	4,00		DIN		28,681	25,333	23,369
11BU22K6	112,00	4,00		DIN		29,020	25,633	23,646
11BU23K6	113,00	4,00		DIN		29,359	25,932	23,922
11BU24K6	114,00	4,00		DIN		29,671	26,208	24,177
11BU25K6	115,00	4,00		DIN		30,011	26,508	24,453
11BU28K6	116,00	4,00		DIN		30,350	26,808	24,730
11BU31K6	117,00	4,00		DIN		30,690	27,107	25,006
11BU34K6	118,00	4,00		DIN		31,029	27,407	25,283
11BU35K6	119,00	4,00		DIN		31,341	27,683	25,537
11BU37K6	120,00	4,00		DIN		31,681	27,983	25,814
11BU38K6	121,00	4,00		DIN		31,993	28,258	26,068
11BU40K6	122,00	4,00		DIN		32,307	28,536	26,324
11BU41K6	123,00	4,00		DIN		32,617	28,809	26,576
11BU43K6	124,00	4,00		DIN		32,929	29,085	26,831
11BU46K6	125,00	4,00		DIN		33,213	29,337	27,063
						100 900	1000 2400	2500
11BU49K6	126,00	4,00		DIN		33,553	29,636	27,339
11BU50K6	127,00	4,00		DIN		33,865	29,912	27,594
11BU51K6	128,00	4,00		DIN		34,150	30,163	27,825
11BU52K6	129,00	4,00		DIN		34,462	30,439	28,080
11BU55K6	130,00	4,00		DIN		34,801	30,739	28,356
11BU56K6	131,00	4,00		DIN		35,255	31,140	28,727
11BU58K6	132,00	4,00		DIN		35,677	31,513	29,070
11BU59K6	133,00	4,00		DIN		36,104	31,890	29,418
11BU60K6	134,00	4,00		DIN		36,558	32,291	29,788
11BU61K6	135,00	4,00		DIN		37,007	32,688	30,154
11BU64K6	136,00	4,00		DIN		37,407	33,041	30,480

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	
11BU67K6	137,00	4,00		DIN		37,943	33,514	30,917
11BU68K6	138,00	4,00		DIN		38,370	33,892	31,265
11BU69K6	139,00	4,00		DIN		38,737	34,216	31,563
11BU70K6	140,00	4,00		DIN		39,219	34,641	31,956
11BU71K6	141,00	4,00		DIN		39,673	35,042	32,326
11BU73K6	142,00	4,00		DIN		40,128	35,444	32,696
11BU74K6	143,00	4,00		DIN		40,555	35,821	33,044
11BU76K6	144,00	4,00		DIN		41,004	36,217	33,410
11BU79K6	145,00	4,00		DIN		41,431	36,595	33,758
11BU75K6	146,00	4,00		DIN		41,797	36,919	34,057
11BU77K6	147,00	4,00		DIN		42,279	37,344	34,450
11BU80K6	148,00	4,00		DIN		42,564	37,595	34,681
11BU81K6	149,00	4,00		DIN		43,133	38,098	35,145
11BU82K6	150,00	4,00		DIN		43,582	38,495	35,511
11BU85K6	151,00	4,00		DIN		43,642	38,548	35,560
11BU78K6	152,00	4,00		DIN		43,812	38,698	35,698
11BU87K6	153,00	4,00		DIN		44,206	39,046	36,020
11BU86K6	154,00	4,00		DIN		44,890	39,651	36,577
11BU88K6	155,00	4,00		DIN		45,230	39,950	36,854
						50	500	1250
						450	1200	
11BU89K6	156,00	4,00		DIN		45,909	40,550	37,407
11BU92K6	157,00	4,00		DIN		46,588	41,150	37,960
11BU84K6	158,00	4,00		DIN		46,927	41,449	38,237
11BU90K6	159,00	4,00		DIN		47,606	42,049	38,790
11BU91K6	160,00	4,00		DIN		48,290	42,653	39,347
11BU96K6	161,00	4,00		DIN		48,969	43,253	39,900
11BU93K6	162,00	4,00		DIN		49,648	43,853	40,454
11BU95K6	163,00	4,00		DIN		50,327	44,452	41,007
11BU94K6	164,00	4,00		DIN		51,011	45,057	41,564
11BU97K6	165,00	4,00		DIN		51,350	45,356	41,841
11BU98K6	166,00	4,00		DIN		51,350	45,356	41,841
11BU99K6	167,00	4,00		DIN		51,690	45,656	42,117
11BV00K6	168,00	4,00		DIN		51,690	45,656	42,117
11BV02K6	169,00	4,00		DIN		52,029	45,956	42,394
11BV03K6	170,00	4,00		DIN		52,029	45,956	42,394
11BV05K6	171,00	4,00		DIN		52,029	45,956	42,394
11BV06K6	172,00	4,00		DIN		52,708	46,556	42,947
11BV07K6	173,00	4,00		DIN		53,387	47,155	43,500
11BV08K6	174,00	4,00		DIN		53,387	47,155	43,500
11BV09K6	175,00	4,00		DIN		53,732	47,460	43,781
11BV11K6	176,00	4,00		DIN		54,071	47,760	44,058
11BV12K6	177,00	4,00		DIN		54,410	48,059	44,334
11BV13K6	178,00	4,00		DIN		55,768	49,259	45,441
11BV14K6	179,00	4,00		DIN		57,131	50,463	46,551

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	
11BV15K6	180,00	4,00		DIN		58,467	51,642	47,640
11BV16K6	181,00	4,00		DIN		58,960	52,078	48,041
11BV18K6	182,00	4,00		DIN		59,233	52,319	48,264
11BV19K6	183,00	4,00		DIN		59,507	52,561	48,487
11BV20K6	184,00	4,00		DIN		59,781	52,803	48,710
11BV21K6	185,00	4,00		DIN		60,055	53,045	48,933
11BV22K6	186,00	4,00		DIN		60,383	53,335	49,201
11BV23K6	187,00	4,00		DIN		60,657	53,577	49,424
11BV24K6	188,00	4,00		DIN		60,931	53,818	49,647
11BV26K6	189,00	4,00		DIN		61,204	54,060	49,870
11BV25K6	190,00	4,00		DIN		61,752	54,544	50,316
11BV34K6	191,00	4,00		DIN		62,628	55,317	51,030
11BV27K6	192,00	4,00		DIN		63,504	56,091	51,743
11BV28K6	193,00	4,00		DIN		64,325	56,816	52,412
11BV30K6	194,00	4,00		DIN		65,201	57,590	53,126
11BV29K6	195,00	4,00		DIN		66,022	58,315	53,795
11BV32K6	196,00	4,00		DIN		66,569	58,799	54,241
11BV31K6	197,00	4,00		DIN		67,445	59,573	54,955
11BV35K6	198,00	4,00		DIN		68,321	60,346	55,669
11BV37K6	199,00	4,00		DIN		68,868	60,830	56,115
11BV33K6	200,00	4,00		DIN		69,416	61,313	56,561
11BV40K6	201,00	4,00		DIN		70,839	62,570	57,721
11BV36K6	202,00	4,00		DIN		72,263	63,828	58,880
11BV50K6	203,00	4,00		DIN		73,686	65,085	60,040
11BV38K6	204,00	4,00		DIN		75,109	66,342	61,200
11BV39K6	205,00	4,00		DIN		76,533	67,599	62,360
11BV52K6	206,00	4,00		DIN		77,956	68,857	63,519
11BV53K6	207,00	4,00		DIN		79,325	70,065	64,635
11BV41K6	208,00	4,00		DIN		80,474	71,081	65,571
11BV17K6	209,00	4,00		DIN		81,350	71,855	66,285
11BV42K6	210,00	4,00		DIN		82,171	72,580	66,954
11BV10K6	211,00	4,00		DIN		82,774	73,112	67,445
11BV43K6	212,00	4,00		DIN		83,321	73,595	67,891
11BV04K6	213,00	4,00		DIN		83,868	74,079	68,337
11BV01K6	214,00	4,00		DIN		84,471	74,611	68,828
11BV44K6	215,00	4,00		DIN		85,018	75,094	69,274
11BV45K6	216,00	4,00		DIN		85,292	75,336	69,497
11BV49K6	217,00	4,00		DIN		85,566	75,578	69,720
11BV46K6	218,00	4,00		DIN		85,839	75,820	69,943
11BU83K6	219,00	4,00		DIN		86,168	76,110	70,210
11BV47K6	220,00	4,00		DIN		86,441	76,351	70,433
11BU72K6	221,00	4,00		DIN		86,715	76,593	70,657
11BV48K6	222,00	4,00		DIN		86,989	76,835	70,880
11BU66K6	223,00	4,00		DIN		87,263	77,077	71,103
11BU65K6	224,00	4,00		DIN		87,591	77,367	71,370

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				50	500	1250
			F	I - JIS	AS-BS	450	1200	
11BV51K6	225,00	4,00		DIN		87,865	77,609	71,593
11BV55K6	226,00	4,00		DIN		88,139	77,850	71,816
11BV54K6	227,00	4,00		DIN		88,686	78,334	72,262
11BV56K6	228,00	4,00		DIN		88,960	78,576	72,485
11BV57K6	229,00	4,00		DIN		89,288	78,866	72,753
11BV58K6	230,00	4,00		DIN		89,562	79,108	72,976
11BV65K6	231,00	4,00		DIN		89,836	79,349	73,199
11BV60K6	232,00	4,00		DIN		90,383	79,833	73,645
11BV67K6	233,00	4,00		DIN		90,657	80,075	73,868
11BV59K6	234,00	4,00		DIN		90,985	80,365	74,136
11BV61K6	235,00	4,00		DIN		91,533	80,848	74,582
11BV70K6	236,00	4,00		DIN		92,080	81,332	75,028
11BV73K6	237,00	4,00		DIN		92,409	81,622	75,296
11BV74K6	238,00	4,00		DIN		92,956	82,106	75,742
11BV76K6	239,00	4,00		DIN		93,230	82,347	75,965
11BV62K6	240,00	4,00		DIN		93,503	82,589	76,188
11BV77K6	241,00	4,00		DIN		93,777	82,831	76,411
11BV63K6	242,00	4,00		DIN		94,106	83,121	76,678
11BV79K6	243,00	4,00		DIN		94,379	83,363	76,901
11BV80K6	244,00	4,00		DIN		94,653	83,605	77,124
11BV64K6	245,00	4,00		DIN		94,927	83,846	77,347
11BV82K6	246,00	4,00		DIN		95,201	84,088	77,570
11BV83K6	247,00	4,00		DIN		95,474	84,330	77,794
11BV85K6	248,00	4,00		DIN		95,803	84,620	78,061
11BV91K6	249,00	4,00		DIN		96,076	84,862	78,284
11BV66K6	250,00	4,00		DIN		96,350	85,104	78,507
						30	300	750
						270	720	
11BV95K6	251,00	4,00		DIN		96,624	85,345	78,730
11BV69K6	252,00	4,00		DIN		96,898	85,587	78,953
11BV68K6	253,00	4,00		DIN		97,226	85,877	79,221
11BV97K6	254,00	4,00		DIN		97,500	86,119	79,444
11BV71K6	255,00	4,00		DIN		97,774	86,361	79,667
11BV72K6	256,00	4,00		DIN		98,047	86,603	79,890
11BZ01K6	257,00	4,00		DIN		98,321	86,844	80,113
11BZ03K6	258,00	4,00		DIN		98,595	87,086	80,336
11BZ07K6	259,00	4,00		DIN		98,923	87,376	80,604
11BV75K6	260,00	4,00		DIN		99,197	87,618	80,827
11BZ09K6	261,00	4,00		DIN		99,471	87,860	81,050
11BZ13K6	262,00	4,00		DIN		99,744	88,102	81,273
11BZ15K6	263,00	4,00		DIN		100,02	88,343	81,496
11BZ16K6	264,00	4,00		DIN		100,29	88,585	81,719
11BZ18K6	265,00	4,00		DIN		100,62	88,875	81,987
11BV78K6	266,00	4,00		DIN		100,89	89,117	82,210

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				30	300	750
			F	I - JIS	AS-BS	270	720	
11BZ21K6	267,00	4,00		DIN		101,17	89,359	82,433
11BZ22K6	268,00	4,00		DIN		101,44	89,601	82,656
11BZ25K6	269,00	4,00		DIN		101,72	89,842	82,879
11BV81K6	270,00	4,00		DIN		102,04	90,132	83,146
11BZ27K6	271,00	4,00		DIN		102,59	90,616	83,592
11BZ28K6	272,00	4,00		DIN		103,14	91,100	84,038
11BZ30K6	273,00	4,00		DIN		103,74	91,631	84,529
11BZ31K6	274,00	4,00		DIN		104,29	92,115	84,975
11BV84K6	275,00	4,00		DIN		104,84	92,599	85,421
11BZ00K6	276,00	4,00		DIN		105,44	93,130	85,912
11BU63K6	277,00	4,00		DIN		105,99	93,614	86,358
11BU57K6	279,00	4,00		DIN		107,13	94,629	87,295
11BV86K6	280,00	4,00		DIN		107,68	95,113	87,741
11BU54K6	281,00	4,00		DIN		108,23	95,596	88,187
11BV87K6	282,00	4,00		DIN		108,83	96,128	88,677
11BU47K6	284,00	4,00		DIN		109,93	97,095	89,570
11BU45K6	285,00	4,00		DIN		110,53	97,627	90,060
11BU44K6	286,00	4,00		DIN		111,08	98,111	90,506
11BU42K6	287,00	4,00		DIN		111,68	98,643	90,997
11BV88K6	288,00	4,00		DIN		112,23	99,126	91,443
11BU53K6	289,00	4,00		DIN		112,77	99,610	91,889
11BU39K6	290,00	4,00		DIN		113,38	100,14	92,380
11BV89K6	291,00	4,00		DIN		114,20	100,87	93,049
11BV90K6	292,00	4,00		DIN		115,07	101,64	93,763
11BU36K6	293,00	4,00		DIN		115,89	102,37	94,432
11BU33K6	294,00	4,00		DIN		116,77	103,14	95,145
11BV92K6	295,00	4,00		DIN		117,59	103,87	95,815
11BU32K6	296,00	4,00		DIN		118,47	104,64	96,528
11BV93K6	297,00	4,00		DIN		119,29	105,36	97,197
11BU29K6	298,00	4,00		DIN		120,16	106,14	97,911
11BV94K6	300,00	4,00		DIN		121,86	107,64	99,294
11BU26K6	302,00	4,00		DIN		123,01	108,65	100,23
11BU20K6	303,00	4,00		DIN		123,56	109,14	100,68
11BU17K6	305,00	4,00		DIN		124,71	110,15	101,61
11BU15K6	306,00	4,00		DIN		125,26	110,63	102,06
11BU14K6	307,00	4,00		DIN		125,80	111,12	102,51
11BU09K6	308,00	4,00		DIN		126,40	111,65	103,00
11BU08K6	309,00	4,00		DIN		126,95	112,13	103,44
11BV98K6	310,00	4,00		DIN		127,50	112,62	103,89
11BU05K6	311,00	4,00		DIN		128,10	113,15	104,38
11BU03K6	312,00	4,00		DIN		128,65	113,63	104,82
11BV99K6	313,00	4,00		DIN		129,20	114,12	105,27
11BU02K6	314,00	4,00		DIN		129,80	114,65	105,76
11BZ02K6	315,00	4,00		DIN		130,35	115,13	106,21
11BT91K6	320,00	4,00		DIN		133,19	117,65	108,53

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	30	300	750
						270	720	
11BT84K6	325,00	4,00		DIN		137,46	121,42	112,01
11BZ04K6	330,00	4,00		DIN		141,68	125,14	115,44
11BT70K6	335,00	4,00		DIN		145,95	128,91	118,92
11BT61K6	340,00	4,00		DIN		150,22	132,68	122,40
11BZ06K6	345,00	4,00		DIN		154,43	136,41	125,83
11BT46K6	350,00	4,00		DIN		157,83	139,41	128,60
11BT39K6	355,00	4,00		DIN		161,55	142,69	131,63
11BZ08K6	360,00	4,00		DIN		164,34	145,16	133,91
						20	200	500
						180	480	
11BT24K6	365,00	4,00		DIN		167,19	147,67	136,23
11BZ10K6	370,00	4,00		DIN		170,04	150,19	138,55
11BZ12K6	375,00	4,00		DIN		174,31	153,96	142,03
11BZ14K6	380,00	4,00		DIN		178,52	157,68	145,46
11BS98K6	385,00	4,00		DIN		181,37	160,20	147,78
11BZ17K6	390,00	4,00		DIN		184,22	162,71	150,10
11BS85K6	395,00	4,00		DIN		185,64	163,97	151,26
11BS77K6	400,00	4,00		DIN		187,01	165,18	152,38
						10	100	250
						90	240	
11BZ19K6	405,00	4,00		DIN		188,43	166,44	153,54
11BZ20K6	410,00	4,00		DIN		189,85	167,69	154,69
11BS56K6	415,00	4,00		DIN		191,28	168,95	155,85
11BZ23K6	420,00	4,00		DIN		192,70	170,21	157,01
11BZ24K6	425,00	4,00		DIN		194,12	171,46	158,17
11BZ26K6	430,00	4,00		DIN		195,55	172,72	159,33
11BS31K6	435,00	4,00		DIN		196,97	173,98	160,49
11BS23K6	440,00	4,00		DIN		198,39	175,24	161,65
11BS14K6	445,00	4,00		DIN		201,19	177,70	163,93
11BS08K6	450,00	4,00		DIN		204,03	180,22	166,25
11BY23K6	460,00	4,00		DIN		206,88	182,73	168,57
11BZ32K6	470,00	4,00		DIN		209,73	185,25	170,89
11BY64K6	480,00	4,00		DIN		212,52	187,71	173,16
11BY79K6	490,00	4,00		DIN		215,36	190,23	175,48
11BY94K6	500,00	4,00		DIN		218,21	192,74	177,80
						1000	10000	25000
						9000	24000	
11BZ40K6	6,00	4,50		DIN		2,4088	2,1276	1,9627
11BZ42K6	8,00	4,50		DIN		2,6069	2,3026	2,1242
11BZ45K6	9,00	4,50		DIN		2,6069	2,3026	2,1242
11BZ33K6	9,50	4,50		DIN		2,8905	2,5531	2,3552
11BZ46K6	10,00	4,50		DIN		3,1741	2,8036	2,5863
11BZ39K6	10,50	4,50		DIN		3,2869	2,9032	2,6782
11BZ48K6	11,00	4,50		DIN		3,4007	3,0038	2,7709
11BZ47K6	12,00	4,50		DIN		3,7412	3,3045	3,0484

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	
11BZ49K6	13,00	4,50		DIN		3,9679	3,5047	3,2331
11BZ51K6	15,00	4,50		DIN		4,1376	3,6546	3,3714
						500	5000	12500
						4500	12000	
11BZ61K6	15,50	4,50		DIN		4,3642	3,8548	3,5560
11BZ64K6	16,00	4,50		DIN		4,5909	4,0550	3,7407
11BZ52K6	17,00	4,50		DIN		4,9029	4,3306	3,9949
11BZ53K6	18,00	4,50		DIN		5,1296	4,5308	4,1796
11BZ54K6	19,00	4,50		DIN		5,3277	4,7058	4,3411
11BZ60K6	20,00	4,50		DIN		5,4416	4,8064	4,4339
11BZ70K6	21,00	4,50		DIN		5,5259	4,8809	4,5026
11BZ73K6	21,50	4,50		DIN		5,6113	4,9563	4,5722
11BZ58K6	22,00	4,50		DIN		5,6113	4,9563	4,5722
11BZ75K6	22,50	4,50		DIN		5,6660	5,0047	4,6168
11BZ57K6	23,00	4,50		DIN		5,7263	5,0579	4,6658
11BZ55K6	24,00	4,50		DIN		5,8084	5,1304	4,7327
11BZ76K6	24,50	4,50		DIN		5,8960	5,2078	4,8041
11BZ56K6	25,00	4,50		DIN		5,9507	5,2561	4,8487
11BZ59K6	26,00	4,50		DIN		6,5201	5,7590	5,3126
11BZ62K6	27,00	4,50		DIN		6,6898	5,9089	5,4509
11BZ78K6	27,50	4,50		DIN		6,7445	5,9573	5,4955
11BZ63K6	28,00	4,50		DIN		6,7993	6,0056	5,5401
11BZ79K6	28,50	4,50		DIN		6,8595	6,0588	5,5892
11BZ82K6	29,00	4,50		DIN		6,9142	6,1071	5,6338
11BZ65K6	29,50	4,50		DIN		7,0839	6,2570	5,7721
11BZ66K6	30,00	4,50		DIN		7,0839	6,2570	5,7721
11BZ67K6	31,00	4,50		DIN		7,3686	6,5085	6,0040
11BZ84K6	31,50	4,50		DIN		7,7956	6,8857	6,3519
11BZ69K6	32,00	4,50		DIN		7,9325	7,0065	6,4635
11BZ85K6	33,00	4,50		DIN		8,3595	7,3837	6,8114
11BZ87K6	34,00	4,50		DIN		8,5018	7,5094	6,9274
11BZ91K6	34,50	4,50		DIN		9,0657	8,0075	7,3868
11BZ68K6	35,00	4,50		DIN		9,3503	8,2589	7,6188
						250	2500	6250
						2250	6000	
11BJ06K6	35,50	4,50		DIN		9,5803	8,4620	7,8061
11BJ15K6	36,00	4,50		DIN		9,6350	8,5104	7,8507
11BJ17K6	37,00	4,50		DIN		9,8047	8,6603	7,9890
11BJ18K6	37,50	4,50		DIN		9,9744	8,8102	8,1273
11BZ71K6	38,00	4,50		DIN		10,089	8,9117	8,2210
11BZ72K6	39,00	4,50		DIN		10,204	9,0132	8,3146
11BZ74K6	40,00	4,50		DIN		10,653	9,4097	8,6804
11BJ20K6	40,50	4,50		DIN		10,823	9,5596	8,8187
11BZ77K6	41,00	4,50		DIN		10,938	9,6612	8,9124
11BZ80K6	42,00	4,50		DIN		10,938	9,6612	8,9124

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				250	2500	6250
			F	I - JIS	AS-BS			
11BZ81K6	43,00	4,50		DIN		11,108	9,8111	9,0506
11BZ83K6	44,00	4,50		DIN		11,338	10,014	9,2380
11BZ86K6	45,00	4,50		DIN		11,447	10,111	9,3272
11BZ89K6	46,00	4,50		DIN		11,617	10,261	9,4655
11BZ88K6	47,00	4,50		DIN		11,847	10,464	9,6528
11BZ90K6	48,00	4,50		DIN		12,131	10,715	9,8848
11BJ23K6	49,00	4,50		DIN		12,383	10,938	10,090
11BZ92K6	50,00	4,50		DIN		12,613	11,141	10,277
11BZ95K6	51,00	4,50		DIN		12,750	11,262	10,389
11BZ94K6	53,00	4,50		DIN		12,980	11,465	10,576
11BJ00K6	56,00	4,50		DIN		14,113	12,466	11,500
11BZ99K6	57,00	4,50		DIN		14,168	12,514	11,544
11BZ97K6	60,00	4,50		DIN		15,022	13,268	12,240
11BJ03K6	61,00	4,50		DIN		15,301	13,515	12,467
						150	1500	3750
						1350	3600	3750
11BZ93K6	63,00	4,50		DIN		15,586	13,766	12,699
11BJ01K6	64,00	4,50		DIN		15,586	13,766	12,699
11BJ02K6	65,00	4,50		DIN		15,870	14,018	12,931
11BJ24K6	66,00	4,50		DIN		16,155	14,269	13,163
11BJ04K6	68,00	4,50		DIN		16,434	14,516	13,391
11BJ26K6	69,00	4,50		DIN		16,549	14,618	13,485
11BJ05K6	70,00	4,50		DIN		16,664	14,719	13,578
11BJ29K6	71,00	4,50		DIN		16,774	14,816	13,667
11BJ08K6	73,00	4,50		DIN		17,288	15,270	14,087
11BJ30K6	74,00	4,50		DIN		17,567	15,517	14,314
11BJ09K6	75,00	4,50		DIN		17,852	15,768	14,546
11BJ10K6	76,00	4,50		DIN		18,137	16,020	14,778
11BJ11K6	80,00	4,50		DIN		20,119	17,770	16,393
11BJ32K6	81,00	4,50		DIN		20,349	17,973	16,580
11BJ33K6	83,00	4,50		DIN		20,688	18,273	16,857
11BJ12K6	85,00	4,50		DIN		21,027	18,573	17,133
11BJ35K6	86,00	4,50		DIN		21,197	18,723	17,272
11BJ13K6	89,00	4,50		DIN		21,421	18,921	17,454
11BJ14K6	90,00	4,50		DIN		21,766	19,226	17,735
11BJ38K6	92,00	4,50		DIN		22,046	19,472	17,963
11BJ16K6	93,50	4,50		DIN		22,670	20,024	18,472
11BJ19K6	95,00	4,50		DIN		22,900	20,227	18,659
11BJ39K6	97,50	4,50		DIN		23,803	21,024	19,395
11BJ41K6	98,00	4,50		DIN		23,803	21,024	19,395
11BJ42K6	99,50	4,50		DIN		24,936	22,025	20,318
11BJ21K6	100,00	4,50		DIN		24,936	22,025	20,318
11BJ44K6	100,50	4,50		DIN		24,936	22,025	20,318
11BJ22K6	101,00	4,50		DIN		25,106	22,175	20,456
11BJ47K6	103,50	4,50		DIN		25,790	22,780	21,014

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				150	1500	3750
			F	I - JIS	AS-BS			
11BJ25K6	105,00	4,50		DIN		26,354	23,278	21,474
11BJ27K6	106,00	4,50		DIN		26,923	23,781	21,937
11BJ31K6	110,00	4,50		DIN		29,190	25,783	23,784
11BJ34K6	115,00	4,50		DIN		30,323	26,783	24,707
11BJ37K6	118,00	4,50		DIN		31,171	27,533	25,399
11BJ40K6	120,00	4,50		DIN		32,020	28,282	26,090
						100	1000	2500
						900	2400	2500
11BJ43K6	122,00	4,50		DIN		32,874	29,037	26,786
11BJ48K6	124,00	4,50		DIN		33,438	29,535	27,246
11BJ46K6	126,00	4,50		DIN		34,007	30,038	27,709
11BJ49K6	128,00	4,50		DIN		34,571	30,536	28,169
11BJ52K6	130,00	4,50		DIN		35,140	31,039	28,633
11BJ51K6	131,50	4,50		DIN		35,365	31,237	28,816
11BJ50K6	134,50	4,50		DIN		36,838	32,538	30,016
11BJ53K6	137,00	4,50		DIN		37,971	33,539	30,939
11BJ54K6	140,00	4,50		DIN		39,389	34,791	32,094
11BJ56K6	140,50	4,50		DIN		39,389	34,791	32,094
11BJ55K6	150,00	4,50		DIN		43,927	38,799	35,792
						50	500	1250
						450	1200	1250
11BJ57K6	153,00	4,50		DIN		44,775	39,549	36,484
11BJ59K6	155,00	4,50		DIN		45,339	40,047	36,943
11BJ62K6	157,00	4,50		DIN		47,042	41,551	38,330
11BJ67K6	160,00	4,50		DIN		48,739	43,050	39,713
11BJ65K6	165,00	4,50		DIN		51,859	45,806	42,256
11BJ70K6	172,00	4,50		DIN		53,277	47,058	43,411
11BJ66K6	178,00	4,50		DIN		56,108	49,558	45,717
11BJ63K6	180,00	4,50		DIN		58,943	52,063	48,028
11BJ78K6	185,00	4,50		DIN		63,777	56,333	51,966
11BJ60K6	186,00	4,50		DIN		65,201	57,590	53,126
11BJ80K6	189,50	4,50		DIN		72,263	63,828	58,880
11BJ81K6	192,00	4,50		DIN		73,139	64,601	59,594
11BJ75K6	208,00	4,50		DIN		82,171	72,580	66,954
11BJ83K6	215,00	4,50		DIN		84,142	74,321	68,560
11BJ90K6	218,50	4,50		DIN		86,441	76,351	70,433
11BJ77K6	225,00	4,50		DIN		89,836	79,349	73,199
11BJ92K6	227,00	4,50		DIN		90,383	79,833	73,645
11BJ93K6	250,00	4,50		DIN		102,04	90,132	83,146
						30	300	750
						270	720	750
11BJ95K6	267,00	4,50		DIN		105,71	93,372	86,135
11BJ96K6	280,00	4,50		DIN		113,38	100,14	92,380
11BJ98K6	315,00	4,50		DIN		140,26	123,88	114,28

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	25000
11BJ99K6	4,00	5,00		DIN		2,8336	2,5028	2,3088
11BY01K6	5,00	5,00		DIN		2,9759	2,6285	2,4248
11BY02K6	6,00	5,00		DIN		3,1171	2,7533	2,5399
11BJ89K6	7,00	5,00		DIN		3,2595	2,8790	2,6559
11BY04K6	8,00	5,00		DIN		3,4007	3,0038	2,7709
11BY05K6	9,00	5,00		DIN		3,5431	3,1295	2,8869
11BJ87K6	10,00	5,00		DIN		3,8255	3,3790	3,1171
11BY07K6	11,00	5,00		DIN		3,9679	3,5047	3,2331
11BJ88K6	12,00	5,00		DIN		4,0806	3,6043	3,3250
						500	5000	12500
						4500	12000	12500
11BJ91K6	13,00	5,00		DIN		4,5909	4,0550	3,7407
11BJ94K6	14,00	5,00		DIN		4,9883	4,4060	4,0645
11BJ97K6	15,00	5,00		DIN		5,3562	4,7310	4,3643
11BY00K6	16,00	5,00		DIN		5,6113	4,9563	4,5722
11BY03K6	17,00	5,00		DIN		5,6660	5,0047	4,6168
11BY06K6	18,00	5,00		DIN		5,7536	5,0820	4,6881
11BY09K6	19,00	5,00		DIN		5,9507	5,2561	4,8487
11BY12K6	20,00	5,00		DIN		6,1752	5,4544	5,0316
11BY14K6	21,00	5,00		DIN		6,3777	5,6333	5,1966
11BY15K6	22,00	5,00		DIN		6,5201	5,7590	5,3126
11BY16K6	23,00	5,00		DIN		6,6296	5,8557	5,4018
11BY18K6	24,00	5,00		DIN		6,8868	6,0830	5,6115
11BY21K6	25,00	5,00		DIN		7,3139	6,4601	5,9594
11BY24K6	26,00	5,00		DIN		7,6533	6,7599	6,2360
11BY27K6	27,00	5,00		DIN		7,9051	6,9824	6,4412
11BY30K6	28,00	5,00		DIN		7,9927	7,0597	6,5125
11BY31K6	29,00	5,00		DIN		8,0474	7,1081	6,5571
11BY33K6	30,00	5,00		DIN		8,2171	7,2580	6,6954
						250	2500	6250
						2250	6000	6250
11BY37K6	31,00	5,00		DIN		8,4142	7,4321	6,8560
11BY36K6	32,00	5,00		DIN		8,6715	7,6593	7,0657
11BY39K6	33,00	5,00		DIN		8,7865	7,7609	7,1593
11BY40K6	34,00	5,00		DIN		9,0657	8,0075	7,3868
11BY42K6	35,00	5,00		DIN		9,6076	8,4862	7,8284
11BY45K6	36,00	5,00		DIN		9,7774	8,6361	7,9667
11BY48K6	37,00	5,00		DIN		9,9197	8,7618	8,0827
11BY51K6	38,00	5,00		DIN		10,204	9,0132	8,3146
11BY52K6	39,00	5,00		DIN		10,484	9,2599	8,5421
11BY54K6	40,00	5,00		DIN		10,768	9,5113	8,7741
11BY56K6	41,00	5,00		DIN		11,053	9,7627	9,0060
11BY57K6	42,00	5,00		DIN		11,338	10,014	9,2380
11BY60K6	43,00	5,00		DIN		11,617	10,261	9,4655
11BY63K6	44,00	5,00		DIN		11,901	10,512	9,6974

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	250	2500	6250
						2250	6000	6250
11BY66K6	45,00	5,00		DIN		12,071	10,662	9,8357
11BY69K6	46,00	5,00		DIN		12,186	10,764	9,9294
11BY72K6	47,00	5,00		DIN		12,471	11,015	10,161
11BY75K6	48,00	5,00		DIN		12,695	11,213	10,344
11BY77K6	49,00	5,00		DIN		12,810	11,315	10,438
11BY81K6	50,00	5,00		DIN		12,980	11,465	10,576
11BY84K6	51,00	5,00		DIN		13,150	11,615	10,714
11BY87K6	52,00	5,00		DIN		13,319	11,765	10,853
11BY90K6	53,00	5,00		DIN		13,604	12,016	11,085
11BY93K6	54,00	5,00		DIN		13,828	12,214	11,268
11BY96K6	55,00	5,00		DIN		13,943	12,316	11,361
11BY97K6	56,00	5,00		DIN		14,453	12,766	11,776
11BY99K6	57,00	5,00		DIN		14,507	12,814	11,821
11BK02K6	58,00	5,00		DIN		14,622	12,915	11,914
11BK04K6	59,00	5,00		DIN		14,847	13,114	12,097
11BK05K6	60,00	5,00		DIN		15,301	13,515	12,467
						150	1500	3750
						1350	3600	3750
11BK08K6	61,00	5,00		DIN		15,586	13,766	12,699
11BK11K6	62,00	5,00		DIN		15,870	14,018	12,931
11BK14K6	63,00	5,00		DIN		16,155	14,269	13,163
11BK17K6	64,00	5,00		DIN		16,380	14,468	13,346
11BK20K6	65,00	5,00		DIN		16,549	14,618	13,485
11BK23K6	66,00	5,00		DIN		16,719	14,767	13,623
11BK24K6	67,00	5,00		DIN		16,834	14,869	13,716
11BK26K6	68,00	5,00		DIN		16,949	14,970	13,810
11BK29K6	69,00	5,00		DIN		17,058	15,067	13,899
11BK32K6	70,00	5,00		DIN		17,228	15,217	14,038
11BK33K6	71,00	5,00		DIN		17,343	15,319	14,131
11BK35K6	72,00	5,00		DIN		17,852	15,768	14,546
11BK39K6	73,00	5,00		DIN		18,307	16,170	14,916
11BK38K6	74,00	5,00		DIN		18,761	16,571	15,287
11BK41K6	75,00	5,00		DIN		19,155	16,919	15,608
11BK44K6	76,00	5,00		DIN		19,664	17,369	16,023
11BK45K6	77,00	5,00		DIN		20,121	17,772	16,395
11BK47K6	78,00	5,00		DIN		20,628	18,220	16,808
11BK50K6	79,00	5,00		DIN		21,082	18,621	17,178
11BK53K6	80,00	5,00		DIN		21,536	19,023	17,548
11BK55K6	81,00	5,00		DIN		21,766	19,226	17,735
11BK56K6	82,00	5,00		DIN		22,046	19,472	17,963
11BK57K6	83,00	5,00		DIN		22,303	19,700	18,173
11BK58K6	84,00	5,00		DIN		22,555	19,922	18,378
11BK59K6	85,00	5,00		DIN		22,812	20,149	18,587
11BK62K6	86,00	5,00		DIN		23,097	20,401	18,819

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				150	1500	3750
			F	I - JIS	AS-BS	1350	3600	3750
11BK63K6	87,00	5,00		DIN		23,321	20,599	19,002
11BK65K6	88,00	5,00		DIN		23,693	20,928	19,306
11BK66K6	89,00	5,00		DIN		23,945	21,150	19,511
11BK68K6	90,00	5,00		DIN		24,088	21,276	19,627
11BK69K6	91,00	5,00		DIN		24,312	21,474	19,810
11BK71K6	92,00	5,00		DIN		24,542	21,677	19,997
11BK74K6	93,00	5,00		DIN		24,766	21,875	20,180
11BK75K6	94,00	5,00		DIN		24,996	22,079	20,367
11BK77K6	95,00	5,00		DIN		25,221	22,277	20,550
11BK78K6	96,00	5,00		DIN		25,445	22,475	20,733
11BK80K6	97,00	5,00		DIN		25,648	22,654	20,898
11BK81K6	98,00	5,00		DIN		25,900	22,876	21,103
11BK83K6	99,00	5,00		DIN		26,102	23,055	21,268
11BK86K6	100,00	5,00		DIN		26,354	23,278	21,474
11BK87K6	101,00	5,00		DIN		26,693	23,578	21,750
11BK89K6	102,00	5,00		DIN		27,093	23,931	22,076
11BK92K6	103,00	5,00		DIN		27,432	24,230	22,352
11BK95K6	104,00	5,00		DIN		27,799	24,554	22,651
11BK98K6	105,00	5,00		DIN		28,139	24,854	22,928
11BK99K6	106,00	5,00		DIN		28,538	25,207	23,253
11BW01K6	107,00	5,00		DIN		28,905	25,531	23,552
11BW04K6	108,00	5,00		DIN		29,244	25,831	23,829
11BW06K6	109,00	5,00		DIN		29,671	26,208	24,177
11BW07K6	110,00	5,00		DIN		30,011	26,508	24,453
11BW08K6	111,00	5,00		DIN		30,263	26,730	24,658
11BW10K6	112,00	5,00		DIN		30,520	26,958	24,868
11BW11K6	113,00	5,00		DIN		30,777	27,185	25,078
11BW13K6	114,00	5,00		DIN		31,057	27,431	25,305
11BW16K6	115,00	5,00		DIN		31,286	27,634	25,493
11BW17K6	116,00	5,00		DIN		31,538	27,857	25,698
11BW19K6	117,00	5,00		DIN		31,768	28,060	25,885
11BW22K6	118,00	5,00		DIN		32,053	28,311	26,117
11BW23K6	119,00	5,00		DIN		32,305	28,534	26,322
						100	1000	2500
						900	2400	2500
11A489K6	120,00	5,00		DIN		32,535	28,737	26,510
11BW24K6	121,00	5,00		DIN		32,786	28,959	26,715
11BW27K6	122,00	5,00		DIN		32,984	29,133	26,875
11BW29K6	123,00	5,00		DIN		33,213	29,337	27,063
11BW30K6	124,00	5,00		DIN		33,723	29,786	27,478
11A490K6	125,00	5,00		DIN		34,007	30,038	27,709
11BW31K6	126,00	5,00		DIN		34,292	30,289	27,941
11BW34K6	127,00	5,00		DIN		34,429	30,410	28,053
11BW37K6	128,00	5,00		DIN		34,571	30,536	28,169
11BW38K6	129,00	5,00		DIN		34,856	30,787	28,401

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				100	1000	2500
			F	I - JIS	AS-BS	900	2400	2500
11A491K6	130,00	5,00		DIN		35,140	31,039	28,633
11BW41K6	131,00	5,00		DIN		35,427	31,292	28,867
11BW43K6	132,00	5,00		DIN		35,480	31,338	28,909
11BW44K6	133,00	5,00		DIN		35,535	31,387	28,954
11BW45K6	134,00	5,00		DIN		35,792	31,614	29,164
11A492K6	135,00	5,00		DIN		36,838	32,538	30,016
11BW49K6	136,00	5,00		DIN		36,838	32,538	30,016
11BW51K6	137,00	5,00		DIN		37,971	33,539	30,939
11BW52K6	138,00	5,00		DIN		38,146	33,693	31,082
11BW54K6	139,00	5,00		DIN		38,425	33,940	31,309
11A493K6	140,00	5,00		DIN		39,673	35,042	32,326
11BW57K6	141,00	5,00		DIN		39,673	35,042	32,326
11BW59K6	142,00	5,00		DIN		39,673	35,042	32,326
11BW60K6	143,00	5,00		DIN		39,816	35,168	32,442
11BW61K6	144,00	5,00		DIN		40,440	35,719	32,951
11A494K6	145,00	5,00		DIN		41,912	37,020	34,151
11BW67K6	146,00	5,00		DIN		41,940	37,044	34,173
11BW68K6	147,00	5,00		DIN		42,591	37,620	34,704
11BW70K6	148,00	5,00		DIN		43,358	38,297	35,328
11BW73K6	149,00	5,00		DIN		44,097	38,949	35,930
						50	500	1250
						450	1200	1250
11A495K6	150,00	5,00		DIN		44,830	39,597	36,528
11BW75K6	151,00	5,00		DIN		45,766	40,424	37,291
11BW77K6	152,00	5,00		DIN		46,757	41,299	38,098
11BW78K6	153,00	5,00		DIN		48,175	42,552	39,254
11BW81K6	154,00	5,00		DIN		49,593	43,804	40,409
11A496K6	155,00	5,00		DIN		51,011	45,057	41,564
11BW80K6	156,00	5,00		DIN		51,859	45,806	42,256
11BW83K6	157,00	5,00		DIN		52,708	46,556	42,947
11BW82K6	158,00	5,00		DIN		53,556	47,305	43,638
11BW84K6	159,00	5,00		DIN		53,841	47,556	43,870
11A497K6	160,00	5,00		DIN		54,410	48,059	44,334
11BW86K6	161,00	5,00		DIN		54,832	48,432	44,678
11BW88K6	162,00	5,00		DIN		55,237	48,789	45,008
11BW91K6	163,00	5,00		DIN		55,675	49,176	45,365
11BW90K6	164,00	5,00		DIN		56,113	49,563	45,722
11A498K6	165,00	5,00		DIN		56,551	49,950	46,078
11BW93K6	166,00	5,00		DIN		56,934	50,288	46,391
11BW95K6	167,00	5,00		DIN		57,372	50,675	46,747
11BW96K6	168,00	5,00		DIN		57,810	51,062	47,104
11BW98K6	169,00	5,00		DIN		58,248	51,449	47,461
11A499K6	170,00	5,00		DIN		58,686	51,836	47,818
11BW99K6	171,00	5,00		DIN		58,960	52,078	48,041
11BX00K6	172,00	5,00		DIN		59,233	52,319	48,264

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	1250
11BW92K6	173,00	5,00		DIN		59,507	52,561	48,487
11BX01K6	174,00	5,00		DIN		59,945	52,948	48,844
11A500K6	175,00	5,00		DIN		60,383	53,335	49,201
11BX03K6	176,00	5,00		DIN		60,766	53,673	49,513
11BX02K6	177,00	5,00		DIN		61,204	54,060	49,870
11BX04K6	178,00	5,00		DIN		61,642	54,447	50,227
11BX05K6	179,00	5,00		DIN		62,080	54,834	50,584
11A501K6	180,00	5,00		DIN		62,463	55,172	50,896
11BX07K6	181,00	5,00		DIN		62,628	55,317	51,030
11BX08K6	182,00	5,00		DIN		62,901	55,559	51,253
11BX09K6	183,00	5,00		DIN		63,175	55,801	51,476
11BX10K6	184,00	5,00		DIN		63,175	55,801	51,476
11A502K6	185,00	5,00		DIN		63,504	56,091	51,743
11BX11K6	186,00	5,00		DIN		63,504	56,091	51,743
11BX13K6	187,00	5,00		DIN		63,777	56,333	51,966
11BX14K6	188,00	5,00		DIN		63,777	56,333	51,966
11BX16K6	189,00	5,00		DIN		63,777	56,333	51,966
11A503K6	190,00	5,00		DIN		64,325	56,816	52,412
11BX19K6	191,00	5,00		DIN		64,872	57,300	52,859
11BX17K6	192,00	5,00		DIN		65,748	58,074	53,572
11BX18K6	193,00	5,00		DIN		66,569	58,799	54,241
11BX20K6	194,00	5,00		DIN		67,445	59,573	54,955
11A504K6	195,00	5,00		DIN		68,321	60,346	55,669
11BX26K6	196,00	5,00		DIN		68,868	60,830	56,115
11BX22K6	197,00	5,00		DIN		70,566	62,329	57,498
11BX32K6	198,00	5,00		DIN		72,263	63,828	58,880
11BX34K6	199,00	5,00		DIN		73,960	65,327	60,263
11A505K6	200,00	5,00		DIN		76,533	67,599	62,360
11BX23K6	201,00	5,00		DIN		79,051	69,824	64,412
11BX25K6	202,00	5,00		DIN		81,624	72,096	66,508
11BX35K6	203,00	5,00		DIN		82,171	72,580	66,954
11BX43K6	204,00	5,00		DIN		83,047	73,353	67,668
11A506K6	205,00	5,00		DIN		83,595	73,837	68,114
11BX44K6	206,00	5,00		DIN		84,471	74,611	68,828
11BX46K6	207,00	5,00		DIN		85,566	75,578	69,720
11BX28K6	208,00	5,00		DIN		86,715	76,593	70,657
11BX29K6	209,00	5,00		DIN		87,263	77,077	71,103
11A507K6	210,00	5,00		DIN		87,865	77,609	71,593
11BX49K6	211,00	5,00		DIN		88,412	78,092	72,039
11BX31K6	212,00	5,00		DIN		88,960	78,576	72,485
11BX52K6	213,00	5,00		DIN		89,562	79,108	72,976
11BX53K6	214,00	5,00		DIN		90,109	79,591	73,422
11A508K6	215,00	5,00		DIN		90,657	80,075	73,868
11BX56K6	216,00	5,00		DIN		90,985	80,365	74,136
11BX36K6	217,00	5,00		DIN		91,259	80,607	74,359

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	1250
11BX37K6	218,00	5,00		DIN		91,533	80,848	74,582
11BX58K6	219,00	5,00		DIN		91,806	81,090	74,805
11A509K6	220,00	5,00		DIN		92,080	81,332	75,028
11BX38K6	221,00	5,00		DIN		92,409	81,622	75,296
11BX40K6	222,00	5,00		DIN		92,682	81,864	75,519
11BX41K6	223,00	5,00		DIN		93,230	82,347	75,965
11BX59K6	224,00	5,00		DIN		93,503	82,589	76,188
11A510K6	225,00	5,00		DIN		93,777	82,831	76,411
11BX61K6	226,00	5,00		DIN		94,106	83,121	76,678
11BX62K6	227,00	5,00		DIN		94,379	83,363	76,901
11BX64K6	228,00	5,00		DIN		94,927	83,846	77,347
11BX68K6	229,00	5,00		DIN		95,474	84,330	77,794
11A511K6	230,00	5,00		DIN		96,076	84,862	78,284
11BX70K6	231,00	5,00		DIN		96,350	85,104	78,507
11BX47K6	232,00	5,00		DIN		96,624	85,345	78,730
11BX79K6	233,00	5,00		DIN		96,898	85,587	78,953
11BX82K6	234,00	5,00		DIN		96,898	85,587	78,953
11A512K6	235,00	5,00		DIN		97,500	86,119	79,444
11BX83K6	236,00	5,00		DIN		98,047	86,603	79,890
11BX85K6	237,00	5,00		DIN		98,595	87,086	80,336
11BX50K6	238,00	5,00		DIN		99,197	87,618	80,827
11BX86K6	239,00	5,00		DIN		99,471	87,860	81,050
11A513K6	240,00	5,00		DIN		99,471	87,860	81,050
11BX54K6	241,00	5,00		DIN		100,02	88,343	81,496
11BX55K6	242,00	5,00		DIN		100,62	88,875	81,987
11BX88K6	243,00	5,00		DIN		101,17	89,359	82,433
11BX94K6	244,00	5,00		DIN		101,44	89,601	82,656
11A514K6	245,00	5,00		DIN		101,72	89,842	82,879
11BX98K6	246,00	5,00		DIN		102,04	90,132	83,146
11B00AK6	247,00	5,00		DIN		102,04	90,132	83,146
11B01AK6	248,00	5,00		DIN		102,86	90,858	83,815
11B03AK6	249,00	5,00		DIN		103,41	91,341	84,261
11A515K6	250,00	5,00		DIN		104,01	91,873	84,752
11A516K6	255,00	5,00		DIN		107,13	94,629	87,295
11A517K6	260,00	5,00		DIN		109,11	96,370	88,901
11A518K6	265,00	5,00		DIN		109,65	96,854	89,347
11A519K6	270,00	5,00		DIN		113,38	100,14	92,380
11A520K6	275,00	5,00		DIN		114,74	101,35	93,495
11A521K6	280,00	5,00		DIN		119,01	105,12	96,974
11A522K6	285,00	5,00		DIN		123,28	108,89	100,45
11A523K6	290,00	5,00		DIN		126,68	111,89	103,22
11A524K6	295,00	5,00		DIN		130,35	115,13	106,21
11A525K6	300,00	5,00		DIN		133,19	117,65	108,53

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	30	300	750
						270	720	
11BX87K6	305,00	5,00		DIN		136,04	120,16	110,85
11BX90K6	310,00	5,00		DIN		140,26	123,88	114,28
11BX93K6	315,00	5,00		DIN		144,53	127,66	117,76
11B81AK6	320,00	5,00		DIN		148,80	131,43	121,24
11BX97K6	325,00	5,00		DIN		151,59	133,89	123,52
11BX99K6	330,00	5,00		DIN		154,16	136,17	125,61
11B99AK6	335,00	5,00		DIN		159,85	141,19	130,25
11B02AK6	340,00	5,00		DIN		165,49	146,18	134,85
11B05AK6	345,00	5,00		DIN		170,86	150,91	139,22
11B07AK6	350,00	5,00		DIN		175,13	154,69	142,70
						20	200	500
						180	480	
11B21BK6	355,00	5,00		DIN		179,12	158,22	145,95
11B27BK6	360,00	5,00		DIN		181,92	160,68	148,23
11B15AK6	365,00	5,00		DIN		184,76	163,20	150,55
11B16AK6	370,00	5,00		DIN		187,61	165,71	152,87
11B47BK6	375,00	5,00		DIN		189,85	167,69	154,69
11B17AK6	380,00	5,00		DIN		191,28	168,95	155,85
11B19AK6	385,00	5,00		DIN		194,12	171,46	158,17
11B66BK6	390,00	5,00		DIN		196,97	173,98	160,49
11B72BK6	395,00	5,00		DIN		199,49	176,20	162,55
11B78BK6	400,00	5,00		DIN		202,61	178,96	165,09
						250	2500	6250
						2250	6000	
11B50AK6	40,00	5,30	ISO			11,338	10,014	9,2380
11B80BK6	41,20	5,30	ISO			11,617	10,261	9,4655
11A526K6	41,40	5,30	29Bis			11,901	10,512	9,6974
11B81BK6	42,50	5,30	ISO			12,186	10,764	9,9294
11B56AK6	43,70	5,30	ISO			12,328	10,889	10,045
11B83BK6	45,00	5,30	ISO			12,471	11,015	10,161
11B84BK6	46,20	5,30	ISO			12,750	11,262	10,389
11B62AK6	47,50	5,30	ISO			13,035	11,513	10,621
11B86BK6	48,70	5,30	ISO			13,319	11,765	10,853
11B65AK6	50,00	5,30	ISO			13,604	12,016	11,085
11B87BK6	51,50	5,30	ISO			13,883	12,263	11,312
11B68AK6	53,00	5,30	ISO			14,453	12,766	11,776
11A527K6	54,40	5,30	33Bis			15,301	13,515	12,467
11B89BK6	54,50	5,30	ISO			15,870	14,018	12,931
11B71AK6	56,00	5,30	ISO			16,434	14,516	13,391
11B82AK6	58,00	5,30	ISO			17,004	15,019	13,855
						150	1500	3750
						1350	3600	
11B86AK6	60,00	5,30	ISO			17,567	15,517	14,314
11B90BK6	61,50	5,30	ISO			18,422	16,271	15,010
11B89AK6	63,00	5,30	ISO			19,839	17,524	16,165

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	150	1500	3750
						1350	3600	
11B92AK6	65,00	5,30	ISO			20,973	18,525	17,089
11B92BK6	67,00	5,30	ISO			21,821	19,274	17,780
11B98AK6	69,00	5,30	ISO			22,106	19,525	18,012
11B93BK6	71,00	5,30	ISO			23,239	20,526	18,935
11B04BK6	73,00	5,30	ISO			23,803	21,024	19,395
11B07BK6	75,00	5,30	ISO			24,088	21,276	19,627
11B95BK6	77,50	5,30	ISO			24,657	21,779	20,091
11B13BK6	80,00	5,30	ISO			25,505	22,528	20,782
11B19BK6	82,50	5,30	ISO			26,354	23,278	21,474
11B25BK6	85,00	5,30	ISO			26,923	23,781	21,937
11B96BK6	87,50	5,30	ISO			27,487	24,279	22,397
11B28BK6	90,00	5,30	ISO			28,336	25,028	23,088
11B99BK6	92,50	5,30	ISO			29,190	25,783	23,784
						100	1000	2500
						900	2400	
11B31BK6	95,00	5,30	ISO			29,754	26,281	24,244
11B01CK6	97,50	5,30	ISO			30,323	26,783	24,707
11B34BK6	100,00	5,30	ISO			30,323	26,783	24,707
11B02CK6	103,00	5,30	ISO			31,171	27,533	25,399
11B04CK6	106,00	5,30	ISO			32,589	28,785	26,554
11B37BK6	109,00	5,30	ISO			33,153	29,283	27,014
11B05CK6	112,00	5,30	ISO			34,292	30,289	27,941
11B07CK6	115,00	5,30	ISO			35,140	31,039	28,633
11B08CK6	118,00	5,30	ISO			35,989	31,788	29,324
11B10CK6	122,00	5,30	ISO			37,407	33,041	30,480
11B11CK6	125,00	5,30	ISO			39,109	34,544	31,867
11B13CK6	128,00	5,30	ISO			41,091	36,295	33,482
11B14CK6	132,00	5,30	ISO			43,073	38,045	35,096
11B52BK6	136,00	5,30	ISO			44,206	39,046	36,020
						50	500	1250
						450	1200	
11B16CK6	140,00	5,30	ISO			46,193	40,801	37,639
11B55BK6	145,00	5,30	ISO			48,739	43,050	39,713
11B58BK6	150,00	5,30	ISO			53,277	47,058	43,411
11B17CK6	155,00	5,30	ISO			56,677	50,061	46,181
11B19CK6	160,00	5,30	ISO			60,931	53,818	49,647
11B20CK6	165,00	5,30	ISO			63,777	56,333	51,966
11B64BK6	170,00	5,30	ISO			65,201	57,590	53,126
11B23CK6	175,00	5,30	ISO			67,993	60,056	55,401
11B25CK6	180,00	5,30	ISO			69,416	61,313	56,561
11B26CK6	185,00	5,30	ISO			70,839	62,570	57,721
11B28CK6	190,00	5,30	ISO			73,686	65,085	60,040
11B73BK6	195,00	5,30	ISO			76,533	67,599	62,360
11B29CK6	200,00	5,30	ISO			87,865	77,609	71,593

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	1000	10000	25000
						9000	24000	25000
11A528K6	10,46	5,33		6042	309	4,2515	3,7552	3,4641
11A529K6	12,07	5,33		6050	310	4,5339	4,0047	3,6943
						500	5000	12500
						4500	12000	12500
11A530K6	13,64	5,33		6055	311	5,1011	4,5057	4,1564
11A531K6	15,24	5,33		6060	312	5,9518	5,2571	4,8496
11A532K6	16,81	5,33		6065	313	6,2343	5,5066	5,0798
11A533K6	18,42	5,33		6075	314	6,3766	5,6323	5,1958
11A534K6	19,99	5,33		6080	315	6,5201	5,7590	5,3126
11A535K6	21,59	5,33		6085	316	7,0839	6,2570	5,7721
11A536K6	23,16	5,33		6090	317	7,3686	6,5085	6,0040
11A537K6	24,77	5,33		6100	318	7,6533	6,7599	6,2360
11A538K6	26,34	5,33		6105	319	8,5018	7,5094	6,9274
11A539K6	27,94	5,33		6110	320	8,7865	7,7609	7,1593
11A540K6	29,51	5,33		6115	321	8,9288	7,8866	7,2753
						250	2500	6250
						2250	6000	6250
11A541K6	31,12	5,33		6125	322	9,3503	8,2589	7,6188
11A542K6	32,69	5,33		6130	323	9,6350	8,5104	7,8507
11A543K6	34,29	5,33		6135	324	9,7774	8,6361	7,9667
11A544K6	37,47	5,33	R28	6150	325	10,484	9,2599	8,5421
11A545K6	40,64	5,33	R29	6162	326	11,053	9,7627	9,0060
11A546K6	43,82	5,33	R30	6175	327	11,901	10,512	9,6974
11A547K6	46,99	5,33	R31	6187	328	12,471	11,015	10,161
11A548K6	50,17	5,33	R32	6200	329	13,604	12,016	11,085
11A549K6	53,34	5,33	R33	6212	330	14,453	12,766	11,776
11A550K6	56,52	5,33	R34	6225	331	16,434	14,516	13,391
						150	1500	3750
						1350	3600	3750
11A551K6	59,69	5,33	R35	6237	332	17,288	15,270	14,087
11A552K6	62,87	5,33	R36	6250	333	19,839	17,524	16,165
11A553K6	66,04	5,33	R37	6262	334	21,821	19,274	17,780
11A554K6	69,22	5,33	R38	6275	335	22,106	19,525	18,012
11A555K6	72,39	5,33	R39	6287	336	23,518	20,773	19,163
11A556K6	74,63	5,33		178	619	23,803	21,024	19,395
11A557K6	75,57	5,33	R40	6300	337	23,803	21,024	19,395
11A558K6	78,74	5,33	R41	6312	338	24,657	21,779	20,091
11A559K6	79,73	5,33		181	620	25,505	22,528	20,782
11A560K6	81,92	5,33	R42	6325	339	26,354	23,278	21,474
11A561K6	85,09	5,33	R43	6337	340	26,923	23,781	21,937
11A562K6	88,27	5,33	R44	6350	341	27,487	24,279	22,397
11A563K6	89,69	5,33		185	621	28,057	24,782	22,861
11A564K6	91,44	5,33	R45	6362	342	28,336	25,028	23,088

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	2500
11A565K6	94,62	5,33	R46	6375	343	29,190	25,783	23,784
11A566K6	97,79	5,33	R47	6387	344	29,754	26,281	24,244
11A567K6	100,00	5,33		189	622	30,323	26,783	24,707
11A568K6	100,97	5,33	R48	6400	345	30,887	27,282	25,167
11A569K6	104,14	5,33	R49	6412	346	31,171	27,533	25,399
11A570K6	107,32	5,33	R50	6425	347	32,589	28,785	26,554
11A571K6	109,54	5,33		193	623	33,153	29,283	27,014
11A572K6	110,49	5,33	R51	6437	348	34,007	30,038	27,709
11A573K6	113,67	5,33	R52	6450	349	34,571	30,536	28,169
11A574K6	116,84	5,33			350	35,140	31,039	28,633
11A575K6	117,48	5,33		199	860	35,704	31,537	29,092
11A576K6	120,02	5,33			351	35,989	31,788	29,324
11A577K6	120,65	5,33		201	861	35,989	31,788	29,324
11A578K6	123,19	5,33			352	35,989	31,788	29,324
11A579K6	123,83	5,33		203	862	38,255	33,790	31,171
11A580K6	126,37	5,33			353	39,673	35,042	32,326
11A581K6	127,00	5,33		206	863	40,522	35,792	33,018
11A582K6	129,54	5,33			354	41,091	36,295	33,482
11A583K6	130,18	5,33		208	864	42,509	37,547	34,637
11A584K6	132,72	5,33			355	43,073	38,045	35,096
11A585K6	133,35	5,33		210	865	43,642	38,548	35,560
11A586K6	135,89	5,33			356	43,927	38,799	35,792
11A587K6	136,53	5,33		213	866	44,206	39,046	36,020
11A588K6	139,07	5,33			357	44,491	39,298	36,252
						50	500	1250
						450	1200	1250
11A589K6	139,70	5,33		215	867	45,339	40,047	36,943
11A590K6	142,24	5,33			358	46,757	41,299	37,013
11A591K6	142,88	5,33		217	868	48,175	42,552	37,874
11A592K6	145,42	5,33			359	48,739	43,050	37,874
11A593K6	146,05	5,33		219	869	49,593	43,804	39,595
11A594K6	148,59	5,33			360	50,442	44,554	39,595
11A595K6	149,23	5,33		221	870	51,011	45,057	40,111
11A596K6	151,77	5,33		6600	361	53,841	47,556	40,111
11B49CK6	155,00	5,33			644	56,660	50,047	43,899
11A597K6	158,12	5,33		6625	362	59,507	52,561	43,899
11B506K6	161,30	5,33			645	60,931	53,818	47,342
11A598K6	164,47	5,33		6645	363	62,354	55,076	47,342
11B52CK6	167,70	5,33			646	63,777	56,333	49,924
11A599K6	170,82	5,33		6670	364	65,201	57,590	49,924
11B53CK6	174,00	5,33			647	66,569	58,799	49,924
11A600K6	177,17	5,33		6700	365	67,993	60,056	49,924
11A601K6	183,52	5,33			6720	69,416	61,313	49,924
11A602K6	189,87	5,33			6745	70,839	62,570	49,924
11A603K6	196,22	5,33			6775	76,533	67,599	58,532

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				30 270	300 720	750
	F	I - JIS	AS-BS					
11A604K6	202,57	5,33	6795	369		90,657	80,075	61,975
11A605K6	208,92	5,33	6820	370		96,350	85,104	63,696
11A606K6	215,27	5,33	6850	371		100,62	88,875	70,582
11A607K6	221,62	5,33	6870	372		102,04	90,132	73,165
11A608K6	227,97	5,33	6895	373		104,84	92,599	73,165
11A609K6	234,32	5,33	6920	374		107,68	95,113	76,608
11A610K6	240,67	5,33	6945	375		110,53	97,627	76,608
11A611K6	247,02	5,33	6975	376		113,38	100,14	79,190
11A612K6	253,37	5,33	6995	377		117,59	103,87	84,355
11A613K6	266,07	5,33	61050	378		121,86	107,64	103,29
11A614K6	278,77	5,33	61100	379		130,35	115,13	111,90
11A615K6	291,47	5,33	61150	380		141,68	125,14	120,51
11A616K6	304,17	5,33	61200	381		150,22	132,68	129,11
11A617K6	329,57	5,33	61300	382		170,04	150,19	141,16
						20 180	200 480	500
11A618K6	354,97	5,33	61400	383		198,39	175,24	149,77
11A619K6	380,37	5,33	61500	384		212,52	187,71	154,94
						10 90	100 240	250
11A620K6	405,26	5,33	61600	385		226,70	200,24	156,66
11A621K6	430,66	5,33	61700	386		232,39	205,26	170,43
11A622K6	456,06	5,33	61800	387		243,72	215,27	187,65
						5 45	50 120	125
11A623K6	481,41	5,33	61900	388		252,21	222,77	189,37
11A624K6	506,81	5,33	62000	389		255,05	225,28	189,37
11A625K6	532,21	5,33	62100	390		269,23	237,81	204,86
11A626K6	557,61	5,33	62200	391		510,11	450,57	415,64
11A627K6	582,68	5,33	62300	392		595,13	525,66	484,92
11A628K6	608,08	5,33	62400	393		623,43	550,66	507,98
11A629K6	633,48	5,33	62500	394		651,79	575,71	531,08
11A630K6	658,88	5,33	62600	395		736,81	650,80	600,36
						250 2250	2500 6000	6250
11A631K6	44,20	5,70				12,471	11,015	10,161
11A632K6	44,30	5,70				12,471	11,015	10,161
11A633K6	45,30	5,70				13,035	11,513	10,621
11B38EK6	47,60	5,70	P48A			13,604	12,016	11,085
11A634K6	49,20	5,70				13,604	12,016	11,085
11A635K6	49,30	5,70				13,604	12,016	11,085
11B39EK6	49,60	5,70	P50A			14,168	12,514	11,544
11B42EK6	51,60	5,70	P52			14,168	12,514	11,544
11A636K6	52,30	5,70				14,168	12,514	11,544
11A637K6	52,50	5,70	DIN			14,168	12,514	11,544

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				250 2250	2500 6000	6250
	F	I - JIS	AS-BS					
11B44EK6	52,60	5,70		P53		15,301	13,515	12,467
11A638K6	54,20	5,70				15,301	13,515	12,467
11A639K6	54,30	5,70				15,301	13,515	12,467
						150 1350	1500 3600	3750
11B45EK6	54,60	5,70		P55		17,004	15,019	13,855
11A640K6	55,30	5,70				17,004	15,019	13,855
11B47EK6	55,60	5,70		P56		18,137	16,020	14,778
11B51EK6	57,60	5,70		P58		18,137	16,020	14,778
11A641K6	59,20	5,70				18,137	16,020	14,778
11A642K6	59,30	5,70				18,137	16,020	14,778
11B53EK6	59,60	5,70		P60		18,137	16,020	14,778
11A643K6	59,70	5,70		DIN		18,137	16,020	14,778
11B62EK6	61,60	5,70		P62		20,403	18,022	16,625
11A644K6	62,00	5,70		DIN		20,403	18,022	16,625
11A645K6	62,30	5,70				20,403	18,022	16,625
11B56EK6	62,60	5,70		P63		22,670	20,024	18,472
11A646K6	64,00	5,70		DIN		22,670	20,024	18,472
11A647K6	64,20	5,70				22,670	20,024	18,472
11A648K6	64,30	5,70				22,670	20,024	18,472
11B57EK6	64,60	5,70		P65		24,088	21,276	19,627
11B59EK6	66,60	5,70		P67		24,088	21,276	19,627
11A649K6	69,00	5,70		DIN		24,088	21,276	19,627
11A650K6	69,20	5,70				24,088	21,276	19,627
11A651K6	69,30	5,70				24,088	21,276	19,627
11B63EK6	69,60	5,70		P70		24,936	22,025	20,318
11B71FK6	70,60	5,70		P71		24,936	22,025	20,318
11A652K6	74,00	5,70		DIN		24,936	22,025	20,318
11A653K6	74,20	5,70				24,936	22,025	20,318
11A654K6	74,30	5,70				24,936	22,025	20,318
11B97FK6	74,60	5,70		P75		26,923	23,781	21,937
11A655K6	79,00	5,70		DIN		26,923	23,781	21,937
11A656K6	79,20	5,70				26,923	23,781	21,937
11A657K6	79,30	5,70				26,923	23,781	21,937
11B01GK6	79,60	5,70		P80		26,923	23,781	21,937
						100 900	1000 2400	2500
11A658K6	84,00	5,70		DIN		28,336	25,028	23,088
11A659K6	84,10	5,70				28,336	25,028	23,088
11A660K6	84,30	5,70				28,336	25,028	23,088
11B21GK6	84,60	5,70		P85		29,754	26,281	24,244
11A661K6	89,00	5,70		DIN		29,754	26,281	24,244
11A662K6	89,10	5,70				29,754	26,281	24,244
11A663K6	89,30	5,70				29,754	26,281	24,244
11B34GK6	89,60	5,70		P90		30,608	27,035	24,939

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	
11A664K6	94,00	5,70		DIN		30,608	27,035	24,939
11A665K6	94,10	5,70				30,608	27,035	24,939
11A666K6	94,30	5,70				30,608	27,035	24,939
11B42GK6	94,60	5,70		P95		31,171	27,533	25,399
11A667K6	99,00	5,70		DIN		31,171	27,533	25,399
11A668K6	99,10	5,70				31,171	27,533	25,399
11A669K6	99,30	5,70				31,171	27,533	25,399
11B45GK6	99,60	5,70		P100		32,305	28,534	26,322
11B46GK6	101,60	5,70		P102		32,305	28,534	26,322
11A670K6	104,00	5,70		DIN		32,305	28,534	26,322
11A671K6	104,10	5,70				32,305	28,534	26,322
11A672K6	104,30	5,70				32,305	28,534	26,322
11B48GK6	104,60	5,70		P105		34,007	30,038	27,709
11A673K6	109,00	5,70		DIN		34,007	30,038	27,709
11A674K6	109,10	5,70				34,007	30,038	27,709
11A675K6	109,30	5,70				34,007	30,038	27,709
11B49GK6	109,60	5,70		P110		35,140	31,039	28,633
11B54GK6	111,60	5,70		P112		35,140	31,039	28,633
11A676K6	114,00	5,70		DIN		35,140	31,039	28,633
11A677K6	114,30	5,70				35,140	31,039	28,633
11B55GK6	114,60	5,70		P115		38,255	33,790	31,171
11A678K6	119,00	5,70		DIN		38,255	33,790	31,171
11A679K6	119,30	5,70				38,255	33,790	31,171
11B57GK6	119,60	5,70		P120		41,091	36,295	33,482
11A680K6	124,00	5,70		DIN		41,091	36,295	33,482
11A681K6	124,30	5,70				41,091	36,295	33,482
11B58GK6	124,60	5,70		P125		42,509	37,547	34,637
11A682K6	129,30	5,70				42,509	37,547	34,637
						50	500	1250
						450	1200	
11B60GK6	129,60	5,70		P130		45,339	40,047	36,943
11B01LG6	131,60	5,70		P132		45,339	40,047	36,943
11A683K6	134,30	5,70				45,339	40,047	36,943
11B03LK6	134,60	5,70		P135		46,757	41,299	38,098
11A684K6	139,30	5,70				46,757	41,299	38,098
11B04LK6	139,60	5,70		P140		52,423	46,304	42,715
11A685K6	144,30	5,70				52,423	46,304	42,715
11B06LK6	144,60	5,70		P145		53,841	47,556	43,870
11A686K6	149,30	5,70		G150		53,841	47,556	43,870
11B09LK6	149,60	5,70		P150		56,660	50,047	46,168
11A687K6	154,30	5,70		G155		56,660	50,047	46,168
11A688K6	159,30	5,70		G160		63,777	56,333	51,966
11A689K6	164,30	5,70		G165		67,993	60,056	55,401
11A690K6	169,30	5,70		G170		70,839	62,570	57,721
11A691K6	174,30	5,70		G175		76,533	67,599	62,360

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	
11A692K6	179,30	5,70		G180		79,325	70,065	64,635
11A693K6	184,30	5,70		G185		85,018	75,094	69,274
						30	300	750
						270	720	
11A694K6	189,30	5,70		G190		87,865	77,609	71,593
11A695K6	194,30	5,70		G195		90,657	80,075	73,868
11A696K6	199,30	5,70		G200		93,503	82,589	76,188
11A697K6	209,30	5,70		G210		102,04	90,132	83,146
11A698K6	219,30	5,70		G220		107,68	95,113	87,741
11A699K6	229,30	5,70		G230		110,53	97,627	90,060
11A700K6	239,30	5,70		G240		113,38	100,14	92,380
11A701K6	249,30	5,70		G250		119,01	105,12	96,974
11A702K6	259,30	5,70		G260		121,86	107,64	99,294
11A703K6	269,30	5,70		G270		124,71	110,15	101,61
11A704K6	279,30	5,70		G280		133,19	117,65	108,53
11A705K6	289,30	5,70		G290		138,83	122,63	113,12
11A706K6	299,30	5,70		G706		147,37	130,17	120,08
11A707K6	319,30	5,70				158,70	140,18	129,31
						20	200	500
						180	480	
11A708K6	329,30	5,70				175,67	155,17	143,14
11A709K6	339,30	5,70				181,37	160,20	147,78
11A710K6	359,30	5,70				206,88	182,73	168,57
11A711K6	379,30	5,70				226,70	200,24	184,72
11A712K6	399,30	5,70				240,88	212,76	196,27
						10	100	250
						90	240	
11A713K6	419,30	5,70				255,05	225,28	207,82
11A714K6	439,30	5,70				297,54	262,81	242,44
11A715K6	459,30	5,70				311,71	275,33	253,99
						5	50	125
						45	120	
11A716K6	479,30	5,70				325,89	287,85	265,54
11A717K6	499,30	5,70				340,07	300,38	277,09
						1000	10000	25000
						9000	24000	
11B26FK6	6,00	6,00		DIN		4,2515	3,7552	3,4641
11B10FK6	7,00	6,00		DIN		4,5339	4,0047	3,6943
11B11FK6	9,00	6,00		DIN		4,8175	4,2552	3,9254
11B13FK6	10,00	6,00		DIN		5,1011	4,5057	4,1564
11B14FK6	11,00	6,00		DIN		5,3847	4,7561	4,3875
11B17FK6	12,00	6,00		DIN		5,6682	5,0066	4,6185
11B20FK6	13,00	6,00		DIN		5,9518	5,2571	4,8496

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				500 4500	5000 12000	12500
	F	I - JIS	AS-BS					
11B22FK6	14,00	6,00		DIN		6,2354	5,5076	5,0807
11B27FK6	15,00	6,00		DIN		6,5201	5,7590	5,3126
11B28FK6	16,00	6,00		DIN		6,7993	6,0056	5,5401
11B29FK6	18,00	6,00		DIN		7,0839	6,2570	5,7721
11B31FK6	19,00	6,00		DIN		7,3686	6,5085	6,0040
11B32FK6	19,50	6,00		DIN		7,5109	6,6342	6,1200
11B33FK6	20,00	6,00		DIN		7,6533	6,7599	6,2360
11B34FK6	21,00	6,00		DIN		7,9325	7,0065	6,4635
11B35FK6	22,00	6,00		DIN		8,2171	7,2580	6,6954
11B36FK6	23,00	6,00		DIN		8,5018	7,5094	6,9274
11B37FK6	23,50	6,00		DIN		8,7865	7,7609	7,1593
11B39FK6	24,00	6,00		DIN		9,0657	8,0075	7,3868
11B40FK6	25,00	6,00		DIN		9,3503	8,2589	7,6188
11B41FK6	26,00	6,00		DIN		9,6350	8,5104	7,8507
11B43FK6	27,00	6,00		DIN		9,9197	8,7618	8,0827
11B42FK6	28,00	6,00		DIN		10,204	9,0132	8,3146
						250 2250	2500 6000	6250
11B46FK6	29,00	6,00		DIN		10,484	9,2599	8,5421
11B45FK6	30,00	6,00		DIN		10,768	9,5113	8,7741
11B48FK6	31,00	6,00		DIN		10,768	9,5113	8,7741
11B49FK6	32,00	6,00		DIN		11,053	9,7627	9,0060
11B51FK6	33,00	6,00		DIN		11,053	9,7627	9,0060
11B52FK6	34,00	6,00		DIN		11,338	10,014	9,2380
11B53FK6	35,00	6,00		DIN		11,338	10,014	9,2380
11B54FK6	36,00	6,00		DIN		11,617	10,261	9,4655
11B55FK6	37,00	6,00		DIN		11,901	10,512	9,6974
11B57FK6	38,00	6,00		DIN		12,186	10,764	9,9294
11B58FK6	39,00	6,00		DIN		12,471	11,015	10,161
11B59FK6	39,50	6,00		DIN		12,471	11,015	10,161
11B61FK6	40,00	6,00		DIN		12,471	11,015	10,161
11B62FK6	41,00	6,00		DIN		12,750	11,262	10,389
11B64FK6	41,50	6,00		DIN		12,892	11,387	10,505
11B60FK6	42,00	6,00		DIN		13,035	11,513	10,621
11B63FK6	43,00	6,00		DIN		13,319	11,765	10,853
11B65FK6	44,00	6,00		DIN		13,604	12,016	11,085
11B67FK6	44,50	6,00		DIN		13,604	12,016	11,085
11B66FK6	45,00	6,00		DIN		13,604	12,016	11,085
11B69FK6	46,00	6,00		DIN		13,883	12,263	11,312
11B70FK6	47,00	6,00		DIN		14,168	12,514	11,544
11B72FK6	48,00	6,00		DIN		14,453	12,766	11,776
11B74FK6	49,00	6,00		DIN		14,737	13,017	12,008
11B75FK6	50,00	6,00		DIN		15,022	13,268	12,240
11B76FK6	51,00	6,00		DIN		15,586	13,766	12,699

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				250 2250	2500 6000	6250
	F	I - JIS	AS-BS					
11B77FK6	52,00	6,00		DIN		15,870	14,018	12,931
11B78FK6	53,00	6,00		DIN		16,155	14,269	13,163
11B79FK6	54,00	6,00		DIN		16,434	14,516	13,391
						150 1350	1500 3600	3750
11B81FK6	55,00	6,00		DIN		17,004	15,019	13,855
11B80FK6	56,00	6,00		DIN		17,567	15,517	14,314
11B82FK6	57,00	6,00		DIN		18,137	16,020	14,778
11B83FK6	58,00	6,00		DIN		18,701	16,518	15,238
11B85FK6	59,50	6,00		DIN		19,270	17,021	15,701
11B87FK6	60,00	6,00		DIN		19,839	17,524	16,165
11B86FK6	61,00	6,00		DIN		20,688	18,273	16,857
11B88FK6	62,00	6,00		DIN		21,252	18,771	17,316
11B89FK6	63,00	6,00		DIN		22,385	19,772	18,240
11B90FK6	64,00	6,00		DIN		23,803	21,024	19,395
11B93FK6	65,00	6,00		DIN		24,936	22,025	20,318
11B94FK6	66,00	6,00		DIN		25,505	22,528	20,782
11B95FK6	67,00	6,00		DIN		25,790	22,780	21,014
11B96FK6	68,00	6,00		DIN		26,069	23,026	21,242
11B98FK6	69,00	6,00		DIN		26,354	23,278	21,474
11B99FK6	70,00	6,00		DIN		26,639	23,529	21,705
11B03GK6	72,00	6,00		DIN		26,923	23,781	21,937
11B05GK6	73,00	6,00		DIN		27,203	24,027	22,165
11B08GK6	74,00	6,00		DIN		27,487	24,279	22,397
11B11GK6	75,00	6,00		DIN		27,487	24,279	22,397
11B10GK6	76,00	6,00		DIN		28,057	24,782	22,861
11B09GK6	78,00	6,00		DIN		28,336	25,028	23,088
11B07GK6	78,50	6,00		DIN		28,620	25,280	23,320
11B06GK6	79,00	6,00		DIN		29,190	25,783	23,784
11B12GK6	80,00	6,00		DIN		29,474	26,034	24,016
						100 900	1000 2400	2500
11B13GK6	81,00	6,00		DIN		30,038	26,532	24,476
11B15GK6	81,50	6,00		DIN		30,323	26,783	24,707
11B16GK6	84,00	6,00		DIN		30,887	27,282	25,167
11B14GK6	85,00	6,00		DIN		31,171	27,533	25,399
11B17GK6	86,00	6,00		DIN		31,741	28,036	25,863
11B20GK6	88,00	6,00		DIN		32,589	28,785	26,554
11B23GK6	90,00	6,00		DIN		32,874	29,037	26,786
11B22GK6	92,00	6,00		DIN		33,153	29,283	27,014
11B24GK6	93,00	6,00		DIN		33,438	29,535	27,246
11B25GK6	95,00	6,00		DIN		33,723	29,786	27,478
11B26GK6	96,00	6,00		DIN		33,723	29,786	27,478
11B27GK6	98,00	6,00		DIN		34,007	30,038	27,709
11B28GK6	99,00	6,00		DIN		34,292	30,289	27,941

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	
11B29GK6	100,00	6,00			DIN	34,292	30,289	27,941
11B32GK6	101,00	6,00			DIN	34,571	30,536	28,169
11B36GK6	103,00	6,00			DIN	34,856	30,787	28,401
11B37GK6	104,00	6,00			DIN	35,140	31,039	28,633
11B39GK6	104,50	6,00			DIN	35,425	31,290	28,865
11B38GK6	105,00	6,00			DIN	35,704	31,537	29,092
11B41GK6	106,00	6,00			DIN	35,989	31,788	29,324
11B44GK6	108,00	6,00			DIN	36,838	32,538	30,016
11B50GK6	110,00	6,00			DIN	37,407	33,041	30,480
11B51GK6	111,00	6,00			DIN	37,692	33,292	30,711
11B52GK6	112,00	6,00			DIN	37,971	33,539	30,939
11B53GK6	114,00	6,00			DIN	38,540	34,041	31,403
11B56GK6	115,00	6,00			DIN	38,540	34,041	31,403
11B59GK6	118,00	6,00			DIN	39,958	35,294	32,558
11B62GK6	120,00	6,00			DIN	41,376	36,546	33,714
11B63GK6	122,00	6,00			DIN	42,224	37,296	34,405
11B64GK6	123,00	6,00			DIN	43,073	38,045	35,096
11B66GK6	124,00	6,00			DIN	43,927	38,799	35,792
11B65GK6	125,00	6,00			DIN	44,775	39,549	36,484
11B68GK6	128,00	6,00			DIN	45,624	40,298	37,175
11B70GK6	130,00	6,00			DIN	46,193	40,801	37,639
						50	500	1250
						450	1200	
11B74GK6	132,00	6,00			DIN	47,890	42,300	39,022
11B75GK6	134,00	6,00			DIN	49,024	43,301	39,945
11B76GK6	135,00	6,00			DIN	49,878	44,056	40,641
11B78GK6	136,00	6,00			DIN	50,442	44,554	41,100
11B77GK6	138,00	6,00			DIN	51,011	45,057	41,564
11B79GK6	139,20	6,00			DIN	51,290	45,303	41,792
11B80GK6	140,00	6,00			DIN	51,575	45,555	42,024
11B83GK6	142,00	6,00			DIN	55,259	48,809	45,026
11B87GK6	145,00	6,00			DIN	57,810	51,062	47,104
11B81GK6	146,00	6,00			DIN	58,084	51,304	47,327
11B89GK6	148,00	6,00			DIN	58,686	51,836	47,818
11B92GK6	150,00	6,00			DIN	59,233	52,319	48,264
11B05HK6	153,00	6,00			DIN	60,383	53,335	49,201
11B07HK6	154,00	6,00			DIN	61,752	54,544	50,316
11B08HK6	155,00	6,00			DIN	62,354	55,076	50,807
11B10HK6	155,50	6,00			DIN	63,504	56,091	51,743
11B11HK6	156,00	6,00			DIN	64,598	57,058	52,636
11B24HK6	157,00	6,00			DIN	65,748	58,074	53,572
11B25HK6	158,00	6,00			DIN	66,898	59,089	54,509
11B26HK6	159,00	6,00			DIN	67,445	59,573	54,955
11B95GK6	160,00	6,00			DIN	67,993	60,056	55,401

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	50	500	1250
						450	1200	
11B98GK6	162,00	6,00			DIN	70,018	61,845	57,052
11B90GK6	165,00	6,00			DIN	72,263	63,828	58,880
11B27HK6	166,00	6,00			DIN	73,139	64,601	59,594
11B82GK6	169,00	6,00			DIN	75,657	66,826	61,646
11B91GK6	170,00	6,00			DIN	76,533	67,599	62,360
11B84GK6	172,00	6,00			DIN	78,504	69,340	63,966
11B29HK6	175,00	6,00			DIN	80,748	71,323	65,794
11B30HK6	176,00	6,00			DIN	81,350	71,855	66,285
11B32HK6	180,00	6,00			DIN	82,171	72,580	66,954
11B88GK6	182,00	6,00			DIN	83,595	73,837	68,114
11B33HK6	184,00	6,00			DIN	85,018	75,094	69,274
11B35HK6	185,00	6,00			DIN	86,441	76,351	70,433
						30	300	750
						270	720	
11B36HK6	188,00	6,00			DIN	88,960	78,576	72,485
11B38HK6	190,00	6,00			DIN	90,657	80,075	73,868
11B39HK6	191,20	6,00			DIN	91,533	80,848	74,582
11B41HK6	193,00	6,00			DIN	92,409	81,622	75,296
11B42HK6	195,00	6,00			DIN	93,503	82,589	76,188
11B44HK6	196,00	6,00			DIN	95,201	84,088	77,570
11B45HK6	198,00	6,00			DIN	97,226	85,877	79,221
11B85GK6	200,00	6,00			DIN	99,197	87,618	80,827
11B47HK6	201,00	6,00			DIN	100,02	88,343	81,496
11B48HK6	202,00	6,00			DIN	100,89	89,117	82,210
11B50HK6	203,00	6,00			DIN	102,04	90,132	83,146
11B51HK6	203,50	6,00			DIN	102,86	90,858	83,815
11B53HK6	204,00	6,00			DIN	103,41	91,341	84,261
11B54HK6	205,00	6,00			DIN	104,01	91,873	84,752
11B56HK6	208,00	6,00			DIN	104,84	92,599	85,421
11B93GK6	210,00	6,00			DIN	106,26	93,856	86,581
11B57HK6	212,00	6,00			DIN	107,96	95,355	87,964
11B59HK6	215,00	6,00			DIN	110,53	97,627	90,060
11B60HK6	216,00	6,00			DIN	111,08	98,111	90,506
11B62HK6	217,00	6,00			DIN	111,68	98,643	90,997
11B71HK6	218,00	6,00			DIN	112,23	99,126	91,443
11B94GK6	220,00	6,00			DIN	113,38	100,14	92,380
11B72HK6	221,00	6,00			DIN	113,92	100,63	92,826
11B74HK6	225,00	6,00			DIN	116,17	102,61	94,655
11B75HK6	226,00	6,00			DIN	116,77	103,14	95,145
11B77HK6	229,00	6,00			DIN	118,47	104,64	96,528
11B78HK6	230,00	6,00			DIN	119,01	105,12	96,974
11B81HK6	235,00	6,00			DIN	120,44	106,38	98,134
11B83HK6	236,00	6,00			DIN	120,71	106,62	98,357
11B84HK6	237,00	6,00			DIN	120,99	106,86	98,580

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				30 270	300 720	750
	F	I - JIS	AS-BS					
11B86HK6	237,50	6,00		DIN		121,31	107,15	98,848
11B87HK6	238,00	6,00		DIN		121,59	107,39	99,071
11B96GK6	240,00	6,00				121,86	107,64	99,294
11B89HK6	242,00	6,00		DIN		122,41	108,12	99,740
11B90HK6	244,00	6,00		DIN		123,28	108,89	100,45
11B92HK6	247,00	6,00		DIN		123,83	109,38	100,90
11B93HK6	249,00	6,00		DIN		124,38	109,86	101,35
11B02HK6	250,00	6,00		DIN		124,71	110,15	101,61
11B95HK6	258,00	6,00		DIN		126,40	111,65	103,00
11B96HK6	259,00	6,00		DIN		126,95	112,13	103,44
11B99HK6	260,00	6,00		DIN		127,50	112,62	103,89
11B04IK6	262,00	6,00		DIN		128,10	113,15	104,38
11B05IK6	265,00	6,00		DIN		128,92	113,87	105,05
11B07IK6	266,00	6,00		DIN		129,20	114,12	105,27
11B08IK6	270,00	6,00		DIN		130,35	115,13	106,21
11B10IK6	278,00	6,00		DIN		134,62	118,90	109,69
11B11IK6	280,00	6,00		DIN		136,04	120,16	110,85
11B13IK6	284,00	6,00		DIN		137,13	121,13	111,74
11B14IK6	285,00	6,00		DIN		137,46	121,42	112,01
11B16IK6	288,00	6,00		DIN		138,28	122,14	112,68
11B17IK6	290,00	6,00		DIN		138,83	122,63	113,12
11B19IK6	294,00	6,00		DIN		141,13	124,66	115,00
11B20IK6	295,00	6,00		DIN		141,68	125,14	115,44
11B22IK6	300,00	6,00		DIN		150,22	132,68	122,40
11A718K6	305,00	6,00		DIN		155,86	137,66	126,99
11A719K6	310,00	6,00		DIN		164,34	145,16	133,91
11A720K6	315,00	6,00		DIN		172,88	152,70	140,87
11A721K6	320,00	6,00		DIN		181,37	160,20	147,78
						20 180	200 480	500
11A722K6	325,00	6,00		DIN		187,01	165,18	152,38
11A723K6	330,00	6,00		DIN		189,85	167,69	154,69
11A724K6	335,00	6,00		DIN		195,55	172,72	159,33
11B00HK6	338,00	6,00		DIN		197,24	174,22	160,72
11A725K6	340,00	6,00		DIN		198,39	175,24	161,65
11A726K6	345,00	6,00		DIN		204,03	180,22	166,25
11B31IK6	348,00	6,00		DIN		207,43	183,21	169,01
11A727K6	350,00	6,00		DIN		209,73	185,25	170,89
11A728K6	355,00	6,00		DIN		215,36	190,23	175,48
11B04HK6	358,00	6,00		DIN		218,76	193,22	178,25
11A729K6	360,00	6,00		DIN		221,06	195,25	180,12
11A730K6	365,00	6,00		DIN		226,70	200,24	184,72
11B32IK6	368,00	6,00		DIN		230,09	203,23	187,48
11A731K6	370,00	6,00		DIN		232,39	205,26	189,35
11A732K6	375,00	6,00		DIN		238,03	210,24	193,95

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				20 180	200 480	500
	F	I - JIS	AS-BS					
11B34IK6	376,00	6,00		DIN		238,90	211,02	194,66
11A733K6	380,00	6,00		DIN		240,88	212,76	196,27
11A734K6	385,00	6,00		DIN		243,72	215,27	198,59
11B35IK6	386,00	6,00		DIN		244,27	215,76	199,03
11B37IK6	388,00	6,00		DIN		245,42	216,77	199,97
11B38IK6	389,00	6,00		DIN		245,97	217,26	200,42
11A735K6	390,00	6,00		DIN		246,57	217,79	200,91
11B06HK6	392,00	6,00		DIN		247,66	218,75	201,80
11B40IK6	394,00	6,00		DIN		248,81	219,77	202,74
11A736K6	395,00	6,00		DIN		249,36	220,25	203,18
11B41IK6	398,00	6,00		DIN		251,06	221,75	204,56
11A737K6	400,00	6,00		DIN		252,21	222,77	205,50
						10 90	100 240	250
11B43IK6	415,00	6,00		DIN		260,69	230,26	212,42
11B44IK6	422,00	6,00		DIN		264,09	233,26	215,18
11B09HK6	429,00	6,00		DIN		269,23	237,81	219,37
11B46IK6	446,00	6,00		DIN		278,27	245,78	226,73
11B47IK6	448,00	6,00		DIN		279,42	246,80	227,67
11B49IK6	450,00	6,00		DIN		280,57	247,82	228,61
						5 45	50 120	125
11B52IK6	470,00	6,00		DIN		291,90	257,83	237,84
11B53IK6	478,00	6,00		DIN		296,44	261,84	241,54
11B12HK6	480,00	6,00		DIN		297,54	262,81	242,44
11B56IK6	486,00	6,00		DIN		300,38	265,32	244,76
11B58IK6	489,00	6,00		DIN		303,23	267,83	247,07
11B59IK6	500,00	6,00		DIN		311,71	275,33	253,99
11B61IK6	504,00	6,00		DIN		314,56	277,84	256,31
11B62IK6	505,00	6,00		DIN		315,11	278,33	256,75
11B64IK6	508,00	6,00		DIN		316,26	279,34	257,69
11B65IK6	510,00	6,00		DIN		317,41	280,36	258,63
11B67IK6	516,00	6,00		DIN		320,20	282,82	260,90
11B68IK6	530,00	6,00		DIN		328,74	290,37	267,86
11B13HK6	540,00	6,00		DIN		334,38	295,35	272,46
11B70IK6	544,00	6,00		DIN		337,23	297,86	274,78
11B71IK6	549,00	6,00		DIN		340,07	300,38	277,09
11B74IK6	555,00	6,00		DIN		371,22	327,89	302,48
11B76IK6	560,00	6,00		DIN		396,73	350,42	323,26
11B77IK6	569,00	6,00		DIN		425,09	375,47	346,37
11B79IK6	575,00	6,00		DIN		436,42	385,48	355,60
11B80IK6	579,00	6,00		DIN		524,23	463,04	427,15

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	100	1000	2500
						900	2400	
11A738K6	113,67	6,99	R53	8450	425	43,642	38,548	35,560
11A739K6	114,70	6,99		197	624	43,927	38,799	35,792
11A740K6	116,84	6,99	R54	8462	426	44,491	39,298	36,252
11A741K6	120,02	6,99	R55	8475	427	44,775	39,549	36,484
						50	500	1250
						450	1200	
11A742K6	123,19	6,99	R56	8487	428	48,175	42,552	39,254
11A743K6	124,60	6,99		204	625	49,024	43,301	39,945
11A744K6	126,37	6,99	R57	8500	429	49,593	43,804	40,409
11A745K6	129,54	6,99	R58	8512	430	50,157	44,302	40,868
11A746K6	132,72	6,99	R59	8525	431	56,660	50,047	46,168
11A747K6	134,50	6,99		211	626	60,055	53,045	48,933
11A748K6	135,89	6,99	R60	8537	432	60,931	53,818	49,647
11A749K6	139,07	6,99	R61	8550	433	61,478	54,302	50,093
11A750K6	142,24	6,99	R62	8562	434	65,201	57,590	53,126
11A751K6	145,42	6,99	R63	8575	435	66,569	58,799	54,241
11A752K6	148,59	6,99	R64	8587	436	67,445	59,573	54,955
11A753K6	151,77	6,99	R65	8600	437	67,993	60,056	55,401
11A754K6	155,60	6,99		223	872	70,839	62,570	57,721
11A755K6	158,12	6,99	R66	8625	438	71,387	63,054	58,167
11A756K6	159,50	6,99		225	627	73,686	65,085	60,040
11A757K6	161,90	6,99		226	874	75,109	66,342	61,200
11A758K6	164,47	6,99	R67	8650	439	79,325	70,065	61,975
11A759K6	166,70	6,99		228	628	82,171	72,580	66,279
11A760K6	168,30	6,99		229	876	85,018	75,094	68,000
11A761K6	170,82	6,99	R68	8675	440	87,865	77,609	68,000
11A762K6	174,60	6,99		231	878	88,412	78,092	68,000
11A763K6	177,17	6,99	R69	8700	441	89,288	78,866	68,000
						30	300	750
						270	720	
11A764K6	181,00	6,99		233	880	90,657	80,075	68,861
11A765K6	183,52	6,99	R70	8725	442	93,503	82,589	68,861
11A766K6	187,30	6,99		235	882	99,197	87,618	68,861
11A767K6	189,87	6,99	R71	8750	443	102,04	90,132	68,861
11A768K6	193,70	6,99		237	884	104,84	92,599	82,633
11A769K6	196,22	6,99	R72	8775	444	107,68	95,113	82,633
11A770K6	200,00	6,99		239	886	110,53	97,627	82,633
11A771K6	202,57	6,99	R73	8800	445	113,38	100,14	86,076
11A772K6	208,92	6,99		8825	674	116,17	102,61	89,519
11A773K6	215,27	6,99	R74	8850	446	119,01	105,12	92,962
11A774K6	221,62	6,99		8875	676	121,86	107,64	94,684
11A775K6	227,97	6,99	R75	8900	447	124,71	110,15	94,684
11A776K6	234,32	6,99		8925	678	126,13	111,41	98,127
11A777K6	240,67	6,99	R76	8950	448	127,50	112,62	98,127
11A778K6	247,00	6,99		8975	680	128,92	113,87	106,73

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price € / 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)	F	I - JIS	AS-BS	30	300	750
						270	720	
11A779K6	253,37	6,99	R77	81000	449	130,35	115,13	111,90
11A780K6	259,70	6,99		81025	682	133,19	117,65	113,62
11A781K6	266,07	6,99	R78	81050	450	136,04	120,16	113,62
11A782K6	272,40	6,99		81075	684	138,83	122,63	118,79
11A783K6	278,77	6,99	R79	81100	451	141,68	125,14	120,51
11A784K6	285,10	6,99		81125	686	144,53	127,66	120,51
11A785K6	291,47	6,99	R80	81150	452	147,37	130,17	123,95
11A786K6	297,80	6,99		81175	688	153,01	135,15	129,11
11A787K6	304,17	6,99	R81	81200	453	167,19	147,67	141,16
						20	200	500
						180	480	
11B65HK6	310,50	6,99			648	184,22	162,71	158,38
11A788K6	316,87	6,99	R82	81250	454	195,55	172,72	160,10
11B66HK6	323,20	6,99			649	198,39	175,24	163,54
11A789K6	329,57	6,99	R83	81300	455	198,39	175,24	163,54
11B68HK6	335,90	6,99			650	212,52	187,71	180,76
11A790K6	342,27	6,99	R84	81350	456	221,06	195,25	180,76
11A791K6	354,97	6,99	R85	81400	457	232,39	205,26	180,76
11A792K6	367,67	6,99	R86	81450	458	243,72	215,27	180,76
11A793K6	380,37	6,99	R87	81500	459	255,05	225,28	191,09
11A794K6	393,07	6,99	R88	81550	460	262,12	231,52	206,58
						10	100	250
						90	240	
11A795K6	405,26	6,99		81600	461	269,23	237,81	206,58
11A796K6	417,96	6,99		81650	462	276,30	244,04	215,19
11A797K6	430,66	6,99		81700	463	283,36	250,28	215,19
						5	50	125
						45	120	
11A798K6	443,36	6,99		81750	464	311,71	275,33	215,19
11A799K6	456,06	6,99		81800	465	325,89	287,85	223,80
11A800K6	468,76	6,99		81850	466	334,38	295,35	232,41
11A801K6	481,46	6,99		81900	467	340,07	300,38	241,01
11A802K6	494,16	6,99		81950	468	354,25	312,90	241,01
11A803K6	506,86	6,99		82000	469	368,38	325,38	258,23
11A804K6	532,26	6,99		82100	470	382,55	337,90	266,84
11A805K6	557,66	6,99		82200	471	595,13	525,66	484,92
11A806K6	582,68	6,99		82300	472	680,09	600,71	554,15
11A807K6	608,08	6,99		82400	473	793,47	700,85	646,52
11A808K6	633,48	6,99		82500	474	821,82	725,89	669,63
11A809K6	658,88	6,99		82600	475	850,13	750,89	692,69
						30	300	750
						270	720	
11B47LK6	206,00	7,00	ISO			116,17	102,61	94,655
11B50LK6	212,00	7,00	ISO			119,01	105,12	96,974
11B54LK6	218,00	7,00	ISO			121,86	107,64	99,294

O-RINGS - NBR 70

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				30 270	300 720	750
	F	I - JIS	AS-BS					
11B57LK6	224,00	7,00	ISO			124,71	110,15	101,61
11B60LK6	230,00	7,00	ISO			126,13	111,41	102,77
11B65LK6	236,00	7,00	ISO			127,50	112,62	103,89
11B66LK6	243,00	7,00	ISO			128,92	113,87	105,05
11B71LK6	250,00	7,00	ISO			130,35	115,13	106,21
11B75LK6	258,00	7,00	ISO			133,19	117,65	108,53
11B78LK6	265,00	7,00	ISO			136,04	120,16	110,85
11B79LK6	272,00	7,00	ISO			138,83	122,63	113,12
11B81LK6	280,00	7,00	ISO			141,68	125,14	115,44
11B83LK6	290,00	7,00	ISO			147,37	130,17	120,08
11B92LK6	300,00	7,00	ISO			167,19	147,67	136,23
						20 180	200 480	500
11B96LK6	307,00	7,00	ISO			184,22	162,71	150,10
11B97LK6	315,00	7,00	ISO			195,55	172,72	159,33
11B99LK6	325,00	7,00	ISO			198,39	175,24	161,65
11B01MK6	335,00	7,00	ISO			212,52	187,71	173,16
11B08MK6	345,00	7,00	ISO			226,70	200,24	184,72
11B11MK6	355,00	7,00	ISO			232,39	205,26	189,35
11B13MK6	365,00	7,00	ISO			243,72	215,27	198,59
11B12MK6	375,00	7,00	ISO			255,05	225,28	207,82
11B14MK6	387,00	7,00	ISO			262,12	231,52	213,58
11B15MK6	400,00	7,00	ISO			269,23	237,81	219,37
						10 90	100 240	250
11B17MK6	412,00	7,00	ISO			276,30	244,04	225,13
11B18MK6	425,00	7,00	ISO			283,36	250,28	230,88
11B23MK6	437,00	7,00	ISO			311,71	275,33	253,99
						5 45	50 120	125
11B24MK6	450,00	7,00	ISO			325,89	287,85	265,54
11A810K6	457,20	7,00		DIN		334,38	295,35	272,46
11B26MK6	462,00	7,00	ISO			337,23	297,86	274,78
11B29MK6	475,00	7,00	ISO			340,07	300,38	277,09
11B30MK6	487,00	7,00	ISO			354,25	312,90	288,65
11A811K6	494,67	7,00		DIN		362,74	320,40	295,56
11B32MK6	500,00	7,00	ISO			368,38	325,38	300,16
11B33MK6	515,00	7,00	ISO			374,07	330,41	304,80
11B35MK6	530,00	7,00	ISO			382,55	337,90	311,71
11B36MK6	545,00	7,00	ISO			425,09	375,47	346,37
11A812K6	545,47	7,00		DIN		425,09	375,47	346,37
11B38MK6	560,00	7,00	ISO			595,13	525,66	484,92
11B39MK6	580,00	7,00	ISO			680,09	600,71	554,15
11A813K6	596,27	7,00		DIN		765,11	675,80	623,42
11B41MK6	600,00	7,00	ISO			793,47	700,85	646,52

Codice Code	Dimensioni / Dimensions		Specifiche References			Prezzo / Price €/ 100 pcs		
	Diam. interno I.D. (mm)	Sez. corda C.S. (mm)				5 45	50 120	125
	F	I - JIS	AS-BS					
11B42MK6	615,00	7,00	ISO			807,64	713,37	658,08
11B47MK6	630,00	7,00	ISO			821,82	725,89	669,63
11A814K6	647,07	7,00		DIN		850,13	750,89	692,69
11B48MK6	650,00	7,00	ISO			850,13	750,89	692,69
11B50MK6	670,00	7,00	ISO			906,84	800,99	738,90
						30 270	300 720	750
11A815K6	144,10	8,40				93,503	82,589	76,188
11A816K6	149,10	8,40				99,197	87,618	80,827
11B73NK6	149,50	8,40		P150A		103,41	91,341	84,261
11A817K6	154,10	8,40				103,41	91,341	84,261
11B11QK6	154,50	8,40		P155		119,01	105,12	96,974
11A818K6	159,10	8,40				119,01	105,12	96,974
11B74NK6	159,50	8,40		P160		121,86	107,64	99,294
11A819K6	164,10	8,40				121,86	107,64	99,294
11B76NK6	164,50	8,40		P165		124,71	110,15	101,61
11A820K6	169,10	8,40				124,71	110,15	101,61
11B79NK6	169,50	8,40		P170		127,50	112,62	103,89
11A821K6	174,10	8,40				127,50	112,62	103,89
11B80NK6	174,50	8,40		P175		144,53	127,66	117,76
						20 180	200 480	500
11A822K6	179,10	8,40				144,53	127,66	117,76
11B54PK6	179,50	8,40		P180		155,86	137,66	126,99
11A823K6	184,10	8,40				155,86	137,66	126,99
11B82NK6	184,50	8,40		P185		155,86	137,66	126,99
11A824K6	189,10	8,40				155,86	137,66	126,99
11B83NK6	189,50	8,40		P190		155,86	137,66	126,99
11A825K6	194,10	8,40				155,86	137,66	126,99
11B85NK6	194,50	8,40		P195		161,55	142,69	131,63
11A826K6	199,10	8,40				161,55	142,69	131,63
11B86NK6	199,50	8,40		P200		164,34	145,16	133,91
11A827K6	204,10	8,40				164,34	145,16	133,91
11B88NK6	204,50	8,40		P205		170,04	150,19	138,55
11B89NK6	208,50	8,40		P209		170,04	150,19	138,55
11A828K6	209,10	8,40				170,04	150,19	138,55
11B91NK6	209,50	8,40		P210		172,88	152,70	140,87
11B52PK6	214,50	8,40		P215		172,88	152,70	140,87
11A829K6	219,10	8,40				172,88	152,70	140,87
11B55PK6	219,50	8,40		P220		177,10	156,43	144,30
11B95NK6	224,50	8,40		P225		187,01	165,18	152,38
11A830K6	229,10	8,40				177,10	156,43	144,30
11B97NK6	229,50	8,40		P230		187,01	165,18	152,38
11A831K6	234,10	8,40				187,01	165,18	152,38
11B00PK6	234,50	8,40		P235		192,70	170,21	157,01

